



9/30/21

---

**Botanical Survey Report  
Wetland and Waters Evaluation and Delineation**

**Stross 2021  
APN#  
511-141-015  
Humboldt County, CA.**



Prepared by  
J. Regan Consulting  
Eureka, CA.  
September 2021

For  
**MAD RIVER PROPERTIES, INC.  
MCKINLEYVILLE, CA.**

# Contents

Introduction.....	3
Summary of Findings.....	3
Botanical Survey Results.....	3
Wetland and Waters Investigation Results.....	4
Setting.....	4
Habitat Description.....	5
Methods.....	5
Wetlands and Waters.....	5
Vegetation.....	6
Soils.....	7
Hydrology.....	7
Botanical Survey Methods.....	7
Results/Recommendations.....	8
Sensitive Plant Species.....	8
Wetland and Waters Investigation.....	9
Conditions and Limitations.....	10
References.....	11

Attachment A: List of Potentially Occurring Sensitive Plant Species

Attachment B: General Location Map, Humboldt County Topo Parcel Map, Humboldt County Ortho Parcel Map, USFWS Wetland Map, Survey Route Map, Soils Report

Attachment C: Comprehensive Species List

Attachment D: Wetlands and Waters Location Map

## Introduction

This report is intended to serve as documentation of survey and assessment of the habitat features found within the subject property and the potential of those habitats to be suitable or critical to the life history of vascular and non-vascular plant species considered sensitive, rare, threatened, or endangered (including candidate species) in the United States and/or The State of California. Seasonally appropriate botanical survey was completed to determine if rare, threatened, endangered, or sensitive plant species or listed sensitive vegetation communities are present in the surveyed area. This report is the result of in field survey, reviews of relevant scientific literature, and professional knowledge. This survey report is intended to satisfy any project needs for botanical survey and mitigation for rare or endangered plant species and sensitive vegetation communities under the California Environmental Quality Act (CEQA), California Endangered Species Act (CESA), Federal Endangered Species Act (FESA), and the Native Plant Protection Act (NPPA).

Additionally, the study area was assessed and surveyed for the presence of jurisdictional waters of both the State of California and of the United States of America as required by the federal Clean Water Act (CWA) and California's Porter-Cologne Water Quality Control Act, methodologies used are described in full below.

## Summary of Findings

### Botanical Survey Results

No sensitive, rare, threatened, or endangered plants were detected during floristically appropriate surveys in 2021.

No un-common species included in CRPR 3 or 4 were detected during surveys.

Sensitive natural vegetation communities were detected during surveys for this project (see Vegetation Location Map, Attachment D).

- **Picea sitchensis (Sitka spruce Forest and Woodland) Forest and Woodland Alliance G5, S2**

This sensitive vegetation type occurs on the western and southern edges of the subject parcel in a contiguous forest stand mixed with Douglas' fir, redwood, red cedar, and grand fir. A small stand of spruce forest exists within the study area between the open field and Hooven Road on the east side of the parcel.

At this time proposed development does not include the removal of any Sitka spruce Forest or Woodland. No impacts are expected to occur, and no additional management recommendations are presented here.

## Wetland and Waters Investigation Results

One previously unmapped intermittent watercourse was found on the subject parcel during surveys in 2021. The small feature begins just below the open field and quickly passes off the parcel to the south. All waters are included on the Wetlands and Waters Location Map, Attachment D. No wetlands or significant wetland or riparian vegetation was detected on the subject parcel.

Any wetlands or watercourses located within the surveyed area may be considered jurisdictional by either CDFW, ACOE, or both. All identified features are included on the included Wetland and Waters Location Map in Attachment D. 2021 is a year with below average rainfall and often secondary indicators of jurisdictional wetland presence were used.

**Recommend avoiding impacts to waters by adhering to all Federal, State, County, and local ordinances for permitted developments. In general development projects should remain outside of setbacks for waters, setback measurements should be done according to current guidelines enforced by the lead agency in any permitting situation.**

## Setting

The Stross 2021 project area surveyed in 2021 is located within APN #s

### **511-141-015**

The approximately 16-acre study area is located within Humboldt County, on the Arcata North USGS 7.5' quadrangle north of the community of McKinleyville, CA.

The biogeographic region can be described using a three-tiered hierarchy of province, region, and sub-region. This site lies within the California Floristic Province, Northwestern California region, North Coast sub-region.

The study area is located on a relatively gentle, south facing slope on a low ridge between Duke and Norton Creeks. This area is on the first range of coastal hills east of the Pacific Ocean. Elevation on site ranges from 250 to approximately 450 feet above mean sea level.

Project area base maps courtesy of Google Earth, Humboldt County Web GIS, USFWS Wetland Mapper, and USDA Web Soil Survey are included as attachments at the end of this report.

Botanical survey and wetlands and waters evaluation are intended to map and delineate resources within and adjacent to areas of potential future development located within the project area.

## Habitat Description

Habitat within the study area is composed of a large area of open maintained (mown) grassland dominated by several non-native grasses including sweet vernal grass (*Anthoxanthum odoratum*), velvet grass (*Holcus lanatus*), and bent grass (*Agrostis* sp.). Some native California brome grass (*Bromus sitchensis* var. *carinatus*) was present but not in enough quantity to qualify as a native grass community. This open grassland is surrounded by developed residence and landscaping to the north and by mature coniferous forest on the west, south, and partially on the east. The forest is dominated by Sitka spruce (*Picea sitchensis*) with redwood (*Sequoia sempervirens*), Douglas' fir (*Pseudotsuga menziesii*), western red cedar (*Thuja plicata*), grand fir (*Abies grandis*) and others. A small warehouse and office building is located in the southwest corner of the subject parcel and well maintained paved and gravel driveways and access roads lead from the county road (Hooven Road) into the parcel.

Some vegetation communities within the study area may be classified using the reference "A Manual of California Vegetation" (Sawyer 2009).

- **Picea sitchensis (Sitka spruce Forest and Woodland) Forest and Woodland Alliance G5, S2**

The vegetation types listed above is described as a "sensitive" vegetation type by CDFW and will be considered for conservation in any planned development. Other vegetation types on the surveyed parcel were either of mixed dominance or were composed of a mix of vegetation types with non-native species that are not classified into natural communities.

## Methods

### Wetlands and Waters

An assessment of potential impacts to adjacent watercourses or wetlands within 500 feet of the areas of potential development was conducted by interpretation of aerial photography and resource maps courtesy of Google Earth, the United States Geologic Survey (USGS) 7.5' Iaqua Buttes quadrangle map, Humboldt County Web GIS, and United States Fish and Wildlife Service (USFW) National Wetland Inventory. This assessment was supplemented by in field survey of the subject areas.

Any mapped watercourses were identified using the U.S. Army Corps of Engineers (ACOE) "Guide to Ordinary High Water Mark (OHWM) Delineation for Non-Perennial Streams in the Western Mountains, Valleys, and Coast Region of the United States" (Mercel, Licvar 2014).

Potential wetlands and wetland boundaries were assessed using guidelines outlined in the ACOE Wetland Delineation Manual Technical Report Y-87-1 (referred to as the 1987 manual) and the

Draft Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys and Coast Region. The 1987 manual provides technical guidelines for identifying wetlands, distinguishing them from non-wetlands, and provides methods for applying the technical guidelines. Three key provisions of the ACOE wetland definition include:

- i. Inundated or saturated soil conditions resulting from permanent or periodic inundation by ground or surface water.
- ii. A prevalence of vegetation typically adapted for life in saturated soil conditions (hydrophytic vegetation)
- iii. The presence of “normal circumstances”

Explicit in the ACOE definition is the consideration of three environmental parameters: Hydrology, Vegetation, and Soils. Positive wetland indicators of all three parameters are normally present in wetlands. The ACOE methodology requires one positive indicator from each parameter in order to make a positive wetland determination. Indicators of wetland hydrology include drainage patterns, drift lines, sediment deposits, watermarks, and visual observations of saturated soils and/or inundation.

Areas which were obvious wetlands and areas sampled with three positive indicators of wetland setting would be identified as wetlands and be included on the wetlands and watercourse location maps, in Attachment D. Watercourses and wetlands are classified as either seasonal (Intermittent and Ephemeral) or Perennial.

## Vegetation

The ACOE Manual (1987) directs that presence of a single individual of hydrophytic species does not mean that hydrophytic vegetation is present. However, hydrophytic vegetation is considered to be present if 50% of the dominant species have indicator status of OBL, FACW or FAC.

- Obligate (OBL)—usually occurs within a wetland (estimated probability 99%)
- Facultative-wet (FACW)—usually occurs in wetlands (estimated probability 67-99%)
- Facultative (FAC)—equally likely to occur in wetlands or non-wetlands (estimated probability 33-67%)
- Facultative-upland (FACU)—usually occurs in non-wetlands (estimated probability 1-33%)
- Upland (UPL)—occurs almost always in non-wetlands (estimated probability 99%)
- Non-Indicator (NI)—scored as an upland plant and calculated as such on wetland determination forms

The entire parcel was assessed first to determine the location of distinct plant community types. Wetland plot locations were selected to provide representative data within each type.

Dominant species were determined by estimating those having the greatest percentage of cover using the “50/20” rule. The “50/20” rule entails that for each sample point and associated plant community, dominant species are the most abundant species, when ranked in descending order of abundance and cumulatively totaled, that immediately exceed 50% of the total dominance measure for the stratum, plus any additional species comprising 20% or more of the total dominance measure for each stratum. Absolute cover contribution was estimated for each sample plot, due to layering of species and strata percent cover values may exceed 100%. For marginal sites the FAC neutral test and the Prevalence Index were also utilized, these calculations (shown on attached forms) further analyze vegetation community using all species in the plot not just the dominant species.

This wetland and waters evaluation also utilized techniques from the technical manual A Hydrogeomorphic Classification of Wetlands (Brinson 1993) wherein wetlands are classified by land position and hydrologic regime.

## Soils

Current USDA soils maps were obtained from the USDA Web Soil Survey and are included in Attachment B. The majority of the project area falls into a soil map units labeled as:

1. Arcata and Candymountain soils 0-2 percent slopes.
2. Lepoil-Espa-Candymountain complex 15-20 percent slopes.

No soil pits were excavated during this investigation.

## Hydrology

Each observation point for determination and delineation of watercourse and wetland boundaries was examined for indicators of wetland hydrology.

Indicators of wetland hydrology include drainage patterns, drift lines, sediment deposits, watermarks, and visual observations of saturated soils and/or inundation. Drainage patterns were determined by observing any signs of surface flow into or through the subject parcel throughout the survey period. Aerial imagery was used courtesy of Google Earth and Humboldt County Web GIS.

## Botanical Survey Methods

Seasonally appropriate and floristically guided survey is intended to satisfy any project needs for botanical survey and mitigation for rare or endangered plant species and sensitive vegetation communities under the California Environmental Quality Act (CEQA). If sensitive plant species are detected within the project boundaries appropriate measures to avoid and/or mitigate impacts

to those species shall be developed by a qualified professional and delivered to the appropriate agencies for review. These same measures are listed in CEQA, Section 15370.

- Avoid the impact altogether by not taking a certain action
- Minimize impacts by limiting the degree or magnitude of the action
- Rectify the impact by repairing, rehabilitating, or restoring the impacted environment
- Reduce or eliminate the impact over time by preservation and maintenance operations during the life of the project
- Compensate for the impact by replacing or providing substitute resources or environments

Surveys for this project were conducted on 21 March, 2 May, and 19 June 2021. The surveys were conducted by Mr. James Regan. Mr. Regan holds a bachelors' degree in botany and has experience working as professional botanist and wetland delineator in northern California. Approximately 5 field hours were spent on surveys within the 16-acre project area. Maps showing survey routes are included as Attachment B. Surveys were done as an intuitive assessment of potential habitats based on personal knowledge and visible environmental features such as canopy cover, slope, soil texture, aspect, hydrologic features, and associated tree, shrub, and herbaceous plant species (if present). The botanical survey was floristic in nature and seasonally appropriate. This survey protocol is based on the publication "Protocol for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Natural Communities" (CDFG 2018). A list of sensitive plant species that have the potential to occur in this area is provided in Attachment A. This list is the result of a compilation of occurrence data from the California Native Plant Society (CNPS) and California Natural Diversity Database (CNDDDB). Sources were queried for the Arcata North USGS 7.5' quadrangle and the 8 quadrangles immediately adjacent. Plant species with potential habitat within the project area are noted. All other species listed are described as existing in habitat types that are not found within the project area. Plant species ranked by the CNPS as California Rare Plant Rank (CRPR) 1 and 2 with potential habitat within the project area are considered the primary focus of seasonal surveys. CRPR list 3 and 4 plants are recorded and reported if found within the project area and will be considered for mitigation if appropriate. A complete list of species encountered is found in Attachment C.

## Results/Recommendations

### Sensitive Plant Species

No sensitive, rare, threatened, or endangered plants were detected during floristically appropriate surveys in 2021.

No un-common species included in CRPR 3 or 4 were detected during surveys.

Sensitive natural vegetation communities were detected during surveys for this project (see Vegetation Location Map, Attachment D).



- **Picea sitchensis (Sitka spruce Forest and Woodland) Forest and Woodland Alliance G5, S2**

This sensitive vegetation type occurs on the western and southern edges of the subject parcel in a contiguous forest stand mixed with Douglas' fir, redwood, red cedar, and grand fir. A small stand of spruce forest exists within the study area between the open field and Hooven Road on the east side of the parcel.

At this time proposed development does not include the removal of any Sitka spruce Forest or Woodland. No impacts are expected to occur, and no additional management recommendations are presented here.

### Wetland and Waters Investigation

One previously unmapped intermittent watercourse was found on the subject parcel during surveys in 2021. The small feature begins just below the southern boundary of the open field and quickly passes off the parcel to the south, likely to join Norton Creek. All waters are included on the Wetlands and Waters Location Map, Attachment D.

No wetlands or significant wetland or riparian vegetation was detected on the subject parcel.

Newly mapped watercourses in the subject area showed at least two of the three primary indicators of OHWM which include a break in slope, a change in sediment profile, or a change in vegetation. Seasonal (Intermittent and Ephemeral) creeks within the parcel are generally characterized by a small change in slope from upland to the seasonally active channel and a change in sediment from fines and organics outside the OHWM and loose gravels and small cobble within. Intermittent streams had some flow during the survey period and were identified by duration of flow, channel morphology, and connection to higher order creeks or wetlands. The identified watercourse had surface water and evidence of flow during the June survey visit, well past the last significant rain event.

Any wetlands or watercourses located within the surveyed area may be considered jurisdictional by either CDFW, ACOE, or both. All identified features are included on the included Wetland and Waters Location Map in Attachment D. 2021 is a year with below average rainfall and often secondary indicators of jurisdictional wetland presence were used.

**Recommend avoiding impacts to waters by adhering to all Federal, State, County, and local ordinances for permitted developments. In general development projects should remain outside of setbacks for waters, setback measurements should be done according to current guidelines enforced by the lead agency in any permitting situation.**

## Conditions and Limitations

This report is based on conditions observed and recorded during field visits in 2021. This report has not been reviewed nor has concurrence with the conclusions been obtained. Verification by agencies may be necessary in the future. Land use practices and regulations can change thereby affecting conditions and delineation results described herein.

This report and accompanying maps and data should be transmitted to the appropriate agents for review and included in any application for permits necessary for completion of any proposed development projects on the subject property.

The location and extent of mapped features is approximate. Maps are not to scale. In field survey and monumentation of pertinent features for buffering or mitigation planning may be required prior to the initiation of permitted activities.

Significance of wetlands and the necessity for mitigation during development is decided by regional agents of the appropriate federal, state, and local agencies if and when the site is reviewed for permitting purposes.

This report was prepared for exclusive use; consultants are not liable for any actions arising out of the reliance of any third party on the information contained in this report.

Please feel free to call with any questions.

James Regan



Botanist/Wetland Delineator  
707-845-0821

## References

- Allen, G. and J. Antos. 1988. Morphological And Ecological Variation Across A Hybrid Zone Between *Erythronium oregonum* and *E. revolutum* (Liliaceae). *Madroño*, Vol. 35, No. 1, pp. 32-38.
- Baldwin, B. G., D. H. Goldman, D. J. Keil, R. Patterson, T. J. Rosatti, and D. H. Wilken, editors. 2012. *The Jepson Manual: Vascular Plants of California*, second edition. University of California Press, Berkeley.
- Brinson, M.M. 1993. A Hydrogeomorphic Classification for Wetlands. U.S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS, USA. [Technical Report WRP-DE-4](#), U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.
- [CDFG] California Department of Fish and Game. 2018. "Protocol for Surveying and Evaluating Impacts to Special Status Native Plant Populations and Natural Communities" State of California.
- California Department of Fish and Wildlife, Natural Diversity Database. April 2018. Special Vascular Plants, Bryophytes, and Lichens List. Quarterly publication. 73 pp.
- CNPS (California Native Plants Society). 2018. *Inventory of Rare and Endangered Plants*. (on-line edition, v8-01a). California Native Plant Society. Sacramento, CA. Accessed March 2018.
- CNPS. [2021]. A Manual of California Vegetation, Online Edition. <http://www.cnps.org/cnps/vegetation/>; searched on [9, August, 2021]. California Native Plant Society, Sacramento, CA.
- Cal-IPC. 2006. California Invasive Plant Inventory. Cal-IPC Publication 2006-02 California Invasive Plant Council: Berkeley, CA. Available: [www.cal-ipc.org](http://www.cal-ipc.org).
- Circuit Rider Productions, Inc. (CRP). October 2003. *CALIFORNIA SALMONID STREAM HABITAT RESTORATION MANUAL, PART XI RIPARIAN HABITAT RESTORATION*, under a grant agreement with the California Department of Fish and Game.
- Coleman, Ronald A. 1995. *The Wild Orchids of California*. Comstock Publishing Associates a division of Cornell University Press. Ithaca, New York
- Hitchcock, C.L. and A. Cronquist. 1973. *Flora of the Pacific Northwest: An Illustrated Manual*. Seattle, Wash.: University of Washington Press. xix + 730 pp.
- Hickman, J.C., ed. 1993. *The Jepson Manual: Higher Plants of California*. University of California Press. Berkeley, CA

Humboldt County Weed Management Area. 2010. *Invasive Weeds of Humboldt County: A Guide for Concerned Citizens* (2nd Edition). Arcata, California.

Jepson Flora Project (eds.) 2020. Jepson eFlora, <https://ucjeps.berkeley.edu/eflora/> [accessed in 2021].

Lichvar, R.W., D.L. Banks, W.N. Kirchner, and N.C. Melvin. 2016. *The National Wetland Plant List: 2016 wetland ratings*. Phytoneuron 2016-30: 1-17. Published 28 April 2016. ISSN 2153 733X

List of Vegetation Alliances and Associations. Vegetation Classification and Mapping Program, California Department of Fish and Game. Sacramento, CA. September 2010.

Mercel, M.K. and R.W. Lichvar. 2014. *Guide to Ordinary High Water Mark (OHWM) Delineation for Non-Perennial Streams in the Western Mountains, Valleys, and Coast Region of the United States*. US Army Corps of Engineers (ACOE), August 2014.

Munz, P. A. and D. D. Keck. 1970. *A California Flora*. University of California Press. Berkeley, CA.

Sawyer, J.O. ,T.Keeler-Wolf, and, J.M. Evens. 2009. *A Manual of California Vegetation, 2<sup>nd</sup> edition*. California Native Plant Society, Sacramento,CA.

Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. Web Soil Survey. Available online at <http://websoilsurvey.nrcs.usda.gov/>. Accessed [8/2021].

US Army Corps of Engineers (ACOE). 1987. Corps of Engineers Wetland Delineation Manual. Wetlands Research Program Technical Report Y-87-1.

US Army Corps of Engineers (ACOE). Draft Interim Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Western Mountains, Valleys, and Coast Region. Revised. 4-9-2007.

U. S. Fish and Wildlife Service. February 2019. National Wetlands Inventory website. U.S. Department of the Interior, Fish and Wildlife Service, Washington, D.C. <http://www.fws.gov/wetlands/>

U.S.D.I – F.W.S. (United States Department of the Interior, Fish and Wildlife Service). 1996. *National List of Vascular Plant Species that Occur in Wetlands: 1996 National Summary*. Ecology Section, National Wetlands Inventory, FWS, report dated March 3, 1997. 209 pp.

**Attachment A**  
**List of Potentially Occurring Sensitive Plant Species**

Stross 2021 – List of Potentially Occurring Sensitive Plant Species

Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Abronia umbellata</i> var. <i>breviflora</i>	pink sand-verbena	1B.1	G4G5T2	S2	None	None	Jun-Oct	Coastal dunes	No
<i>Astragalus pycnostachyus</i> var. <i>pycnostachyus</i>	coastal marsh milk-vetch	1B.2	G2T2	S2	None	None	(Apr)Jun-Oct	Coastal dunes (mesic), Coastal scrub, Marshes and swamps (coastal salt, streamsidess)	No
<i>Astragalus umbraticus</i>	Bald Mountain milk-vetch	2B.3	G4	S2	None	None	May-Aug	Cismontane woodland, Lower montane coniferous forest	Potential
<i>Bryoria spiralifera</i>	twisted horsehair lichen	1B.1	G3	S1S2	None	None		North Coast coniferous forest (immediate coast)	Potential
<i>Cardamine angulata</i>	seaside bittercress	2B.2	G4G5	S3	None	None	(Jan)Mar-Jul	Lower montane coniferous forest, North Coast coniferous forest	Potential
<i>Carex arcta</i>	northern clustered sedge	2B.2	G5	S1	None	None	Jun-Sep	Bogs and fens, North Coast coniferous forest (mesic)	No
<i>Carex lenticularis</i> var. <i>limnophila</i>	lagoon sedge	2B.2	G5T5	S1	None	None	Jun-Aug	Bogs and fens, Marshes and swamps, North Coast coniferous forest	No
<i>Carex leptalea</i>	bristle-stalked sedge	2B.2	G5	S1	None	None	Mar-Jul	Bogs and fens, Meadows and seeps (mesic), Marshes and swamps	No

Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Carex lyngbyei</i>	Lyngbye's sedge	2B.2	G5	S3	None	None	Apr-Aug	Marshes and swamps (brackish or freshwater)	No
<i>Carex praticola</i>	northern meadow sedge	2B.2	G5	S2	None	None	May-Jul	Meadows and seeps (mesic)	Potential
<i>Carex viridula ssp. viridula</i>	green yellow sedge	2B.3	G5T5	S2	None	None	(Jun)Jul-Sep(Nov)	Bogs and fens, Marshes and swamps (freshwater), North Coast coniferous forest (mesic)	No
<i>Castilleja ambigua var. humboldtiensis</i>	Humboldt Bay owl's-clover	1B.2	G4T2	S2	None	None	Apr-Aug	Marshes and swamps (coastal salt)	No
<i>Castilleja litoralis</i>	Oregon coast paintbrush	2B.2	G3	S3	None	None	Jun-Jul	Coastal bluff scrub, Coastal dunes, Coastal scrub	No
<i>Castilleja mendocinensis</i>	Mendocino Coast paintbrush	1B.2	G2	S2	None	None	Apr-Aug	Coastal bluff scrub, Closed-cone coniferous forest, Coastal dunes, Coastal prairie, Coastal scrub	No
<i>Chloropyron maritimum ssp. palustre</i>	Point Reyes bird's-beak	1B.2	G4?T2	S2	None	None	Jun-Oct	Marshes and swamps (coastal salt)	No
<i>Collinsia corymbosa</i>	round-headed Chinese-houses	1B.2	G1	S1	None	None	Apr-Jun	Coastal dunes	No
<i>Discelium nudum</i>	naked flag moss	2B.2	G4G5	S1	None	None		Coastal bluff scrub (soil, on clay banks)	No
<i>Empetrum nigrum</i>	black crowberry	2B.2	G5	S1?	None	None	Apr-Jun	Coastal bluff scrub, Coastal prairie	Potential

Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Erigeron bloomeri</i> var. <i>nudatus</i>	Waldo daisy	2B.3	G5T4	S3	None	None	Jun-Jul	Lower montane coniferous forest, Upper montane coniferous forest	Potential
<i>Erysimum menziesii</i>	Menzies? wallflower	1B.1	G1	S1	CE	FE	Mar-Sep	Coastal dunes	No
<i>Erythronium oregonum</i>	giant fawn lily	2B.2	G4G5	S2	None	None	Mar-Jun(Jul)	Cismontane woodland, Meadows and seeps	Potential
<i>Erythronium revolutum</i>	coast fawn lily	2B.2	G4G5	S3	None	None	Mar-Jul(Aug)	Bogs and fens, Broadleafed upland forest, North Coast coniferous forest	Potential
<i>Fissidens pauperculus</i>	minute pocket moss	1B.2	G3?	S2	None	None		North Coast coniferous forest (damp coastal soil)	Potential
<i>Gilia capitata</i> ssp. <i>pacifica</i>	Pacific gilia	1B.2	G5T3	S2	None	None	Apr-Aug	Coastal bluff scrub, Chaparral (openings), Coastal prairie, Valley and foothill grassland	Yes
<i>Gilia millefoliata</i>	dark-eyed gilia	1B.2	G2	S2	None	None	Apr-Jul	Coastal dunes	No
<i>Hesperis matronalis</i> var. <i>brevifolia</i>	short-leaved evax	1B.2	G4T3	S2	None	None	Mar-Jun	Coastal bluff scrub (sandy), Coastal dunes, Coastal prairie	Yes
<i>Juncus nevadensis</i> var. <i>inventus</i>	Sierra rush	2B.2	G5T3T4	S1	None	None	Jul-Nov	Bogs and fens	No
<i>Lasthenia californica</i> ssp. <i>macrantha</i>	perennial goldfields	1B.2	G3T2	S2	None	None	Jan-Nov	Coastal bluff scrub, Coastal dunes, Coastal scrub	No
<i>Lathyrus japonicus</i>	seaside pea	2B.1	G5	S2	None	None	May-Aug	Coastal dunes	NO



Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Lathyrus palustris</i>	marsh pea	2B.2	G5	S2	None	None	Mar-Aug	Bogs and fens, Coastal prairie, Coastal scrub, Lower montane coniferous forest, Marshes and swamps, North Coast coniferous forest	Potential
<i>Layia carnosa</i>	beach layia	1B.1	G2	S2	CE	FE	Mar-Jul	Coastal dunes, Coastal scrub (sandy)	No
<i>Lilium occidentale</i>	western lily	1B.1	G1	S1	CE	FE	Jun-Jul	Bogs and fens, Coastal bluff scrub, Coastal prairie, Coastal scrub, Marshes and swamps (freshwater), North Coast coniferous forest (openings)	Potential
<i>Lycopodiella inundata</i>	inundated bog club-moss	2B.2	G5	S1?	None	None	Jun-Sep	Bogs and fens (coastal), Lower montane coniferous forest (mesic), Marshes and swamps (lake margins)	No
<i>Monotropa uniflora</i>	ghost-pipe	2B.2	G5	S2	None	None	Jun-Aug(Sep)	Broadleafed upland forest, North Coast coniferous forest	Potential
<i>Montia howellii</i>	Howell's montia	2B.2	G3G4	S2	None	None	(Jan-Feb)Mar-May	Meadows and seeps, North Coast coniferous forest, Vernal pools	Potential
<i>Oenothera wolfii</i>	Wolf's evening-primrose	1B.1	G2	S1	None	None	May-Oct	Coastal bluff scrub, Coastal dunes, Coastal prairie, Lower montane coniferous forest	Potential
<i>Packera bolanderi</i> var. <i>bolanderi</i>	seacoast ragwort	2B.2	G4T4	S2S3	None	None	(Jan-Apr)May-Jul(Aug)	Coastal scrub, North Coast coniferous forest	Potential

Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Piperia candida</i>	white-flowered rein orchid	1B.2	G3	S3	None	None	(Mar)May-Sep	Broadleafed upland forest, Lower montane coniferous forest, North Coast coniferous forest	Potential
<i>Polemonium carneum</i>	Oregon polemonium	2B.2	G3G4	S2	None	None	Apr-Sep	Coastal prairie, Coastal scrub, Lower montane coniferous forest	Yes
<i>Romanzoffia tracyi</i>	Tracy's romanzoffia	2B.3	G4	S2	None	None	Mar-May	Coastal bluff scrub, Coastal scrub	Potential
<i>Sidalcea malviflora ssp. patula</i>	Siskiyou checkerbloom	1B.2	G5T2	S2	None	None	(Apr)May-Aug	Coastal bluff scrub, Coastal prairie, North Coast coniferous forest	Yes
<i>Sidalcea oregana ssp. eximia</i>	coast checkerbloom	1B.2	G5T1	S1	None	None	Jun-Aug	Lower montane coniferous forest, Meadows and seeps, North Coast coniferous forest	Yes
<i>Silene scouleri ssp. scouleri</i>	Scouler's catchfly	2B.2	G5T4T5	S2S3	None	None	(Mar-May)Jun-Aug(Sep)	Coastal bluff scrub, Coastal prairie, Valley and foothill grassland	Potential
<i>Spergularia canadensis var. occidentalis</i>	western sand-spurrey	2B.1	G5T4	S1	None	None	Jun-Aug	Marshes and swamps (coastal salt)	No
<i>Trichodon cylindricus</i>	cylindrical trichodon	2B.2	G4	S2	None	None		Broadleafed upland forest, Meadows and seeps, Upper montane coniferous forest	Potential
<i>Viola palustris</i>	alpine marsh violet	2B.2	G5	S1S2	None	None	Mar-Aug	Bogs and fens (coastal), Coastal scrub (mesic)	Potential

Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Angelica lucida</i>	sea-watch	4.2	G5	S3	None	None	May-Sep	Coastal bluff scrub, Coastal dunes, Coastal scrub, Marshes and swamps (coastal salt)	No
<i>Astragalus rattanii</i> var. <i>rattanii</i>	Rattan's milk-vetch	4.3	G4T4	S4	None	None	Apr-Jul	Chaparral, Cismontane woodland, Lower montane coniferous forest	No
<i>Bryoria pseudocapillaris</i>	false gray horsehair lichen	3.2	G3	S2	None	None		Coastal dunes (SLO Co.), North Coast coniferous forest (immediate coast)	Potential
<i>Calamagrostis bolanderi</i>	Bolander's reed grass	4.2	G4	S4	None	None	May-Aug	Bogs and fens, Broadleafed upland forest, Closed-cone coniferous forest, Coastal scrub, Meadows and seeps (mesic), Marshes and swamps (freshwater), North Coast coniferous forest	Potential
<i>Carex buxbaumii</i>	Buxbaum's sedge	4.2	G5	S3	None	None	Mar-Aug	Bogs and fens, Meadows and seeps (mesic), Marshes and swamps	No
<i>Chrysosplenium glechomifolium</i>	Pacific golden saxifrage	4.3	G5?	S3	None	None	Feb-Jun(Jul)	North Coast coniferous forest, Riparian forest	Potential
<i>Coptis laciniata</i>	Oregon goldthread	4.2	G4?	S3?	None	None	(Feb)Mar-May(Sep-Nov)	Meadows and seeps, North Coast coniferous forest (streambanks)	No
<i>Epilobium septentrionale</i>	Humboldt County fuchsia	4.3	G4	S4	None	None	Jul-Sep	Broadleafed upland forest, North Coast coniferous forest	No
<i>Glehnia littoralis</i> ssp. <i>leiocarpa</i>	American glehnia	4.2	G5T5	S2S3	None	None	May-Aug	Coastal dunes	No

Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Lilium kelloggii</i>	Kellogg's lily	4.3	G3	S3	None	None	May-Aug	Lower montane coniferous forest, North Coast coniferous forest	Potential
<i>Listera cordata</i>	heart-leaved twayblade	4.2	G5	S4	None	None	Feb-Jul	Bogs and fens, Lower montane coniferous forest, North Coast coniferous forest	Yes
<i>Lycopodium clavatum</i>	running-pine	4.1	G5	S3	None	None	Jun-Aug(Sep)	Lower montane coniferous forest (mesic), Marshes and swamps, North Coast coniferous forest (mesic)	Yes
<i>Lycopus uniflorus</i>	northern bugleweed	4.3	G5	S4	None	None	Jul-Sep	Bogs and fens, Marshes and swamps	No
<i>Mitellastra caulescens</i>	leafy-stemmed mitrewort	4.2	G5	S4	None	None	(Mar)Apr-Oct	Broadleafed upland forest, Lower montane coniferous forest, Meadows and seeps, North Coast coniferous forest	Potential
<i>Pityopus californicus</i>	California pinefoot	4.2	G4G5	S4	None	None	(Mar-Apr)May-Aug	Broadleafed upland forest, Lower montane coniferous forest, North Coast coniferous forest, Upper montane coniferous forest	Potential
<i>Pleuropogon refractus</i>	nodding semaphore grass	4.2	G4	S4	None	None	(Mar)Apr-Aug	Lower montane coniferous forest, Meadows and seeps, North Coast coniferous forest, Riparian forest	Potential
<i>Ribes laxiflorum</i>	trailing black currant	4.3	G5?	S3	None	None	Mar-Jul(Aug)	North Coast coniferous forest	Potential

Scientific Name	Common Name	CRPR	GRank	SRank	CESA	FESA	Blooming Period	Habitat	Habitat in Project Area
<i>Sidalcea malachroides</i>	maple-leaved checkerbloom	4.2	G3	S3	None	None	(Mar)Apr-Aug	Broadleaved upland forest, Coastal prairie, Coastal scrub, North Coast coniferous forest, Riparian woodland	Yes
<i>Tiarella trifoliata</i> var. <i>trifoliata</i>	trifoliolate laceflower	3.2	G5T5	S2S3	None	None	(May)Jun-Aug	Lower montane coniferous forest, North Coast coniferous forest	Potential
<i>Usnea longissima</i>	Methuselah's beard lichen	4.2	G4	S4	None	None		Broadleaved upland forest, North Coast coniferous forest	Yes

## Rank Definitions

### Global Conservation Status Definitions

Listed below are definitions for interpreting NatureServe global (range-wide) conservation status ranks. These ranks are assigned by NatureServe scientists or by a designated lead office in the NatureServe network.

- G1 Critically Imperiled**—At very high risk of extinction due to extreme rarity (often 5 or fewer populations), very steep declines, or other factors.
- G2 Imperiled**—At high risk of extinction or elimination due to very restricted range, very few populations, steep declines, or other factors.
- G3 Vulnerable**—At moderate risk of extinction or elimination due to a restricted range, relatively few populations, recent and widespread declines, or other factors.
- G4 Apparently Secure**—Uncommon but not rare; some cause for long-term concern due to declines or other factors.
- G5 Secure**—Common; widespread and abundant.
- G#G# Range Rank**—A numeric range rank (e.g., G2G3, G1G3) is used to indicate the range of uncertainty about the exact status of a taxon or ecosystem type. Ranges cannot skip more than two ranks (e.g., GU should be used rather than G1G4).

### Intraspecific Taxon Conservation Status Ranks

- T# Intraspecific Taxon** (trinomial)—The status of intraspecific taxa (subspecies or varieties) are indicated by a “T-rank” following the species' global rank. Rules for assigning T-ranks follow the same principles outlined above. For example, the global rank of a critically imperiled subspecies of an otherwise widespread and common species would be G5T1. A T subrank cannot imply the subspecies or variety is more abundant than the species. For example, a G1T2 subrank should not occur. A vertebrate animal population, (e.g., listed under the U.S. Endangered Species Act or assigned candidate status) may be tracked as an intraspecific taxon and given a T-rank; in such cases a Q is used after the T-rank to denote the taxon's informal taxonomic status.

### Subnational (S) Conservation Status Ranks

- S1 Critically Imperiled**—Critically imperiled in the jurisdiction because of extreme rarity or because of some factor(s) such as very steep declines making it especially vulnerable to extirpation from the jurisdiction.
- S2 Imperiled**—Imperiled in the jurisdiction because of rarity due to very restricted range, very few populations, steep declines, or other factors making it very vulnerable to extirpation from jurisdiction.
- S3 Vulnerable**—Vulnerable in the jurisdiction due to a restricted range, relatively few populations, recent and widespread declines, or other factors making it vulnerable to extirpation.
- S4 Apparently Secure**—Uncommon but not rare; some cause for long-term concern due to declines or other factors.
- S5 Secure**—Common, widespread, and abundant in the jurisdiction.
- S#S# Range Rank** — A numeric range rank (e.g., S2S3 or S1S3) is used to indicate any range of uncertainty about the status of the species or ecosystem. Ranges cannot skip more than two ranks (e.g., SU is used rather than S1S4).

## Rank Qualifiers

- ? **Inexact Numeric Rank**—Denotes inexact numeric rank; this should not be used with any of the Variant Global Conservation Status Ranks or GX or GH.
- Q **Questionable taxonomy that may reduce conservation priority**— Distinctiveness of this entity as a taxon or ecosystem type at the current level is questionable; resolution of this uncertainty may result in change from a species to a subspecies or hybrid, or inclusion of this taxon or type in another taxon or type, with the resulting taxon having a lower-priority (numerically higher) conservation status rank. The “Q” modifier is only used at a global level and not at a national or subnational level.

## The California Rare Plant Ranks

- 1A. Presumed extirpated in California and either rare or extinct elsewhere
- 1B. Rare or Endangered in California and elsewhere
- 2A. Presumed extirpated in California, but more common elsewhere
- 2B. Rare or Endangered in California, but more common elsewhere
- 3. Plants for which we need more information - Review list
- 4. Plants of limited distribution - Watch list

### **1A: Plants Presumed Extirpated in California and either rare or extinct elsewhere**

The plants of Rank 1A are presumed extirpated because they have not been seen or collected in the wild in California for many years. This rank includes those plant taxa that are both presumed extinct, as well as those plants which are presumed extirpated in California and rare elsewhere. A plant is extinct if it no longer occurs anywhere. A plant that is extirpated from California has been eliminated from California, but may still occur elsewhere in its range.

### **1B: Plants Rare, Threatened, or Endangered in California and Elsewhere (Includes Rare Plant Ranks 1B.1, 1B.2, 1B.3)**

The plants of Rank 1B are rare throughout their range with the majority of them endemic to California. Most of the plants that are ranked 1B have declined significantly over the last century. California Rare Plant Rank 1B plants constitute the majority of plant taxa tracked by the CNDDDB, with more than 1,000 plants assigned to this category of rarity.

### **2A: Plants Presumed Extirpated in California, but more common elsewhere**

The plants of Rank 2A are presumed extirpated because they have not been seen or collected in the wild in California for many years. This rank includes only those plant taxa that are presumed extirpated in California, but that are more common elsewhere in their range. Note: Plants of both Rank 1A and 2A are presumed extirpated in California; the only difference is the status of the plants outside of the state.

### **2B: Plants Rare, Threatened, or Endangered in California, but More Common Elsewhere**

**(Includes Rare Plant Ranks 2B.1, 2B.2, 2B.3)**

The plants of Rank 2B are rare, threatened or endangered in California, but more common elsewhere. Plants common in other states or countries are not eligible for consideration under the provisions of the **Federal Endangered Species Act**; however they are eligible for consideration under the **California Endangered Species Act**. This rank is meant to highlight the importance of protecting the geographic range and genetic diversity of more widespread species by protecting those species whose ranges just extend into California. Note: Plants of both Rank 1B and 2B are rare, threatened or endangered in California; the only difference is the status of the plants outside of the state.

**3:** Plants about which more information is needed, a review list. Many of the plants constituting California Rare Plant Rank 3 meet the definitions of the California Endangered Species Act of the California Fish and Game Code and are eligible for state listing. Impacts to these species or their habitat should be analyzed during preparation of environmental documents relating to CEQA, or those considered to be functionally equivalent to CEQA, as they may meet the definition of Rare or Endangered under CEQA Guidelines §15125 (c) and/or §15380.

**4:** Plants of limited distribution, a watch list. Plants with a California Rare Plant Rank of 4 are of limited distribution or infrequent throughout a broader area in California, and their status should be monitored regularly. Should the degree of endangerment or rarity of a California Rare Plant Rank 4 plant change, we will transfer it to a more appropriate rank. Some of the plants constituting California Rare Plant Rank 4 meet the definitions of the California Endangered Species Act of the California Fish and Game Code, and few, if any, are eligible for state listing. Nevertheless, many of them are significant locally, and we strongly recommend that California Rare Plant Rank 4 plants be evaluated for impact significance during preparation of environmental documents relating to CEQA, or those considered to be functionally equivalent to CEQA, based on CEQA Guidelines §15125 (c) and/or §15380.

**Threat Ranks:**

The California Rare Plant Ranks (CRPR) use a decimal-style threat rank. The threat rank is an extension added onto the CRPR and designates the level of threats by a 1 to 3 ranking with 1 being the most threatened and 3 being the least threatened. So most CRPRs read as 1B.1, 1B.2, 1B.3, etc. Note that some Rank 3 plants do not have a threat code extension due to difficulty in ascertaining threats for these species. Rank 1A and 2A plants also do not have threat code extensions since there are no known extant populations of the plants in California.

**Threat Code extensions and their meanings:**

**.1** - Seriously threatened in California (over 80% of occurrences threatened / high degree and immediacy of threat)



.2 – Moderately threatened in California (20-80% of occurrences threatened / moderate degree and immediacy of threat)

.3 – Not very threatened in California (<20% of occurrences threatened / low degree and immediacy of threat or no current threats known)

#### **FESA and CESA abbreviation definitions**

**CR** – California Rare


**CE** – California Endangered

**FE** – Federally Endangered

**Attachment B**

**General Location Map, Humboldt County Topographic Parcel Map,  
Humboldt County Orthographic Parcel Map, USFWS Wetland Map, USGS  
Soil Report, Survey Route Map**


**Stross 2021**  
 General Location Map  
 2260 Hooven Rd., McKinleyville, CA.  
 APN# 511-141-015



**Stross 2021**

Humboldt County Planning and Building Department

- |                     |                           |                           |                  |
|---------------------|---------------------------|---------------------------|------------------|
| Highways and Roads  | — Private or Unclassified | — Intermittent            | □ Subject Parcel |
| Principal Arterials | — Major River or Stream   | — Subsurface              |                  |
| Minor Arterials     | <b>Blue Line Streams</b>  | — City Boundary           |                  |
| Major Collectors    | — Perennial 1-3           | — City Boundary (750K)    |                  |
| Minor Collectors    | — Perennial >4            | — Counties                |                  |
| Local Roads         |                           | — Parcels (no APN labels) |                  |




Printed: September 28, 2021

Web AppBuilder 2.0 for ArcGIS

Map Disclaimer:  
 While every effort has been made to assure the accuracy of this information, it should be understood that it does not have the force & effect of law, rule, or regulation. Should any difference or error occur, the law will take precedence.

Source: Humboldt County GIS, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, FAO, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Stross 2021  
 Topographic Parcel Map  
 2260 Hooven Rd., McKinleyville, CA.  
 APN# 511-141-015



**Stross 2021**

Humboldt County Planning and Building Department

- |                           |                           |                               |                                                                                                               |
|---------------------------|---------------------------|-------------------------------|---------------------------------------------------------------------------------------------------------------|
| <b>Highways and Roads</b> | — Private or Unclassified | — Intermittent                | <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px;"></span> Subject Parcel |
| — Principal Arterials     | — Major River or Stream   | — Subsurface                  |                                                                                                               |
| — Minor Arterials         | <b>Blue Line Streams</b>  | — City Boundary               |                                                                                                               |
| — Major Collectors        | — Perennial 1-3           | — Counties                    |                                                                                                               |
| — Minor Collectors        | — Perennial >4            | — Parcels                     |                                                                                                               |
| — Local Roads             |                           | — Streamside Management Areas |                                                                                                               |




Printed: September 28, 2021 Web AppBuilder 2.0 for ArcGIS

Map Disclaimer:  
 While every effort has been made to assure the accuracy of this information, it should be understood that it does not have the force & effect of law, rule, or regulation. Should any difference or error occur, the law will take precedence.

Source: NRCS, Humboldt County GIS, Sources: Esri, HERE, Garmin, Intermap, increment P Corp., GEBCO, USGS, USFS, NPS, NRCAN, GeoBase, IGN, Kadaster NL, Ordnance Survey, Esri Japan, METI, Esri China (Hong Kong), (c) OpenStreetMap contributors, and the GIS User Community


Stross 2021  
 Orthographic Parcel Map  
 2260 Hooven Rd., McKinleyville, CA.  
 APN# 511-141-015



### Stross 2021

Humboldt County Planning and Building Department

- |                     |                           |                               |                  |
|---------------------|---------------------------|-------------------------------|------------------|
| Highways and Roads  | — Private or Unclassified | — Intermittent                | □ Subject Parcel |
| Principal Arterials | — Major River or Stream   | — Subsurface                  |                  |
| Minor Arterials     | <b>Blue Line Streams</b>  | — City Boundary               |                  |
| Major Collectors    | — Perennial 1-3           | — Counties                    |                  |
| Minor Collectors    | — Perennial >4            | — Parcels                     |                  |
| Local Roads         |                           | — Streamside Management Areas |                  |



Printed: September 28, 2021

Web AppBuilder 2.0 for ArcGIS

Map Disclaimer:  
 While every effort has been made to assure the accuracy of this information, it should be understood that it does not have the force & effect of law, rule, or regulation. Should any difference or error occur, the law will take precedence.

Source: Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community, NRCS, Humboldt County GIS, Esri, HERE, Garmin, (c) OpenStreetMap contributors, and the GIS user community



September 28, 2021

**Wetlands**

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond


- Lake
- Other
- Riverine
- Subject Parcel

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Soil Map—Humboldt County, Central Part, California  
(Stross 2021)



Map Scale: 1:13,500 if printed on A portrait (8.5" x 11") sheet.




Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 10N WGS84





## MAP LEGEND


### Area of Interest (AOI)

 Area of Interest (AOI)

### Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

### Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

### Water Features



Streams and Canals

### Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

### Background



Aerial Photography



Subject Parcel

## MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Humboldt County, Central Part, California

Survey Area Data: Version 6, Jun 1, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 8, 2019—Jun 21, 2019

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.




## Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
146	Halfbluff-Tepona-Urban Land, 2 to 9 percent slopes	46.1	5.5%
171	Worswick-Arlynda complex 0 to 2 percent slopes	8.1	1.0%
225	Arcata and Candymountain soils, 0 to 2 percent slopes	53.5	6.4%
226	Arcata and Candymountain soils, 2 to 9 percent slopes	180.1	21.4%
257	Lepoil-Candymountain complex, 2 to 15 percent slopes	160.1	19.1%
258	Lepoil-Espa-Candymountain complex, 15 to 50 percent slopes	391.7	46.7%
<b>Totals for Area of Interest</b>		<b>839.6</b>	<b>100.0%</b>

Stross 2021  
Survey Route Map  
2260 Hooven Rd., McKinleyville, CA.  
APN# 511-141-015


**Legend**

-  3/21/21
-  5/2/21
-  6/19/21



Google Earth

Image © 2021 Maxar Technologies

 Subject Parcel

800 ft



**Attachment C**

**Comprehensive Species List**

<b>Tree Layer</b>	
<i>Abies grandis</i>	grand fir
<i>Alnus rubra</i>	red alder
<i>Frangula purshiana</i>	casacara
<i>Ilex aquifolium</i>	English holly
<i>Picea sitchensis</i>	Sitka spruce
<i>Pinus radiata</i>	Monterey pine
<i>Pseudotsuga menziesii</i> var. <i>menziesii</i>	Douglas-fir
<i>Sequoia sempervirens</i>	coast redwood (planted, dying)
<i>Thuja plicata</i>	western red cedar
<i>Tsuga heterophylla</i>	western hemlock
<i>Umbellularia californica</i>	California-bay
<b>Shrub Layer</b>	
<i>Cotoneaster</i> sp	Cotoneaster
<i>Cytisus scoparius</i>	Scotch broom
<i>Gaultheria shallon</i>	salal
<i>Lonicera involucrata</i> var. <i>ledebourii</i>	black twinberry
<i>Morella californica</i>	wax myrtle
<i>Rhododendron macrophyllum</i>	California rose-bay
<i>Rubus armeniacus</i>	Himalayan blackberry
<i>Rubus spectabilis</i>	salmonberry
<i>Rubus ursinus</i>	Pacific bramble or California blackberry
<i>Sambucus racemosa</i> var. <i>racemosa</i>	red elderberry
<i>Vaccinium ovatum</i>	evergreen huckleberry
<i>Vaccinium parvifolium</i>	red huckleberry
<b>Herbaceous Layer</b>	
<i>Acaena novae-zelandiae</i>	bidly bidly
<i>Actaea rubra</i>	baneberry
<i>Agapanthus</i> sp.	agapanthus
<i>Agrostis</i> sp.	bent grass
<i>Anthoxanthum odoratum</i>	sweet vernal grass
<i>Athyrium filix-femina</i>	lady fern
<i>Bromus sitchensis</i> var. <i>carinatus</i>	California brome
<i>Cardamine oligosperma</i>	western bittercress
<i>Cerastium glomeratum</i>	mouse ear chickweed
<i>Chaenopodium</i> sp.	lambsquarters
<i>Cirsium vulgare</i>	bull thistle
<i>Claytonia sibirica</i>	Siberian candyflower
<i>Corallorhiza maculata</i>	spotted coralroot

<i>Cortaderia jubata</i>	weedy pampas grass
<i>Crepis capillaris</i>	smooth hawk's beard
<i>Daucus carota</i>	wild carrot or Queen Anne's lace
<i>Epilobium ciliatum</i>	northern willow herb
<i>Erigeron canadensis</i>	horseweed
<i>Eschscholzia californica</i>	California poppy
<i>Foeniculum vulgare</i>	fennel
<i>Fragaria chiloensis</i>	beach strawberry
<i>Galium aparine</i>	goose grass
<i>Galium parisiense</i>	wall bedstraw
<i>Geranium dissectum</i>	cut-leaved geranium
<i>Geranium robertianum</i>	Robert's geranium
<i>Hedera helix</i>	English ivy
<i>Holcus lanatus</i>	common velvet grass
<i>Hypochaeris radicata</i>	hairy cat's-ear
<i>Iris douglasiana</i>	Douglas iris
<i>Juncus bufonius</i>	common toad rush
<i>Lathyrus latifolius</i>	sweet pea
<i>Leontodon saxatilis</i>	hawkbit
<i>Leucanthemum vulgare</i>	ox-eye daisy
<i>Lupinus rivularis</i>	riverbank lupine
<i>Luzula parviflora</i>	small-flowered wood rush
<i>Lysmachia latifolia</i>	Pacific star flower
<i>Maianthemum dilatatum</i>	false lily-of-the-valley
<i>Medicago polymorpha</i>	bur clover
<i>Melilotus albus</i>	white sweetclover
<i>Narcissus sp.</i>	domestic daffodil
<i>Osmorhiza berteroi</i>	mountain sweet-cicely
<i>Oxalis corniculata</i>	creeping wood-sorrel
<i>Oxalis oregana</i>	redwood sorrel
<i>Phyllostachys sp.</i>	bamboo
<i>Plantago lanceolata</i>	English plantain
<i>Poa annua</i>	annual bluegrass
<i>Polystichum munitum</i>	sword fern
<i>Prosartes smithii</i>	Smith's fairy bells
<i>Prunella vulgaris</i>	self-heal
<i>Pseudognaphalium luteoalbum</i>	weedy cudweed
<i>Pteridium aquilinum var. pubescens</i>	western bracken fern
<i>Ranunculus repens</i>	creeping buttercup
<i>Ranunculus sp.</i>	buttercup
<i>Raphanus sativus</i>	wild radish


<i>Rumex acetosella</i>	sheep sorrel
<i>Sonchus oleraceus</i>	common sow thistle
<i>Spergula arvensis</i>	stickwort
<i>Spergularia rubra</i>	purple sand spurry
<i>Stachys sp.</i>	hedge-nettle
<i>Stellaria crispa</i>	crisp chickweed
<i>Stellaria media</i>	common chickweed
<i>Struthiopteris spicant</i>	deer fern
<i>Taraxacum officinale</i>	dandelion
<i>Trifolium subterraneum</i>	subterranean clover
<i>Trillium ovatum</i>	western trillium
<i>Trisetum cernuum</i>	nodding oatgrass
<i>Triticum sp.</i>	wheat-grass
<i>Vancouveria hexandra</i>	northern inside-out flower
<i>Veronica serpyllifolia ssp. humifusa</i>	thyme-leaved speedwell
<i>Vicia hirsuta</i>	hairy vetch
<i>Vicia sp.</i>	vetch
<i>Viola sempervirens</i>	evergreen violet

**Attachment D**  
**Wetland and Waters Location Map**

Stross 2021  
Wetlands and Waters Map  
2260 Hooven Rd., McKinleyville, CA.  
APN# 511-141-015

**Legend**

 Intermittent Stream



Duke Creek

Hooven Rd

Hooven Rd

Top Intermittent Stream

Norton Creek

 Subject Parcel



700 ft

Google Earth

Image © 2021 Maxar Technologies