

ACCESSIBILITY

THE PROPOSED PROJECT IS LIMITED TO REPAIRING REPLACEMENT AND RELATED REPAIR THAT WOULD REQUIRE ACCESSIBILITY UPGRADES.

PER 2025 CBC 118.202.4 PATH-OF-TRAVEL REQUIREMENTS IN ALTERATIONS, ADDITIONS, AND STRUCTURAL REPAIRS, EXCEPTION 7, "PROJECTS CONSISTING ONLY OF HEATING, VENTILATION, AIR CONDITIONING, REPAIRING, ELECTRICAL WORK THAT DOES NOT AFFECT PLACEMENT OF SWITCHES AND RECEPTACLES, COSMETIC WORK THAT DOES NOT AFFECT ITEMS REGULATED BY THIS CODE, SUCH AS PAINTING, EQUIPMENT NOT CONSIDERED TO BE A PART OF THE ARCHITECTURE OF THE BUILDING OR AREA, SUCH AS COMPUTER TERMINALS AND OFFICE EQUIPMENT SHALL NOT BE REQUIRED TO COMPLY WITH SECTION 118.202.4 UNLESS THEY AFFECT THE USABILITY OF THE BUILDING OR FACILITY."

THE PROCESS OF CONSTRUCTION ACTIVITIES SHALL NOT REDUCE OR DIMINISH ACCESSIBILITY TO THE EXISTING BUILDING. A CASP INSPECTOR IS NOT REQUIRED, HOWEVER, ALL CONSTRUCTION PHASE TEMPORARY CONDITIONS MUST MAINTAIN ACCESSIBLE ROUTES TO THE BUILDING BY BUILDING USERS AND THE GENERAL PUBLIC. PROVIDE TEMPORARY MEASURES AS REQUIRED.

APPLICABLE CODES

ALL WORK AND MATERIALS SHALL COMPLY WITH THE APPLICABLE CODES AND REGULATIONS AS CURRENTLY ADOPTED INCLUDING ALL ERATA & SUPPLEMENTS, INCLUDING BUT NOT LIMITED TO THE FOLLOWING:


- 2025 CA BUILDING CODE, TITLE 24, PART 1
- 2025 CA ELECTRICAL CODE, TITLE 24, PART 3
- 2025 CA MECHANICAL CODE, TITLE 24, PART 4
- 2025 CA PLUMBING CODE, TITLE 24, PART 5
- 2025 CA ENERGY CODE, TITLE 24, PART 6
- 2025 CA FIRE CODE, TITLE 24, PART 9
- 2025 CA EXISTING BLDG CODE, TITLE 24, PART 10
- 2025 CA GREENHOUSE GAS CODE, TITLE 24, PART 11

ALL APPLICABLE LOCAL, STATE AND FEDERAL CODES & REGULATIONS, INCLUDING, BUT NOT LIMITED TO THE FOLLOWING SPECIFIC ITEMS:

- CONSTRUCTION TYPE: IA
- ORIGINAL CONSTRUCTION: 1997
- OCCUPANCIES: GROUP B, DIVISION 3; CONFERENCE / BRIEFING AREAS
- GROUP B, DIVISION 1; PARKING GARAGE / SALLY PORT
- GROUP B, DIVISION 2; ADMINISTRATION OFFICES
- GROUP B, DIVISION 4; WAREHOUSE AREA
- FIRE SPRINKLER SYSTEM: YES; EXISTING SYSTEM, NFPA 13. NO WORK.
- FIRE ALARM SYSTEM: YES; EXISTING SYSTEM, NO WORK.
- ALLOWABLE AREA FACTORS: NOT USED
- NO PROPOSED CHANGE OF OCCUPANCY OR USE OF THE EXISTING BUILDING.

EXISTING 2-PHASE CONCRETE ROOF DECK PROVIDES REQUIRED STRUCTURAL FIRE RESISTANCE. NEW ROOF COVERING SHALL BE UL CLASS A LISTED (TGFU) MECHANICALLY ATTACHED PVC SYSTEM OVER NONCOMBUSTIBLE DECK, INSTALLED PER APPROVED MANUFACTURER LISTING AND CURRENT TITLE 24 REQUIREMENTS.

PROJECT SITE PLAN



ZONING CODE

ASSESSOR PARCEL NUMBER: 001-191-003 & 001-191-1004
 SITE ADDRESS: 901 5th STREET
 CITY: EUREKA, CA
 ZIP: 95501
 LOT SIZE: 0.4 & 0.45 (ASSESSED)
 ZONING: PUBLIC FACILITY
 CITY OF EUREKA
 NO CHANGE
 EXISTING USE: N
 IN COASTAL ZONE (V): HAZARDOUS
 AIR QUALITY DISTRICT: N
 AIRPORT COMPATIBILITY ZONE: N
 STATE FIRE RESPONSIBILITY AREA: N
 FLOOD ZONE: N
 LANDSCAPING: EXISTING, NO CHANGE
 PARKING: EXISTING, NO CHANGE
 LOADINGS: EXISTING, NO CHANGE
 SIGNS: EXISTING, NO CHANGE

CONTRACTOR REQUIREMENTS

- COMPLY WITH ALL REQUIREMENTS FOR TEMPORARY FACILITIES PER THE SPECIFICATIONS AND GENERAL CONDITIONS.
- SUBMIT TEMPORARY FACILITIES AND SECURITY COORDINATION PLAN FOR APPROVAL BY THE CONTRACTOR.
- UNLESS OTHERWISE INDICATED, THE PRIMARY ACCESS TO ROOF WORK AREAS WILL BE BY TEMPORARY EXTERIOR VERTICAL ACCESS SYSTEM(S). PROVIDE ALL NECESSARY COMPLIANCE, ENGINEERING, AND RESTORE EXISTING SITE TO PRE-PROJECT CONDITIONS OR BETTER. VENDORS, SUPPLIERS, AND ANY OTHER PROJECT PERSONNEL ARE PERMITTED IN APPROVED AREAS ONLY. DO NOT PROCEED OUTSIDE THE APPROVED AREAS WITHOUT PRIOR APPROVAL.
- THE PROPOSED PROJECT IS NOT PHASED. THE WORK MAY BE SEQUENCED BY THE CONTRACTOR AT HIS OWN RISK.
- COMPLY WITH ALL SECURITY PROVISIONS FOR ACCESS TO WORK AREAS.
- COORDINATE WITH COUNTY, CITY OF EUREKA, AND CAL TRANS AS REQUIRED FOR ANY ENCROACHMENT IN THE RIGHT OF WAY AND FOR ANY TEMPORARY STREET AND/OR SIDEWALK CLOSURES.

PROJECT DESCRIPTION

ROOF REPLACEMENT FOR APPROX. 31,500 SF OF THE EXISTING HUMBOLDT COUNTY CORRECTIONAL FACILITY WITHOUT IMPACTING THE ONGOING USE AND OPERATIONS. THE EXISTING SINGLE PLY EPDM ROOF SYSTEM WILL BE REMOVED. A NEW PVC MEMBRANE ROOFING SYSTEM WILL BE INSTALLED.

THE PROJECT DOES NOT INCLUDE ANY CHANGE OF USE, EXPANSION OF USE, CHANGE OF EGRESS ROUTES, ADDITIONS OR OTHER ALTERATIONS. THERE ARE NO PROPOSED STRUCTURAL MODIFICATIONS OR IMPACTS TO ACCESSIBILITY, MECHANICAL, ELECTRICAL, AND PLUMBING MODIFICATIONS ARE LIMITED TO COORDINATION WITH THE INTENDED ROOFING REPLACEMENT.

NEW ROOFING SYSTEMS SHALL BE LISTED AS A COMPLETE CLASS A ROOF ASSEMBLY UNDER UL ROOFING SYSTEMS CATEGORY TGFU.

BASIS OF DESIGN SHALL BE UL LISTING TGFU MECHANICALLY ATTACHED PVC MEMBRANE ASSEMBLY OVER NONCOMBUSTIBLE CONCRETE DECK

ROOFING COMPONENTS SHALL BE INSTALLED ONLY AS TESTED WITHIN THE APPROVED UL ASSEMBLY. SUBSTITUTION OF INDIVIDUAL COMPONENTS OUTSIDE LISTED ASSEMBLY SHALL REQUIRE WRITTEN MEMBRANE MANUFACTURER APPROVAL AND EVIDENCE OF EQUIVALENT UL CLASSIFICATION.

PROVIDE MANUFACTURER DOCUMENTATION DEMONSTRATING COMPLIANCE WITH UL CLASS A LISTING, FM ULIFT APPROVAL, AND CBC SECTION 1906 REQUIREMENTS.

- SUMMARY OF SCOPE:
- FURNISH ALL REQUIRED SUBMITTALS FOR APPROVAL
 - REMOVE EXISTING ROOFING SYSTEM, INCLUDING CURBS, FLASHINGS, UNUSED EQUIPMENT, PLATFORMS, AND OTHER ELEMENTS AS INDICATED
 - REPLACE OR RAISE EQUIPMENT CURBS WHERE INDICATED
 - EXISTING REINFORCED CONCRETE ROOF DECK TO REMAIN
 - INSTALL VAPOR BARRIER, APPROVED BY ROOFING MANUFACTURER
 - ROOFING MANUFACTURER APPROVED SUBSTRATE PREPARATION REQUIREMENTS
 - INSTALL VAPOR BARRIER, APPROVED BY ROOFING MANUFACTURER
 - INSTALL NEW BASE LAYER OF INSULATION BOARD
 - INSTALL NEW TAPEDED ROOF INSULATION, THICKNESS AS REQUIRED FOR TITLE 24 COMPLIANCE
 - INSTALL CEMENT COVER BOARD 7/16 INCH MINIMUM THICKNESS, APPROVED FOR USE WITH LISTED ASSEMBLY
 - FASTEN NEW ROOFING ASSEMBLY TO (E) CONCRETE DECK AND (F) METAL DECK WITH APPROVED FASTENERS AND FASTENING METHOD AS INDICATED
 - INSTALL NEW 60 MIL PVC ROOFING MEMBRANE, COLOR: WHITE
 - INSTALL NEW EDGE METAL FLASHINGS, AND COMPONENTS AS INDICATED AND REQUIRED FOR MANUFACTURER'S WARRANTY
 - INSTALL ALL OTHER ROOFING ACCESSORIES
 - RE-INSTALL MECHANICAL AND ELECTRICAL ELEMENTS WHERE TEMPORARILY REMOVED
 - PATCH, REPAIR, AND PAINT EXPOSED AREAS IMPACTED BY THE WORK
 - CLEAN AND FINISH


GENERAL NOTES

- THE CONSTRUCTION DOCUMENTS MAY INCLUDE BOTH DRAWINGS AND SPECIFICATIONS. THEY ARE COMPLEMENTARY DOCUMENTS. ANY INFORMATION SHOWN IN THE DRAWINGS AND/OR SPECIFICATIONS IS REQUIRED AS IF SHOWN IN BOTH.
- WORK NOT SPECIFICALLY COVERED IN THE CONSTRUCTION DOCUMENTS SHALL, JUST THE SAME, BE REQUIRED IF IT IS REASONABLY INFERRABLE AS BEING NECESSARY OR APPROPRIATE TO PRODUCE THE INTENDED RESULTS COMPLETELY.
- PROVIDE ACCESS TO THE COMPLETE CONSTRUCTION DOCUMENTS AND ANY ADDENDA TO ALL NECESSARY SUB-CONTRACTORS AND SUPPLIERS. SEPARATIONS OF SPECIFICATION SECTIONS AND DRAWING SHEETS ARE NOT TO BE CONSIDERED LIMITS OF WORK OF SEPARATE TRADES. THE CONSTRUCTION DOCUMENTS DO NOT DEFINE ANY SUCH LIMITS OF WORK BETWEEN TRADES. THIS RESPONSIBILITY IS SOLELY THAT OF THE CONTRACTOR.
- VERIFY SITE CONDITIONS, TAKE FIELD MEASUREMENTS, AND CAREFULLY STUDY AND COMPARE CONSTRUCTION DOCUMENTS FOR THE PURPOSE OF FACILITATING COORDINATION AND CONSTRUCTION PRIOR TO STARTING EACH PORTION OF THE WORK.
- DIMENSIONS SHOWN ON DRAWINGS TAKE PRECEDENCE OVER SCALE ON DRAWINGS. DO NOT MANUALLY SCALE DRAWINGS. IF A DIMENSION IS NOT INDICATED, REDESK COUNTY TO PROVIDE.
- COMPLY WITH MANUFACTURER'S SUGGESTED INSTALLATION METHODS EXCEPT WHERE SPECIFICALLY NOTED OTHERWISE OR WHERE PROHIBITED BY CODE REQUIREMENTS.
- WORK AND MATERIAL IN THIS PROJECT MUST MEET THE REQUIREMENTS OF THE LATEST EDITIONS OF THE CALIFORNIA BUILDING CODE, MECHANICAL CODE, ELECTRICAL CODE, AND COMPANIES FINISHING SERVICES. THE DRAWINGS AND SPECIFICATIONS ARE NOT TO BE CONSTRUED AS PERMITTING WORK NOT IN CONFORMANCE WITH CODE REQUIREMENTS.


CORRECTIONAL FACILITY SECURITY CONSIDERATIONS

- PRIOR TO FACILITY ACCESS, CONTRACTOR SHALL ENSURE THAT ALL SUB-CONTRACTORS AND EMPLOYEES WHO MAY BE INSTALLING THE TEMPORARY ACCESS PATHWAY (SEE DETAIL 2A2.1 & A3.1) SHALL SUBMIT A FACILITY CLEARANCE APPLICATION FORM AVAILABLE FOR PICK-UP AT THE SECOND-FLOOR FACILITY ADMINISTRATION RECEIPTION AREA. THE CONTRACTOR SHALL REVIEW THE APPLICATIONS AND CREATE A PRE-APPROVED CLEARANCE LIST. A COPY OF THE PRE-APPROVED CLEARANCE LIST WILL BE FORWARDED TO THE CONTRACTOR, AND A COPY WILL BE RETAINED BY FACILITY ADMINISTRATION.
- ONLY THOSE INDIVIDUALS WITH PRE-APPROVED CLEARANCE WILL BE ALLOWED ACCESS INTO THE 5TH FLOOR PENTHOUSE AND CORRIDOR 512 CORRIDOR WHILE THE TEMPORARY ACCESS BARRIER IS BEING INSTALLED AND TAKEN DOWN. ONCE THE BARRIER IS TAKEN DOWN, ALL EMPLOYEES WILL BE ABLE TO USE THE PATHWAY AT THE CONCLUSION OF THE PROJECT. THOSE EMPLOYEES WITH PRE-APPROVED CLEARANCE WILL REMOVE THE TEMPORARY ACCESS BARRIER.
- DURING THE PROJECT, ELEVATORS 1 AND 2 THAT HAVE ACCESS INTO CORRIDOR 512 WILL HAVE THAT ACCESS BLOCKED AND CORRECTIONAL STAFF WILL BE ADVISED NOT TO SEND THOSE ELEVATORS TO THE 5TH FLOOR.
- AFTER THE TEMPORARY ACCESS BARRIER IS INSTALLED AND SECURED, ALL CONSTRUCTION EMPLOYEES WILL BE ALLOWED TO ENTER THE 5TH FLOOR PENTHOUSE AND THE CORRIDOR 512 TO GAIN ACCESS TO THE WEST PORTION OF THE PHASE 1 ROOF.
- THE CONTRACTOR, SUB-CONTRACTOR, AND ALL EMPLOYEES WILL HAVE ACCESS TO THE ROOF VIA A TEMPORARY EXTERIOR STAIRWELL LOCATED ON THE EAST WALL OF THE FACILITY WITHIN THE CONTRACTOR STAGING AREA. THIS STAIRWELL SHALL BE ENCASED IN A METAL FRAME AND THE DOOR SHALL HAVE A KEYS LOCK TO ENSURE THERE IS NO UNAUTHORIZED ACCESS.
- UPON COMPLETION OF WORK SHIFT EACH DAY, CONTRACTORS SHALL DO A SWEEP OF THE 5TH FLOOR CORRIDOR AREA TO ENSURE THERE IS NO DEBRIS AND ALL TOOLS AND MATERIALS ARE REMOVED FROM THE FACILITY AND PLACED IN A DESIGNATED SECURE LOCATION.

VICINITY MAP



AREA OF WORK





PROJECT CONTACTS

OWNER: HUMBOLDT COUNTY BOARD OF SUPERVISORS
 HUMBOLDT COUNTY COURTHOUSE
 825 3TH STREET
 EUREKA, CA 95501

ARCHITECT: JAKE JOHNSON
 HUMBOLDT COUNTY DEPARTMENT OF PUBLIC WORKS
 825 3TH STREET
 EUREKA, CA 95501

ROOFING CONSULTANT: CHRIS HEMPHILL, RRC
 DIVISION 7 ROOFING SOLUTIONS
 1106 2ND STREET
 EUREKA, CA 95501

CONTRACTOR: J.B. JOHNSON & CO. HUMBOLDT, CA, US
 OFFICE: (707) 288-2665



Contractor

TITLE SHEET

HUMBOLDT COUNTY CORRECTIONAL FACILITY
 - RE-ROOFING PROJECT -
 901 FIFTH STREET EUREKA, CA 95501
 APN: 001-191-003 & 001-191-1004
 1 6 2 8 2 6

DATE	DATE	REVISION

Drawn: TLH
 Checked: JBU
 Date: 3/24/2026
 Scale: NONE

A1.1

BID SET




SHEET INDEX

A.1.1	TITLE SHEET
A.2.1	DEMOLITION PLAN - PHASE I
A.2.2	DEMOLITION PLAN - PHASE II
A.3.1	PROPOSED ROOF PLAN - PHASE I
A.3.2	PROPOSED ROOF PLAN - PHASE II
A.4.1	INSULATION PLAN - PHASE I
A.4.2	INSULATION PLAN - PHASE II
A.5.1	EXTERIOR DETAILS
A.5.2	EXTERIOR DETAILS

PROJECT PHASING

- MOBILIZATION ELEMENT: CONTRACTOR SHALL PROVIDE PRODUCT SUBMITTALS AND BE ALLOWED TO STAGE MATERIALS AND EQUIPMENT IN THE CONTRACTOR'S STAGING AREA.
- CONSTRUCTION ELEMENT: CONSTRUCTION WORK WILL PROCEED AFTER THE COMPLETION OF MOBILIZATION.


- THE DESIGN, ADEQUACY, AND SAFETY OF ERECTION BRACING, SHORING, TEMPORARY SUPPORTS, SCAFFOLDING, AND CONSTRUCTION METHODS, IS THE RESPONSIBILITY SOLELY OF THE CONTRACTOR.
- OCCUPATIONAL SAFETY AND HEALTH: CONSTRUCTION PROCESS IS GOVERNED, AT ALL TIMES, BY THE APPLICABLE PROVISIONS OF THE CALIFORNIA OCCUPATIONAL SAFETY AND HEALTH ACT (CURRENT RULES). CAL OSHA, SITE SAFETY IS THE RESPONSIBILITY SOLELY OF THE CONTRACTOR.
- UPON DISCOVERY OR BEING MADE KNOWN OF A CONFLICT, ERROR, NONCONFORMITY, INCONSISTENCIES, OR DISCREPANCY IN THE CONSTRUCTION DOCUMENTS, PROVIDE IMMEDIATE NOTICE IN WRITING AS A REQUEST FOR INFORMATION (RFI) TO THE COUNTY. THE CONTRACTOR SHALL NOT PROCEED WITH ANY WORK UNLESS THE RFI HAS BEEN RESOLVED. IF ANY SUCH KNOWN INFORMATION SHALL BE CONSIDERED BREACH OF CONTRACT.
- THE ABOVE NOTES ARE COMMON REMINDERS, MANY OF WHICH ARE DESCRIBED IN MORE DETAIL, ALONG WITH OTHER REQUIREMENTS OF, NO LESS IMPORTANCE, IN THE GENERAL CONDITIONS OF THE CONTRACT FOR CONSTRUCTION.





DEMOLITION PLAN

HUMBOLDT COUNTY CORRECTIONAL FACILITY
- RE-ROOFING PROJECT -
901 FIFTH ST. EUREKA, CA 95501
APN: 001-191-003 & 001-191-004
1 6 2 8 2 6

Drawn	TLH	Reviewed	JRU
Date	3/24/2026	Scale	AS NOTED
Sheet No.	A2.1		
Project No.	3242026		








Contractor

PROPOSED ROOF PLAN


HUMBOLDT COUNTY CORRECTIONAL FACILITY
 RE-ROOFING PROJECT
 901 FIFTH ST. | EUREKA, CA | 95501
 APN: 001-191-003 & 001-191-004
 1 6 2 8 2 6

Sheet No.	001	002	003	004	005	006	007	008	009	010
Date										
Drawn By	TLH									
Checked By	JRU									
Date	3/24/2026									
Scale	AS NOTED									
Sheet No.	A3.2									





ROOF PLAN NOTES

- SEE DEMOLITION PLAN AND RELATED NOTES ON SHEET A2.2.
- WORK ONLY FROM APPROVED PRODUCT DATA SUBMITTALS, MANUFACTURER APPROVED DETAILS, AND INSTRUCTION MANUALS FOR ALL DETAIL CONDITIONS.
- VERIFY ALL EXISTING CONDITIONS IN FIELD PRIOR TO STARTING WORK. NOTIFY OWNER IMMEDIATELY AS DISCREPANCIES ARE DISCOVERED. THE DESIGN OF ANY AND ALL TEMPORARY BRACING, SHORING, AND SCAFFOLDING SHALL BE THE RESPONSIBILITY OF THE CONTRACTOR. SEQUENCING THAT COMPOSES THE MEANS AND METHODS OF CONSTRUCTION IS SOLELY THE RESPONSIBILITY OF THE CONTRACTOR.
- REMOVE WASTE MATERIALS FROM THE SITE AND LEGALLY DISPOSE OF OR RECYCLE UNLESS INDICATED TO BE SALVAGED AND DELIVERED TO AN APPROVED RECYCLING FACILITY. ALL WASTE MATERIALS TO BE INDICATED. DEMOLITION WASTE BECOMES PROPERTY OF THE CONTRACTOR. FULLY CLEAN SITE TO STATE OF NO LESS QUALITY THAN IT WAS PRIOR TO START OF WORK.
- PROTECT EXISTING PROPERTY TO REMAIN. INSTALL DUST CONTROL MEASURES TO PREVENT DUST FROM WORK OR VENTILATION SYSTEMS FROM ENTERING EXISTING BUILDINGS.
- PREVENT EXCESSIVE NOISE, VIBRATION, OR OTHER DISTURBANCE TO BUILDING OCCUPANTS.
- MAINTAIN PORTABLE FIRE EXTINGUISHERS ON SITE. READY VISIBLY, AND AVAILABLE FOR USE THROUGHOUT CONSTRUCTION.
- PATCHING AND PAINTING IS LIMITED TO THE AREAS DIRECTLY IMPACTED BY THE WORK, UNLESS INDICATED OTHERWISE.
- SEE SHEET A4.2 FOR LAYOUT OF ROOF BASE LAYER AND TAPERED INSULATION.
- SEE PROJECT MANUAL FOR MECHANICAL FASTENER PULL-OUT TESTS AT EXISTING ROOF STRUCTURES, AND WIND LOAD REQUIREMENTS.
- CONCRETE PARAPET WALLS: WOOD NAILER MECHANICALLY FASTENED TO CONCRETE WITH 1/2" DIAMETER APPROVED CONCRETE ANCHORS AT 12" O.C. MAXIMUM WITH 3" EMBEDMENT INTO CONCRETE. PROVIDE 3" MINIMUM CONCRETE CURB HEIGHT PER ANSIFL E5-1 AND MANUFACTURER'S REQUIREMENTS.
- PARAPET PARAPET METAL DECKS: PROVIDE CONTINUOUS PRESERVE TREATED WOOD NAILER MECHANICALLY FASTENED TO THE METAL ROOF DECK WITH A MINIMUM OF 12" O.C. MAXIMUM WITH 3" EMBEDMENT INTO METAL DECK. PROVIDE 3" MINIMUM CONCRETE CURB HEIGHT PER ANSIFL E5-1 AND MANUFACTURER'S REQUIREMENTS.
- REVIEW PROJECT MANUAL FOR COMPLETE PROJECT REQUIREMENTS.



1 PROPOSED ROOF PLAN - PHASE II FACILITY
 Scale: 1/8" = 1'-0"



Contractor

ROOF INSULATION PLAN


HUMBOLDT COUNTY CORRECTIONAL FACILITY
 - RE-ROOFING PROJECT -
 901 FIFTH ST. | EUREKA, CA | 95501
 APN: 001-191-003 & 001-191-004
 1 6 2 8 2 6

Sheet No.	A4.1
Scale	AS NOTED
Date	3/24/2026
Drawn By	TLH
Reviewed By	JBJ


BID SET

SHEET NOTES


- PULL TEST REPORT DATA MAY BE UTILIZED BY CONTRACTOR FOR DETERMINING REQUIRED FASTENER SPACING. SUBMIT FASTENING SCHEDULE AND LAYOUT SHOP DRAWING FOR APPROVAL.




2 PROPOSED INSULATION SYSTEM CONCEPT



1 ROOF INSULATION PLAN - PHASE I FACILITY
 Scale: 1/8" = 1'-0"





County of Humboldt
DEPT. OF PUBLIC WORKS
1106 2ND ST.
EUREKA, CA 95501



Contractor



ROOF INSULATION PLAN

HUMBOLDT COUNTY CORRECTIONAL FACILITY
- RE-ROOFING PROJECT -
901 FIFTH ST. | EUREKA, CA | 95501
APN: 001-191-003 & 001-191-004
162826

Drawn By	TLH	Reviewed By	JRU
Date	3/24/2026	Scale	AS NOTED
Sheet No.	A4.2		

BID SET

SHEET NOTES
1. PULL TEST REPORT DATA MAY BE UTILIZED BY CONTRACTORS FOR DETERMINING REQUIRED FASTENER SPACING, SUBMIT FASTENING SCHEDULE AND LAYOUT SHOP DRAWING FOR APPROVAL.



1 ROOF INSULATION PLAN - PHASE II FACILITY
Scale: 1/8" = 1'-0"

