

February 26, 2024

**Honorable Juan Pablo Cervantes
Humboldt County Clerk-Recorder-ROV**

Preservation, Imaging, and Microfilming of Election & Vital Records

SUBMITTED BY:

Angelique Nasser
Account Executive
angelique.nasser@kofile.com
916.266.3292

info@kofile.com | www.kofile.com

Kofile 

Dear Honorable Juan Pablo Cervantes,

This proposal addresses Humboldt County Clerk-Recorder-ROV's Election & Vital records and is presented by Kofile Technologies, Inc. (Kofile). Quoted services include conservation treatments, rehousing, imaging, and microfilming. Archival rehousing includes encapsulation and loose-leaf binding into Archival Recorder Binders. This assessment also contains photographic documentation of the volumes in their current state. Note that prices for the inventory herein are good for 90 days from the date of this assessment.

Kofile Technologies, Inc. (Kofile) is uniquely qualified to complete Humboldt County Clerk-Recorder-ROV's modernization goals by taking an innovative approach to this project to ensure a successful outcome. Kofile's basis for success is decades of experience, realistic solutions, and professional analysis and each project is unique and deserves special attention. Our team provides realistic solutions, professional analysis, and innovative archival products to equip records stewards with the information and resources needed to preserve collections.

Kofile performs all services in accordance with the Code of Ethics & Guidelines for Practice of the American Institute for Conservation (AIC).

Preservation minimizes the chemical and physical deterioration of the page which prolongs the existence and useful life of the original format. Preservation can include removal of the original from public access, creating a security copy, treatment, stabilization, preventative care, or digitization, or any maintenance or repair of the existing resource.

KOFILE ASSURANCE

Kofile Assurance delivers Humboldt County Clerk-Recorder-ROV the ability to transact business at the speed necessary in today's economy, and to provide real-time access to your citizenry of the information they demand.

Kofile Assurance ensures the records from the foundation of the county are maintained and preserved for today and future generations. Kofile stands ready to deliver access to the information that drives and supports a thriving business community.

AREAS OF CONCERN

Sound preservation ensures accessibility to these irreplaceable and permanent documents forever.

Acidic Paper

Past papermaking utilized bleach to obtain white sheets. As a result, this paper becomes increasingly acidic as evidenced by embrittlement and yellowish-brown discoloring. Paper also embrittles when relative humidity drops or fluctuates.

Acidic Ink

Acidic inks can "eat" or "burn" through a sheet. Unmonitored temperature and relative humidity (RH) accelerate this process. Inks can also fade with exposure to UV light. Historically, iron gall inks were the standard. These inks contain sulfuric acid - which fades with time. With proper treatments, chemical breakdowns (such as acid hydrolysis) are remedied.

Mechanical Damage (Use & Abuse)

Everyday use greatly affects collections. Sheets bear signs of grime and the natural oils of hands. Exposed sheets are susceptible to damage and loss. Dirt and other pollutants can serve as ignition sources and weaken exposed paper. Exposed fragments become abused even with careful use.

Binding Margin

The binding margins of many volumes are compromised due to guillotining. In order to rebind and protect these sheets, encapsulation is the only solution. If a volume were rebound as is, without encapsulation, vital information would be lost in the binding margin.

Always question vendors if they recommend power cutters (guillotining) to dismantle sewn books. Kofile never attempts any procedure that could result in a loss of text or weaken the integrity of the paper. A sheet's binding margin should never be compromised.

Broken Book Block

Once a binding fails, damage escalates. Sheets are free to drift from the protection of the book block. With exposure, fragments become abused and susceptible to loss.

Failing Index Stacks

Index Books sustain the most use. Thus, they suffer greater risks of text loss and sheet deterioration. Paper strength is completely depleted from continuous use. Eventually, tabs and sheet fragments are lost. Immediate attention is required.

Tape & Non-Archival Adhesives

The Library of Congress warns about the culprits of "pressure sensitive tapes—such as scotch, masking, 'invisible,' quick-release, cellophane, and even so-called 'archival' tapes"—all are unstable. These tapes and adhesives "will stain the paper and may cause inks and colors to 'bleed.' Many lose their adhesive properties and fall off with age, leaving behind a residue that is unsightly, damaging to the item and difficult to remove."

Adhesive stains lead to issues during imaging. Awarding a low-bid imaging and microfilm project may result in illegible images. To enhance image quality, conservation is essential. A conservator can remove water-based, synthetic, and pressure sensitive adhesives.

Page extenders are an inappropriate "quick fix" to a prevailing problem. To save this collection, the underlying issues causing the deterioration of the sheets' margins need correcting. The acid content of the sheet extenders only adds to the chemical breakdown of the paper's fibers.

Lamination Removal

Kofile conservators address the "Laminate" process to the fullest extent possible damage to underlying paper and inks in accordance with the AIC Code of Ethics and Guidelines Item 21. Conservators reverse the process and remove the laminate using a proprietary solvent solution. The possibility of removing the "Laminate" depends on careful testing at our conservation lab. In a small percentage of cases, the adhesive is resistant to the solvent solution and cannot be removed safely. Conservators will not attempt removal if the removal process will damage either the document's paper or ink. If conservators cannot remove the laminate safely, Kofile will contact the County directly to discuss alternatives.

Non-Archival Quality Materials

The off gases of deteriorating metals contribute to the chemical breakdown of paper. Major culprits include the metal content of book spines, the surrounding physical environment, and non-archival fasteners (such as binder clips, paper clips, and staples). These off gases eventually destroy the fabric of the volume. Another symptom of metal oxidation is foxing, or foxlike (reddish and brown color) stains or blotches on paper.

TEMPERATURE & HUMIDITY MONITORING

While temperature and limited air circulation are crucial to a document's longevity, humidity and water are the most destructive threats.

Relative Humidity (RH) refers to the amount of water vapor present in the air. Maintaining a set point of 40-45% RH is optimal, but costly. The maximum acceptable total RH variation, or operating range, is 5% on either side of this set point. RH should never exceed 55% or drop below 30%.

Temperatures above 75° F and RH higher than 60% encourage mold and other bacteria growth within 48—72 hours.

Even slight changes in temperature can double the natural aging rate of paper. In reality, temperature and RH are not consistent in a local courthouse (especially on weekends).

Red inks smear first, then blue inks, and lastly, black inks.

After exposure to water, pages adhere to one another when in a compressed environment. Separation without loss of text and water-soluble inks (such as signatures) is vital. These records are extremely fragile.

The mitigation of mold or micro-organics (which can result with the introduction of water or humidity fluctuations), should only be attempted by a trained professional. Water damage can also lead to other issues such as binding failure. The necessary treatments are time consuming and require a highly skilled conservator.

Visit the Image Permanence Institute (IPI) at www.dpccalc.org to explore the correlation of temperature and RH on natural aging, mechanical damage, mold risk, and metal corrosion (as exemplified above). The image above is a property of IPI.

TREATMENT SPECIFICATIONS

Kofile regularly addresses historical and permanent documents, including manuscripts, typescripts, negative Photostats, trifolds, blueprints, re-creations, plats, and maps. No treatment, repair, or maintenance is used that is not 100% reversible.

Dismantle

Original binding materials, such as threads and adhesive residues, are carefully removed. Old manuscripts often have protein-based binding adhesives such as fish, bone, or rabbit skin glues. The application of steam with specialized equipment can soften the materials that are otherwise difficult to remove. Guillotine cutters are never employed. If trimming is necessary, it is accomplished with handheld scissors or specialized shears designed for trimming fragile sheets carefully and accurately. One document is cut at a time to ensure no text is lost.

Surface Cleaning

Surface cleaning sheets remove materials and deposits including dust, soot, airborne particulate, sediment from water damage, mold/mildew residue, active micro-organic growth, insect detritus, or biological or mineral contaminants. Tools include a microspatula, soft dusting brush, latex sponge, powdered vinyl eraser, or soft block eraser.

Removal of Fasteners

Kofile removes fasteners, page markers, and any metal mechanisms. Fasteners, such as binder clips, staples, paper clips, string ties, rubber bands, brads, straight pins, etc., cause damage in short periods. This includes physical damage (decreased paper strength due to punctures or distortion) and chemical damage (rust).

Removal of Tape, Adhesives, Varnish, or Old Repairs

Varnish, tape, and adhesive residue are reduced as much as possible without further degrading the original. When possible, peelers and tape are removed with two primary mechanical techniques: Heat Removal or Peeling. Heat removal is used when adhesive is loose, old, or brittle. Peeling is used when removal by heat is unnecessary. Solvents are a last resort, and local application occurs only after testing.

A microspatula (sometimes heated) coaxes threads, tape, and glue from the paper. A Hot Tools remover can soften adhesive for removal. Dial-Temp controls the transfer of heat and guards against scorching. Remaining adhesive is treated with a gum compound eraser.



Adhesive reduction begins with the most benign process. If mechanical tape removal is unsuccessful, the next alternative is chemical. This is either a local or spot treatment or immersion in a solvent bath. Kofile ensures that its laboratories are equipped to process chemical treatments correctly and safely. Previous repairs that cannot be removed safely will remain.

If possible, water-soluble repairs are removed with water or steam. Only fully trained, experienced, and supervised staff attempt removal of water-soluble repairs. While iron gall ink is safe for aqueous treatment, many inks may fade and compromise legibility. Extensive testing is required.

Flattening and Humidification

Improperly stored paper becomes inflexible and retains a memory of the storage position. Kofile's technicians are experienced with all methods and tools to "flatten" paper including the use of tacking irons, heat presses, and an Ultrasonic Humidification Chamber.

After careful testing, the Ultrasonic Humidification Chamber is used to correct the most fragile documents folds and bends. This significant investment, with which



other private labs are rarely equipped, represents Kofile's foresight and commitment to offering the best available technology.

Mending torn paper is an art form and requires a variety of materials depending on the paper's color, tone, condition, and weight. The length of the tear(s) and the degree of embrittlement or fragmentation are also concerns. Kofile generally mends tears greater than 1/2" if the document is going to be encapsulated.

Specialized paper and paste are commonly used, and all mending materials are acid free and reversible. Mending strips are cut so the edge of the paper visually integrates with the page without clashing aesthetically or historically. Fragmented edges, folds, tears, cracks, voids, and losses are all mended in this fashion.



The mending paper used is strong and is transparent after application and while visible to the trained eye, it does not distract from the document.

A low-temperature, acrylic adhesive that bonds to the paper may also be used for reinforcement of damaged sheets. Kofile also constructs its own version with acid-free tissue paper and liquid acrylic adhesive.

An 1848 Probate Record before and after treatment. The image to the right shows the page after deacidification, tape removal, and mending with archival tissue.



Deacidification

Deacidification is only performed after careful pH and compatibility testing. Kofile is equipped with multiple custom-built spray exhaust booths. All are routed through an HVAC system for optimum performance.

A commercially prepared buffer solution is applied to both sides of the sheet with compressed air sprayer equipment (see right picture). The solution is non-flammable and non-toxic. The active

ingredient, magnesium oxide, neutralizes acid and provides an alkaline reserve. This chemical is inert, safe, and does not degrade the sheet.

Once the buffer is applied, the paper's pH alters slowly. After de-acidification, random testing ensures an 8 pH with a deviation of no more than 2-4%.

Encapsulation

In archival encapsulation, the document floats freely and is not taped or glued to the pocket. Kofile uses SKC SH725 polyester (Polyethylene Terephthalate - PET) which is the most inert, rigid, dimensionally stable (dimstab), and strongest plastic film. Otherwise known as Mylar® Type D or Melinex® 516, it is crystal clear, smooth, odorless, and is resistant to distorting or melting in case of fire.

Each sheet is encapsulated in a 2-mil patented polyester pocket: Lay Flat Archival Polyester Pocket™, US Patent #7,943,220 B1, 5/17/2011. This pocket is welded closed on three sides, and a Reemay® strip, or spunbond polyester, statically seals out atmospheric pollutants while allowing off-gassing on the fourth side. This provides easy access to the original document without cutting the pocket (some companies weld all four sides).

This construction allows for a flat book block and reinforces the binding edge for added strength and years of service. Available in custom sizes, the Pocket dimensions will match the 'book block' dimensions with a 1½" or 1¼" binding margin.

ARCHIVAL RECORDER BINDERS

Volumes are hand-cased at 250 pages or less and pockets are punched (on the binding edge). Books with large capacities may be split to account for the weight of the Mylar. Kofile punches pockets to any hole specifications and can repair/replace index tabs.

Kofile manufactures binder components at 1/4" incremental capacities on a per-book basis. Kofile punches sheets to any hole specifications and repair/replace index tabs as necessary. Kofile can manufacture custom binder sizes, shapes, spines, colors, and lettering. Each binder features durable cover boards and a spine to support the pages' weight. All materials, including the cover boards and adhesives, are acid free.

Stamping


Title stamping can follow the same format/style as the originals. A stamping sheet is sent for approval. If any titling, dates, or other information from an original volume is noted in error, Humboldt County Clerk-



Recorder-ROV is notified. Any changes are approved by Humboldt County Clerk-Recorder-ROV. Tooling is performed with 23-karat gold foil.

Disaster Safe Binder™ (DSB)

The DSB provides unparalleled protection and storage. Developed after Hurricane Katrina to address the devastation of the Orleans Parish archives, it protects sheets from water, fire, and physical disruption. The primary problem in 2005 was 100% relative humidity. With weeks of no power, mold was rampant. A hard lesson, the DSB addresses what went wrong in that disaster.



The DSB enables the encapsulated sheets to hang from the binder's posts—much like a hanging vertical plat cabinet. This feature allows collections to return in a smaller storage footprint with 4Post™ Shelving.

Any product that fails to operate properly or maintain its original integrity is replaced at no cost to Humboldt County Clerk-Recorder-ROV. This is Kofile's commitment of value and service to its customers.



The DSB provides functionality and access ease while offering the highest rate of return on the client's investment. It is a portable vault for housing records of enduring value. It provides progressive protection from exposure to fire, water, Relative Humidity (RH), atmospheric pollutants, ultraviolet (UV) light, impact, and drops. The DSB also features a lifetime warranty against rust.

Other DSB Features Include:

Stainless Steel—The metal mechanism and book block apron are constructed of stable, corrosion-proof 316 stainless steel, which does not emit harmful gaseous pollutants like cold roll steel.

Support to the Book Block—The DSB is equipped with a Polyester Foam Insert, which ensures physical support to the book block and allows library-style storage.

Microclimate—The DSB creates a Microclimate, an independent, stable environment separating sheets from the external atmosphere.

Security Lock—A security lock hinge protects from theft.

Nonflammable & Self-Extinguishing—With nonflammable cover boards and materials, the DSB is self-extinguishing. These proprietary features protect the contained pages in extreme temperatures.




ARCHIVAL DIGITIZATION

Imaging a document and digitizing a collection creates an electronic representation of the original archival record. This process is not meant to replace the archival record, but to aid in its preservation. The image serves as a reference tool and is a back-up if the original is damaged or destroyed.

Archival digitization includes capture and processing (custom image enhancement and cleanup) and optimization for access. Security backups are captured on archival microfilm with a Life Expectancy (LE) of 500 years.


Kofile's services are unique because materials are addressed according to their conditions and fold endurences without blind, automatic scanner feeds. Technicians are trained to handle fragile and historical documents and use the best hardware and software available. Many projects involve re-work for collections already imaged or indexed by low-bid vendors. With Kofile, images are the highest quality and are free of distortion and loss of information due to image capture.

Kofile always defaults to U.S. National Archives and Records Administration (NARA) technical guidelines for digitization. Upon request, Kofile stores an electronic security back up of all images in case of loss, damage, or destruction by fire or natural disaster.



What would this image look like if scanned "AS IS?"

Imaging WITHOUT Conservation



IMAGING OVERVIEW

Operators observe each page during capture. For faint or illegible pages, the operator marks the page, readjusts the scanner, and employs contrast tools. If unsuccessful, the operator indicates and inserts a review form for the quality assurance team to assess. The page is marked with a "Best Possible Image Indicator" or treated with further enhancements.

Images are captured at a minimum of 300 dpi at 256 bi-tonal or gray levels. This ensures the highest image quality for documents with poor contrast and difficult-to-read information. Images accumulate

as Group IV bi-tonal images in a standard TIFF or PDF format. Images are optimized and scaled for system output.



The article implies that partial document destruction is normal. This is unacceptable and contrary to any preservation standard. Kofile has the experience and expertise to handle fragile documents and address the physical preservation of the source document.

Source: Higgins, Jessie. "Recorder's Office Preserving Oldest County Records by Digitizing Them: Some Century-Old Pages Crumble When Touched." Evansville Courier & Press, August 21, 2013.

IMAGE PROCESSING AND ENHANCEMENT

IMAGEPERFECT is Kofile's proprietary digital SLR-based software which utilizes proprietary algorithms, critical for capturing different densities and quality levels in a collection, to provide optimal quality and uniform images. Image Perfect measures each image at a minimum for the following attributes:

- White-on-white images
- Synchronizing images from different scanners
- Floating page cropping & segmentation
- Rotating & de-skewing images
- Tone correction
- Resolution adjustments
- Metadata Normalization

Kofile utilizes the Microsoft® SQL database as the underpinning for its production systems and IMAGEPERFECT allows operators to interactively build and edit image processing scripts, which can be saved for batch processing. Progress tracking capabilities can identify exceptions enabling supervisors to quickly and efficiently correct problems. This software automatically detects and compensates for a scanner(s) variances. The Assured Image delivers consistent, high-quality output.


IMAGEPERFECT enables repair of the currently displayed image without rescanning which could compromise image integrity and uses custom image clean-up and enhancements such as deskew, despeckle, character repair, and zonal processing to improve legibility. Kofile maintains 100% document integrity and image control with exclusive image locking capabilities. The processing procedures will not allow for information from rescanned pages to cut and paste accidentally into the incorrect page.

Quality Targets permit operators to view image quality at scan. Images, even those scanned on different devices, are "normalized." Rather than using ad-hoc algorithms and tricks, this software

measures image quality and propagates this data through the imaging chain. Quality Targets serve as the foundation for quality assurance analysis.


Quality Targets (pictured herein) establish the baseline digital capture quality of the scanner during scanning. Therefore, Kofile can measure the digitization physics at the time of capture. IMAGEPERFECT measures each image at a minimum for:

- Target dpi
- Target Tone scale & correction
- Color Management
- Brightness/Contrast Correction
- Gamma Adjustment
- White Balancing
- Page Orientation
- Exposure uniformity
- Color reproduction data



If applicable to the project, Kofile performs negative Photostat polarity reversal (so that all characters are black on a positive background). The document certification strip (file strip) is inverted to match the polarity of the final image.

If requested, annotations are supported to allow the addition of Name, Book Type, Volume, and Page on the image. Image quality metadata is captured as part of the image header along with a secured digital signature that certifies the fidelity and integrity of every image scanned.



Examples of imaging before (L) and after (R) advanced image cleanup and enhancements.

Quality Control (QC)

Our Quality Control (QC) process ensures that all images are certified. **Each image is sight checked during QC.** Each page is checked to ensure there are no missing pages, double feeds, or "A" pages, which may have been added. Every image is inspected and a statistical, random, batch-based review of 8% of the inventory is conducted before delivery. Humboldt County Clerk-Recorder-ROV can receive an image log noting the steps employed.

Advanced Equipment


Kofile can scan mixed-sized and large-format documents. Kofile employs a range of scanners to tailor imaging services to documents that require imaging. All of scanners employ page detection to adjust for varying sizes of paper and, more importantly, thicknesses to reduce "pull-throughs" on thin papers following thick bond. Fragile documents are imaged by hand and not fed through an automated Document feeder. Kofile's technicians are trained to handle fragile documents.


WideTek

This wide-format duplex scanner digitizes two-sided printed documents up to 36" in width. The scanner needs only 2.5 seconds to scan both sides of the page in a single pass at a resolution of 300 dpi. This scanner ensures the best possible gentle document transport and digitizes historical and fragile documents without damage to the source document.



PHOTOGRAPHIC DOCUMENTATION





SCOPE OF SERVICES

General treatments and services are outlined in the following. Services are tailored to the needs of the specific item.

Preservation—Conservation Treatments, Deacidify, Encapsulate, & Bind (PRV)

- Kofile creates a permanent log (noting condition, page order, characteristics, and treatments) for each item upon receipt. Items are inspected and control numbered as necessary. A final quality check references this log.
- Dismantle volumes by hand (if applicable).
- Surface clean sheets. Tools include a microspatula, soft dusting brush, latex sponge, powdered vinyl eraser, or soft block eraser. Surface cleaning removes materials and deposits—e.g., dust, soot, airborne particulate, sediment from water damage, mold/mildew residue, active micro-organic growth, insect detritus, or biological or mineral contaminants.
- Remove any non-archival repairs, adhesives, residual glues, or fasteners to the extent possible without causing damage to paper and inks.
- Mend tears and guard burns on back side of sheets with acid free and reversible mending materials.
- Deacidify sheets (each side of each sheet) after careful testing with Bookkeepers®. This commercial solution of magnesium oxide, which neutralizes acidic inks and paper by providing an alkaline reserve (after pH and compatibility testing). Random testing ensures an 8.5 pH with a deviation of no more than $\pm .5$.
- Encapsulate each sheet in a Lay Flat Archival Polyester Pocket™. Each custom envelope is composed of Skyroll SH72S® Mylar and includes a patented lay flat design. Dimensions match the “book block” dimensions, with a 1¼” binding margin.
- Re-bind in custom-fitted and stamped archival quality binder. Each binder is manufactured on a per-book basis and sized to 1/4” incremental capacities. This binder is available with four hubs, a gold-tooled spine, and is roller shelf-compatible. A volume may return split due to the added weight of the Mylar, depending on page count.
- A dedication/treatment report is included in each binder.

Image—Archival Image Capture, Image Processing, Clean Up, & Enhancements (IM)

- Provided for all records in this project.
- Capture images at a minimum of 300 dpi at 256 gray levels, ensuring the highest quality for poor contrast and legibility. Gray-scale ensures optimum resolution for each page.
- Images accumulate as Group IV bi-tonal images in a standard PDF or TIFF format.
- IMAGE PERFECT, Kofile's proprietary software, ensures the optimum image quality with custom image clean up and enhancements such as deskew, despeckle, character repair, polarity reversal, and zonal processing.
- Crop excess blank space around image. This may involve manual cropping to ensure the best quality image.
- Images are named (tagged for the directory file structure) at case level by book, volume, and page (or other requested fields).
- Images are grouped (stapled) together to form documents. Cases are grouped and indexed to form documents by case number.
- Page Validation (automated PG. numbering for validation).
- If applicable, images are optimized and scaled for system output.
- If requested, annotations are supported to enable the electronic addition (either custom or Book/Volume/Page) on the digital image to assist in recording keeping.
- When multiple documents (Deeds, Birth Record, etc.) exist on a single page, images are split so that each document is viewable individually. In the case of Vitals, this service incurs additional charges.
- STITCHING: If identified, images receive stitching where necessary, such as entries that horizontally span the length of more than one page. Amendments are stitched to the appropriate Certificate and indexed in place of the original Certificate.
- Humboldt County Clerk-Recorder-ROV receives a MASTER (e.g., CD, DVD, ftp, flash drive) in a medium suitable to the project size.
- Kofile can hold a security copy of all images for safekeeping.

Re-Creation (RC), Encapsulating (Encap) and Re-Binding (NB) Services

- Encapsulating and Rebinding Services provided for the 13 Delayed Birth Binders and Certificates of Marriages Volumes 49-105 due to being copy flow records.
- Re-Creation, Rebinding, Encapsulating Services provided for the 18 Election Transcript Records due to being copy flow records.
 - Re-Creation includes:
 - Make a copy of the books and print on Bond Acid-Free Paper of appropriate weight.
 - Encapsulate copy of book pages in 4 mil capsules composed of SKC SH72S® PET polyester film.
 - Capsules are punched for inclusion in a new Enduro® binder. The capsules also add fire and water protection.
 - A dedication report is included in the binder.
- The Election Transcript Records and selected Vitals Records will not be deacidified as they are modern records on copy flow paper. They will also be imaged and microfilmed.

Archival Microfilm (MM)

- Archival silver microfilm provided for all records in this project.
- Produced in 16mm from the newly processed digital images.
- Microfilm serves as a security backup for disaster recovery.

Datum 4Post™ Archival Shelving System with MobileTrak Solution

- Supplementary 4Post™ Shelving System for the new binders. Each unit contains six (6) shelves and measures 85.25"H x 20"D x 36"W. Pricing includes over-the-threshold delivery and installation. Each unit has a max capacity of approx. 55 binders (dependent on binder capacity).
- The high-density mobile storage system with MobileTrak will consist of storage housings mounted on wheeled carriage assemblies riding on multiple steel rails. The purpose is to allow multiple ranges of storage housings to be accessed by means of one moving aisle, thus greatly reducing floor space requirements. The carriage is formed of a bolted structural steel frame with precision machined and balanced steel wheels aligning to corresponding steel rails. All bearings are permanently lubricated and shielded.
- **DISCLAIMER:** The Shelving System was designed per the County's assessment performed by Kofile representatives in 2023. This shelving solution is estimated to house the Vital records collection following the completion of the preservation services.

Total System Weight: 8,683 lbs.
Total Lineal Filing Inches: 6,800"

Estimated Media Weight: 40,000 lbs.
Estimated Total Weight: 48,682 lbs.

- The County's required Lineal Filing inches are subject to change based on the size and quantity of volumes (returning after preservation services are complete) and the media being stored on the shelving units. If the County adds media that was not included in the 2023 assessment, then the lineal filing inches available on this system per this proposal may require adjustments.

Paint Finish

- The 4Post™ Shelving is available in a textured powder-coated finish with a variety of colors. All steel parts are thoroughly cleaned using a three-stage iron phosphate washer and then coated with an Epoxy-Hybrid powder coat finishing using a state-of-the-art electrostatic paint system. Powder coating provides a superior, attractive, uniform finish that is more durable, scratch and corrosion resistant, and environmentally friendly than liquid paint. Kofile only uses the most advanced painting technologies that are EPA tested and approved. The powder coat is solvent free and environmentally safe.

Quality Assurance Plan

- Kofile staff complete installation. We do not leave behind debris for the County to address. Before installation, Kofile checks the delivery inventory for errors and damage. Each component is inspected. After assembly, each shelf is cleaned and volumes are installed. Kofile guarantees to exceed the County's expectations for quality and excellence.

Pre-Installation Shelving Services

- Books shall be taken off the current shelving system in the location the new Datum shelving system will be placed. The books will be placed on rolling book carts temporarily, and then reshelved back into the new shelving as soon as the new shelving is erected. The listed vital books shall be preserved throughout this process.
- The current shelving system will be disassembled, removed and recycled to make room for the new high-density mobile shelving system.

PROJECT PRICING

See below for Inventory and Pricing. Without a signed agreement, prices are good for 90 days. Pricing is based on estimated page counts and condition levels. Pricing is finalized upon review at the Kofile lab. Billing occurs on actuals per mutually agreed upon pricing, not to exceed the P.O. without authorization.

Humboldt County Clerk-Recorder-ROV						
Project Overview						
Record Series	Volume Range	Year(s)	Volume Count	Page Count	Level of Service	Estimated Total
Great Register Books	various	1855-1974	28	9,294	PRV/IM/MM	\$ 90,752.90
Great Register Transcripts	various	1872-1890	18	1,527	IM/RC/MM	\$ 3,591.78
Certificates of Birth	1-74	1950-1993	70	38,650	PRV/IM/MM	\$ 304,707.22
Certificates of Birth	75-174	1994-2021	100	5,936	IM/NB/Encap/MM	\$ 29,930.00
Death Certificates	1-45	1950-1993	34	19,916	PRV/IM/MM	\$ 144,483.62
Death Certificates	52-152	1990's-current	101	1,700	IM/NB/Encap/MM	\$ 8,538.00
Marriage Records	various	1855-1963	88	49,304	PRV/IM/MM	\$ 365,756.64
Delayed Births & Certificates of Marriage	various	various	70	1,500	IM/NB/Encap/MM	\$ 7,560.00
Certificates of Birth, Marriage & Death	various	2022-2023	8	6,896	NB/Encap	\$ 31,032.00
Board of Supervisors' Books	various	1853-1960	57	28,117	PRV/IM/MM	\$ 201,245.85
Book Services Subtotal						\$ 1,187,598.01
Datum 4Post™ Archival Shelving with MobileTrak (Mechanical) - 40 Units						\$ 70,780.20
Special Shipping & Installation						\$ 54,313.75
Pre-Installation Services - removal of shelving/books						\$ 13,906.25
Shelving Subtotal						\$ 139,000.20
Estimated Tax Rate 9.25% (Microfilm & Shelving)						\$ 7,815.65
Project Total						\$ 1,334,413.86

This proposal shall be governed by the terms of use found at <https://kofile.com/termsandconditions>.
 Payment Terms: Pay 25% upon executed agreement and two 25% payments at equal periods through the estimated production completion date, with the balance due upon project completion. Actual payment dates to be determined prior to work beginning.

CUSTOMER ACCEPTANCE

KOFILE ACCEPTANCE

Signature of Authorized Official

Signature of Authorized Official

Print Name of Authorized Official

Print Name of Authorized Official

Title of Authorized Official

Title of Authorized Official

Date

Date

ACCESSIBILITY OF RECORDS

Records held at Kofile are maintained as private and confidential material. Humboldt County Clerk-Recorder-ROV is guaranteed access to records via email or toll-free fax at our expense. Upon receipt of a records request, Kofile will flag the requested record and verify inventory control, pull supporting paperwork, and email/fax a response to the approved requester or alternate. The turnaround time for a records request will meet or exceed requirements.

Please note that all records (including volumes, documents, digital images, metadata or microfilm) serviced by Kofile shall remain the property of Humboldt County Clerk-Recorder-ROV. This policy applies to any agreement, verbal or written, between Humboldt County Clerk-Recorder-ROV and Kofile.

The records are not used by Kofile other than in connection with providing the services pursuant to any agreement between Kofile and Humboldt County Clerk-Recorder-ROV. The records are not commercially exploited by or on behalf of Kofile, its employees, officers, agents, invitees or assigns, in any respect.

Please let me know if you have any questions. We look forward to serving Humboldt County Clerk-Recorder-ROV and to working together for the preservation and access of its public and historical assets.

Sincerely,

Angelique Nasser

Angelique Nasser

c: 916.266.3292

e: angelique.nasser@kofile.com