

REFERRAL AGENCY COMMENTS AND RECOMMENDATIONS

The project was referred to the following referral agencies for review and comment. Those agencies that provided written comments are checked off.

Referral Agency	Response	Recommendation	Location
Building Inspection Division	✓	Approval	On file
Public Works Land Use Division	✓	Conditional Approval	Attached
Environmental Health Division	✓	Conditional Approval	Attached
CALFIRE	✓	Standard Comments	Attached
CA Department of Fish & Wildlife	✓	Conditional Approval	Attached
NWIC	✓	Conditional Approval	On file with Planning
Bear River Band	✓	Conditional Approval	On file with Planning
RWQCB		No Response	
California Department of Transportation (CalTrans)		No Response	
Humboldt County District Attorney		No Response	
Humboldt County Counsel	✓	No Comment	
County Agricultural Commissioner		No Response	
Humboldt County Sheriff		No Response	
Fortuna Union High School District	✓	Recommend Denial	Attached
Bridgeville Fire Protection District		No Response	
Bridgeville School District		No Response	



ARCATA-EUREKA AIRPORT TERMINAL
McKINLEYVILLE
FAX 839-3596

AVIATION 839-5401

DEPARTMENT OF PUBLIC WORKS

COUNTY OF HUMBOLDT

MAILING ADDRESS: 1106 SECOND STREET, EUREKA, CA 95501-0579
AREA CODE 707

PUBLIC WORKS BUILDING
SECOND & L ST., EUREKA
FAX 445-7409

ADMINISTRATION	445-7491	NATURAL RESOURCES	445-7741
BUSINESS	445-7652	NATURAL RESOURCES PLANNING	267-9540
ENGINEERING	445-7377	PARKS	445-7651
FACILITY MAINTENANCE	445-7493	ROADS & EQUIPMENT MAINTENANCE	445-7421

CLARK COMPLEX
HARRIS & H ST., EUREKA
FAX 445-7388

LAND USE 445-7205



LAND USE DIVISION INTEROFFICE MEMORANDUM

TO: Cannabis Planner, Planning & Building Department
FROM: Ken Freed, Assistant Engineer *KF*
DATE: 9/29/2017
RE: REQUEST FOR ADDITIONAL INFORMATION FOR PUBLIC WORKS REVIEW
APPLICATION No. 13373; APN 207-141-007

The Department has received a greater number of projects than can be processed in the time frame provided. The Department is providing the following abbreviated review of the project. **Once the requested information has been provided, please re-refer the project to the Department.**

All boxes that are checked apply.

- ☒ (1) Prior to the project being presented to the Planning Commission or the Zoning Administrator, it is recommended that the project should be referred to:
- ☒ Caltrans; ☐ Bureau of Land Mgmt.; ☐ US Forest Service; ☐ City of _____

Prior to the project being presented to the Planning Commission of the Zoning Administrator, the following must be done:

- ☒ (2) Applicant shall submit a completed Public Works Road Evaluation Report form for each road that is used to access the subject property. The applicant shall provide a "google earth" type map showing the locations of the road being evaluated that is indexed to each Road Evaluation Form. Road evaluations are needed for all roads that access off of STATE HWY 36.

☐ Including _____.

A Road Evaluation Report form is available from the Land Use Division. The Department recommends that the applicant make an appointment with staff to go over the road evaluation process.

- ☐ The submitted Road Evaluation Form(s) is(are) inadequate. See attached road evaluation report response for comments.

- ☐ (3) Applicant shall submit a completed Airspace Clearance Form. The subject property is located within the area covered by County Code section 333-1 et seq., the applicant shall submit evidence that the project complies or will comply with County Code.

☐ The submitted Airspace Clearance Form is inadequate. See below for comments.

- ☐ (4) The subject property has deferred subdivision improvements that must be completed. Prior to the project being presented to the Planning Commission or the Zoning Administrator for approval or prior to the issuance of any building permits, whichever occurs first.



**HUMBOLDT COUNTY
PLANNING AND BUILDING DEPARTMENT
CURRENT PLANNING DIVISION
3015 H STREET, EUREKA, CA 95501 - PHONE (707) 445-7541**

PROJECT REFERRAL TO: Health and Human Services Environmental Health Division

*DEH received
8-1-17*

Project Referred To The Following Agencies:

17/18-0180

Building Inspection Division, Public Works Land Use Division, Health and Human Services Environmental Health Division, Supervising Planner, Current Planning Division, County Counsel, CalFire, California Department of Fish And Wildlife, Northwest Information Center, Bear River Band Rohnerville Rancheria, Regional Water Quality Control Board, Humboldt County District Attorney, Humboldt County Agriculture Commissioner, Bridgeville Fire Protection District Fire Protection District, Bridgeville Elementary School School District, Fortuna Union High School School District, Humboldt County Sheriff

Applicant Name White Acres Family Farm **Key Parcel Number** 207-141-007-000

Application (APPS#) 13373 **Assigned Planner** Cannabis Planner (CPOD) (707) 445-7541 **Case Number(s)** CUP16-1136

Please review the above project and provide comments with any recommended conditions of approval. To help us log your response accurately, please include a copy of this form with your correspondence.

Questions concerning this project may be directed to the assigned planner for this project between 8:30am and 5:30pm Monday through Friday.

County Zoning Ordinance allows up to 15 calendar days for a response. If no response or extension request is received by the response date, processing will proceed as proposed.

☐ If this box is checked, please return large format maps with your response.

Return Response No Later Than

Planning Commission Clerk
County of Humboldt Planning and Building Department
3015 H Street
Eureka, CA 95501
E-mail: PlanningClerk@co.humboldt.ca.us **Fax:** (707) 268-3792

We have reviewed the above application and recommend the following:

Conditional Approval

Comments:

Prior to renewal of permit the operator is required to submit to DEH receipts, or copy of contract confirming sufficient use of portable toilets to serve staff for duration of first year or provide written assessment from a qualified septic consultant (REHS, PG or PE) confirming a Tier 0 status for the existing onsite waste treatment system serving the dwelling.

*This review and recommendation is for the Land Use aspects of the planning project and does not include or imply compliance with all DEH programs. Although DEH recommends the approval of the Planning project, Solid Waste and HazMat Program requirements need to be addressed directly with staff from those programs.

DISTRIBUTED
4-24-18

Response Date: 4/24/2018 **Recommendation By:** Joey Whittlesey

2 746



DEPARTMENT OF FORESTRY AND FIRE PROTECTION

Humboldt – Del Norte Unit
118 Fortuna Blvd.
Fortuna, CA 95540
Website: www.fire.ca.gov
(707) 726-1272



Ref: 7100 Planning
Date: August 4, 2017

John Ford, Director
Humboldt County Planning and Building Department – Planning Division
3015 H Street
Eureka, CA 95501

Attention: Cannabis Planner (CPOD)
Applicant: White Acres Family Farm
APN: 207-141-007-000
Area: Bridgeville
Case Numbers: CUP16-1136

Humboldt County Application #: 13373
Type of Application: Conditional Use Permit
Date Received: 8/2/2017
Due Date: 8/16/2017

Project Description: A Conditional Use Permit for 4,160 square feet of existing and new outdoor medical cannabis cultivation. The Applicant has 3,280 square feet of existing cultivation and is proposing to expand by 880 square feet. The proposed project includes 320 square feet of propagation area located in the on-site garage. Water for irrigation will be provided by an existing on-site well. There is 5,600 gallons of water storage on the subject parcel. Projected water usage is 28,000 gallons per year. The mature plants are dried in the garage and then machine trimmed by the applicants on site. There will be no employees. Electricity is provided by PG&E.

Mr. Ford,

The California Department of Forestry and Fire Protection (CALFIRE) provides these standard project review comments on the above noted project for the following subject matter:

- Fire Safe
- Resource Management
- Cannabis

The following pages address these concerns directly.

If CALFIRE staff develops additional comment on this project, it will be forwarded in an additional response letter.

By: Planning Battalion
CALFIRE Humboldt – Del Norte Unit

For **Hugh Scanlon**, Unit Chief

FIRE SAFE

General:

CALFIRE has responsibility for enforcement of Fire Safe Standards as required by Public Resources Code (PRC) 4290 and 4291. However CALFIRE is not the lead agency in planning development and project permitting. CALFIRE provides input as a contributing agency, generally limited to plan review, and is not the approving agency for these projects.

Local Responsibility Areas:

Should this project include Local Responsibility Area (LRA) lands, CALFIRE has no direct fire safe input on those parcels. However, in those areas with LRA parcels adjacent to State Responsibility Area (SRA) land, CALFIRE recommends that local standards be applied that are consistent with those CALFIRE makes for SRA lands.

State Responsibility Areas:

Should this project include State Responsibility Area (SRA) lands, the following are CALFIRE's Fire Safe minimum input and recommendation for any and all development.

1. In Humboldt County, developments must meet minimum fire safe standards by constructing the project in conformance with County Fire Safe Ordinance 1952, which the California Board of Forestry and Fire Protection has accepted as functionally equivalent to PRC 4290. The County Fire Safe Ordinance provides specific standards for roads providing ingress and egress, signing of streets and buildings, minimum water supply requirements, and setback distances for maintaining defensible space.
2. New buildings located in any Fire Hazard Severity Zone within State Responsibility Areas shall comply with the 2007 California Building Code (CBC) Section 701A.3.2. This requires roofing assemblies, attic and eave ventilation, exterior siding, decking and deck enclosure, windows and exterior doors, and exposed under floor areas that are approved "ignition resistive" in design.
3. All development, especially commercial or industrial development, should be designed to comply with the most current versions of the following standards:
 - a) California Fire Code (CFC) — for overall design standards
 - b) Public Utilities Commission (PUC) General Order 103 — for design of water systems
 - c) National Fire Protection Association Standards (NFPA) for fire flow minimums and other design questions not specifically covered by CFC and PUC
 - d) Housing and Community Development Codes and Standards —for mobile home parks and recreational camps
4. For Department of Real Estate reporting purposes, fire protection coverage in SRA is generally described as follows:

During the declared fire season (usually June through October) CALFIRE responds to all types of fires and emergencies in SRA.

During the remainder of the year (winter period), CALFIRE responds to emergency requests with the closest available fire engine, if a response can reasonably be expected to arrive in time to be effective. A fire engine is usually available somewhere in the Unit, but may have an extended response time.

There are many hazards confronting fire protection agencies in most subdivisions on SRA lands. Steep terrain and heavy wildland fuels contribute to fire intensity and spread. The distances from fire stations and road grades encountered usually create an excessive response time for effective structure fire suppression purposes.

Subdivisions increase fire risks from additional people and increase probable dollar losses in the event of fire due to added structures and improvements.
5. If the project expects to produce densities consistent with a major subdivision, the impacts on all infrastructures should be mitigated. Local government more appropriately provides the responsibility for high-density area protection and services. Annexation or inclusion into Local Responsibility Area should be studied as well.

6. CALFIRE does not support development in areas where there is no local agency fire service for structure fires and emergency medical response. Fire services should be extended into service gap areas as a condition of development. New development can adversely impact existing fire services. Careful consideration must be given where development may overload the local fire service's ability to respond.

RESOURCE MANAGEMENT

CALFIRE has enforcement responsibility for requirements of the Z'berg—Nejedly Forest Practice Act of 1973. CALFIRE is also the lead agency for those parts of projects involving the scope of the Forest Practice Act. The following basic input will cover the majority of projects. Each project will be reviewed with additional input sent at a later date, if needed.

The following comments reflect the basic Resource Management policies of the Board of Forestry and Fire Protection and CALFIRE on CEQA review requests. These policies apply to both Local and State Responsibility Areas.

1. If this project reduces the amount of timberland, by policy, the Board of Forestry and CALFIRE cannot support any project that will reduce the timberland base of California. "Timberland" means land which is available for, and capable of, growing a crop of trees of any commercial species used to produce lumber and other forest products, including Christmas trees regardless of current zoning (PRC 4526). However, if the zoning and intended use are consistent with the county's general plan; and if no land other than timberland can be identified to site the project; then CALFIRE may choose not to oppose the project.
2. If **any** commercial timber operations are involved with a project, the timber operations cannot be conducted without a CAL FIRE permit. Commercial timber operations include the cutting or removal of trees offered for sale, barter, exchange, or trade or the conversion of timberlands to land uses other than the growing of timber (PRC 4527). Contact your nearest CAL FIRE Resource Management office for guidance on obtaining the necessary permits.
3. If **any** timberlands are being converted to a non-timber growing use by this project, the conversion operations cannot be conducted without a CAL FIRE permit (PRC 4621). Conversion of timberland takes place when trees are removed and the land use changes, even without the sale, barter, exchange, or trade of the trees. Contact your nearest CAL FIRE Resource Management office for guidance on obtaining the necessary permits.
4. If timberland is in the viewshed of a project, the current and future owners should be overtly notified that changes will occur to their views due to timber management activities. Further, no project should be allowed to negatively affect access to timberland for timber management purposes; neither on the project parcel(s) nor any other timberland parcels.
5. If timber harvesting has occurred and post-harvest restocking and prescribed erosion control maintenance obligations have not been met on a parcel, future owners should be overtly notified (14 CCR 1042). The current owner of a parcel is responsible for restocking requirements and maintenance of roads whether or not they were involved in the actual harvest plan.
6. If the project involves the development of parcels zoned as Timber Production Zone (TPZ), CALFIRE cannot support the project. Dividing TPZ land into parcels of less than 160 acres requires a Joint Timber Management plan prepared by a Registered Professional Forester (RPF), recorded as a deed restriction for a minimum of 10-years on all affected parcels, and approved by a four – fifths vote of the full board (Govt. Code 51119.5). TPZ may be rezoned using a "Ten Year Phase Out," which precludes the need for a Timberland Conversion Permit. CALFIRE opposes immediate rezoning of TPZ land.

Cannabis

General:

CALFIRE has responsibility for enforcement of Fire Safe Standards as required by Public Resources Code (PRC) 4290 and 4291. CALFIRE is not the lead agency in planning development and project permitting. However, CALFIRE provides comment as an emergency response expert agency, generally limited to plan review, and is not the approving agency for these projects.

Local Responsibility Areas:

Should this project include Local Responsibility Area (LRA) lands, CALFIRE has no direct fire safe input on those parcels. However, in those areas with LRA parcels adjacent to State Responsibility Area (SRA) land, CALFIRE recommends that local standards be applied that are consistent with those CALFIRE makes for SRA lands. Also CAL FIRE is the primary command and control dispatch, for most local agency fire districts and departments.


State Responsibility Areas:

Should this project include State Responsibility Area (SRA) lands, the following are CALFIRE's minimum input.

1. Agricultural cannabis growing operations medicinal or commercial shall have an easily accessible material safety data sheet (MSDS) or safety data sheet (SDS) for all chemicals and hazardous materials on site. Posted (NFPA 704) Placard clearly visible to emergency responders
2. California code of regulations Health and Safety (CCR 11362.769.) Indoor and outdoor medical marijuana cultivation shall be conducted in accordance with state and local laws related to land conversion, grading, electricity usage, water usage, water quality, woodland and riparian habitat protection, agricultural discharges, and similar matters. State agencies, including, but not limited to, the State Board of Forestry and Fire Protection, the Department of fish and Wildlife, the State Water Resources Control Board, the California regional water quality control boards, and traditional state law enforcement agencies shall address environmental impacts of medical marijuana cultivation and shall coordinate, when appropriate, with cities and counties and their law enforcement agencies in enforcement efforts.
3. International Fire Code (N101.1 Scope) Marijuana growing and extraction shall be in accordance with this chapter, of the International Building Code, and the International Mechanical Code. Cryogenic fluids shall comply with Chapter 55. Compressed gases shall comply with Chapter 53. Flammable and combustible liquids shall comply with Chapter 57. Hazardous materials shall comply with Chapter 50. LP-gas shall comply with Chapter 61 and the International Fuel Gas Code. All applicable California State Fire Marshal standards and regulations for the designated occupancy must be met.
4. Growing marijuana and the extracting of oils
Extraction of marijuana oils; All materials hazardous and non-hazardous associated with the extraction process shall be utilized in conformance of the law and fire safe codes.



HUMBOLDT COUNTY
PLANNING AND BUILDING DEPARTMENT
CURRENT PLANNING DIVISION
3015 H STREET, EUREKA, CA 95501 ~ PHONE (707) 445-7541



8/1/2017

PROJECT REFERRAL TO: Fortuna Union High School School District

Project Referred To The Following Agencies:

Building Inspection Division, Public Works Land Use Division, Health and Human Services Environmental Health Division, Supervising Planner, Current Planning Division, County Counsel, CalFire, California Department of Fish And Wildlife, Northwest Information Center, Bear River Band Rohnerville Rancheria, Regional Water Quality Control Board, Humboldt County District Attorney, Humboldt County Agriculture Commissioner, Bridgeville Fire Protection District Fire Protection District, Bridgeville Elementary School School District, Fortuna Union High School School District, Humboldt County Sheriff

Applicant Name White Acres Family Farm **Key Parcel Number** 207-141-007-000

Application (APPS#) 13373 **Assigned Planner** Cannabis Planner (CPOD) (707) 445-7541 **Case Number(s)** CUP16-1136

Please review the above project and provide comments with any recommended conditions of approval. To help us log your response accurately, please include a copy of this form with your correspondence.

Questions concerning this project may be directed to the assigned planner for this project between 8:30am and 5:30pm Monday through Friday.

County Zoning Ordinance allows up to 15 calendar days for a response. If no response or extension request is received by the response date, processing will proceed as proposed.

☐ If this box is checked, please return large format maps with your response.

Return Response No Later Than 8/16/2017

Planning Commission Clerk
County of Humboldt Planning and Building Department
3015 H Street
Eureka, CA 95501
E-mail: PlanningClerk@co.humboldt.ca.us **Fax:** (707) 268-3792


We have reviewed the above application and recommend the following (please check one):

- ☐ Recommend Approval. The Department has no comment at this time.
- ☐ Recommend Conditional Approval. Suggested Conditions Attached.
- ☐ Applicant needs to submit additional information. List of items attached.
- ☒ Recommend Denial. Attach reasons for recommended denial.

☐ Other Comments: _____

DATE: 8/7/17

PRINT NAME: Glen Senestaro



FORTUNA UNION HIGH SCHOOL DISTRICT

379 TWELFTH STREET
FORTUNA, CA 95540

PHONE: 707.725.4462
FAX: 707.725.6085
WWW.FUHSDISTRICT.ORG

GLEN SENESTRARO, SUPERINTENDENT

7 August 2017

Planning Commission Clerk
County of Humboldt
Planning and Building Department
3015 H Street
Eureka, CA 95501

Re: Cannabis Permit Rejection

To Whom It May Concern:

The Fortuna Union High School District received the following permit application:

Key Parcel Number:	207-141-007-000
Application (APPS#):	13373
Case Number:	CUP16-1136

This proposed cannabis grow is within 600 feet of a school bus stop. We have a bus stop at Sun Tan Glen. This parcel is adjacent to the bus stop.

If you have any questions or require more information, please do not hesitate to contact our office.

Cordially,


Glen Senestraro
Superintendent