

EXHIBIT A



DEPARTMENT OF PUBLIC WORKS  
**C O U N T Y O F H U M B O L D T**  
MAILING ADDRESS: 1106 SECOND STREET, EUREKA, CA 95501-0579  
AREA CODE 707

ON-LINE  
WEB: CO.HUMBOLDT.CA.US

	PUBLIC WORKS BUILDING		
	SECOND & L ST., EUREKA		
	FAX 445-7409		
ADMINISTRATION	445-7491	NATURAL RESOURCES	445-7741
BUSINESS	445-7652	NATURAL RESOURCES PLANNING	267-9540
ENGINEERING	445-7377	PARKS	445-7651
FACILITY MANAGEMENT	445-7493	ROADS	445-7421

CLARK COMPLEX	
HARRIS & H ST., EUREKA	
FAX 445-7388	
LAND USE	445-7205

---


---

**LAND USE DIVISION INTEROFFICE MEMORANDUM**

---

---

TO: Rodney Yandell, Senior Planner

FROM: Kenneth Freed, Assistant Engineer 

RE: **SUBDIVISION REQUIREMENTS - IN THE MATTER OF THE SUTTER, APPLICATION #PLN-2023-18146 PMS, APN 509-321-018, FOR APPROVAL OF A TENTATIVE MAP, CONSISTING OF 2.3 ACRES INTO 4 PARCELS AND A REMAINDER**

DATE: 02/14/2024  
05/1/2024 revised for Appeal

*The following requirements and standards are applicable to this project and must be completed to the specifications and satisfaction of the Department of Public Works (Department) before the subdivision map may be filed with the County Recorder. If there has been a substantial change in the project since the last date shown above, an amended report must be obtained and used in lieu of this report. Prior to commencing the improvements indicated below, please contact the Subdivision Inspector at 445-7205 to schedule a pre-construction conference.*

**These recommendations are based on the tentative map prepared by Kelly-O'Hern Associates dated February 14, 2024, and dated as received by the Humboldt County Planning Division on February 14, 2024.**

NOTE: All correspondence (letters, memos, faxes, construction drawings, reports, studies, etc.) with this Department must include the Assessor Parcel Number (APN) shown above.

**READ THE ENTIRE REPORT BEFORE COMMENCING WORK ON THE PROJECT**

**1.0 MAPPING**

**1.1 EXPIRATION OF TENTATIVE MAP**

Applicant is advised to contact the Planning & Building Department to determine the expiration date of the tentative map and what time extension(s), if any, are applicable to the project.

Applicant is responsible for the timely filing of time extension requests to the Planning & Building Department.

Applicant is responsible for completing all of the subdivision requirements prior to expiration of the tentative map. Applicant is advised to promptly address all of the subdivision requirements in order to avoid the tentative map expiring prior to completion of the subdivision requirements. Applicants are encouraged to contact a land development professional for advice on developing a realistic schedule for the processing of the project.

## **1.2 MAP TYPE**

Applicant must cause to be filed a subdivision map showing monumentation of all property corners to the satisfaction of this Department in compliance with County Code §326-31. Subdivision map checking fees shall be paid in full at the time the subdivision map is submitted for checking. County Recorder fees shall be paid prior to submittal of the map to the County Recorder for filing. The subdivision map must be prepared by a Land Surveyor licensed by the State of California -or- by a Civil Engineer registered by the State of California who is authorized to practice land surveying.

All Department charges associated with this project must be paid in full prior to the subdivision map being submitted to the County Recorder for filing.

Applicant shall submit to this Department an electronic copy of the subdivision map, in pdf format, as filed by the County Recorder. [Reference: Government Code §66466(f)]

Prior to submitting the subdivision map to the County Surveyor for map check, applicant shall submit the subdivision map to the utility providers to provide input on necessary public utility easements. Copies of the responses from the utility providers shall be included with the first submittal of the subdivision map to the County Surveyor.

## **1.3 DEPOSIT**

Applicant shall be required to place a security deposit with this Department for inspection and administration fees as per County Code §326-13 prior to review of the improvement plans, review of the subdivision map, or the construction of improvements, whichever occurs first.

## **1.4 EASEMENTS**

All easements that encumber or are appurtenant to the subdivision shall be shown graphically on the subdivision map. Those easements that do not have a metes and bounds description shall be noted on the subdivision map and shown as to their approximate location.

## **1.5 FURTHER SUBDIVISION**

At least some of the parcels may be further divided; therefore, the applicant shall conform to Humboldt County Code §323-6(a)(5), Statements to Accompany a Tentative Subdivision Map.

## **1.6 PRIVATE ROADS**

Pursuant to County Code §324-2(c)(3), the subdivision map shall show the lanes clearly labeled "Non-County Maintained Lane" or "Non-County Maintained Road". Pursuant to County Code §324-2(c)(5), the following note shall appear on the map or instrument of waiver, which shall read substantially as follows:

"If the private lane or lanes shown on this plan of subdivision, or any part thereof, are to be accepted by the County for the benefit of the lot owners on such lane rather than the benefits of the County generally, such private lane or lanes or parts thereof shall first be improved at the sole cost of the affected lot owner or owners, so as to comply with the specification as contained in the then applicable subdivision regulations relating to public streets."  
(use this paragraph private roads are within the distinctive border.)

## 1.7 DEDICATIONS

The following shall be dedicated on the subdivision map, or other document as approved by this Department:

### (a) PUBLIC ROAD: SUTTER ROAD

Public Road: Applicant shall cause to be dedicated on the subdivision map to the County of Humboldt an easement for public road purposes lying within 25 feet of the center line of the County road. The applicant is only responsible to cause to be dedicated lands that are included within the boundary of the proposed subdivision.

Sidewalks: Applicant shall cause to be dedicated on the subdivision map to the County of Humboldt a 10 foot wide easement for public sidewalk purposes lying adjacent to the right of way of the County road. The applicant is only responsible to cause to be dedicated lands that are included within the boundary of the proposed subdivision. This easement may overlap a public utility easement.

Slopes: When cut and fill slopes adjacent to the road are proposed (or currently exist), applicant shall cause to be dedicated to the County of Humboldt a slope maintenance easement to a point 10 feet beyond the toe of fill slopes or top of cut slopes in a manner approved by this Department. The applicant is only responsible to cause to be dedicated lands that are included within the boundary of the proposed subdivision.

PUE: Applicant shall cause to be dedicated to the County of Humboldt on the subdivision map a 10 foot wide public utility easement (PUE) adjacent to the right of way for the road or as otherwise approved by this Department. Additional PUEs shall be dedicated in a manner, width, and location approved by this Department.

### (b) PRIVATE ROAD: UNAMED ACCESS ROADS #1 and #2

Access: Applicant shall cause to be dedicated on the subdivision map two non-exclusive easements for ingress, egress, and public utilities for the benefit of the parcels within the subdivision in a manner approved by this Department. The easement shall be 40 feet in width and shall be for Unnamed Access Road #1 and Unnamed Access Road #2).

A turn-around area shall be provided at the end of the road complying with Appendix D of the International Fire Code unless otherwise approved by this Department and Arcata Fire Protection District and/or CalFire.

PUE: Applicant shall cause to be dedicated to the County of Humboldt on the subdivision map a 10-foot-wide public utility easement (PUE) adjacent to the right of way for the unnamed access

roads or as otherwise approved by this Department. Additional PUEs shall be dedicated in a manner, width, and location approved by this Department.

The applicant shall cause to be dedicated to the County of Humboldt a PUE over the entire area of the access easement for the road.

Slopes: When cut and fill slopes adjacent to the road are proposed (or currently exist), applicant shall cause to be dedicated a slope maintenance easement to a point 10 feet beyond the toe of fill slopes or top of cut slopes. Said easement shall be for the benefit of the parcels within the subdivision and shall be dedicated in manner, width, and location as approved by this Department.

**(c) DRAINAGE EASEMENT**

To ensure orderly development of adjacent upland properties, applicant shall provide drainage easements to upstream property owners and/or the County as required by this Department. (Also see DRAINAGE section for improvement requirements.)

**(d) NEIGHBORHOOD BOX UNIT (NBU) MAILBOXES**

Prior to submittal of the subdivision map, provide a sign-off from the Post Office on the location of the neighborhood box unit. Applicant shall cause to be dedicated on the subdivision map additional sidewalk easements as necessary to accommodate the NBU.

Note: The Post Office may not require an NBU for this project.

**(e) AZALEA AVENUE EXTENSION (NOT COUNTY MAINTAINED)**

Applicant shall cause to be irrevocably dedicated on the subdivision map a 10 foot wide Public sidewalk and trail easement to the County of Humboldt.

Applicant shall cause to be irrevocably dedicated on the subdivision map a 60' and variable width Public Road Easement to the County of Humboldt. (Added 04/30/2024)

**1.8 LINES OF OCCUPATION**

Applicant shall provide prospective buyers with notice of any fences that are not on the property lines.

**2.0 IMPROVEMENTS**

**2.1 CONSTRUCTION PLANS**

Pursuant to County Code §326-3, construction plans shall be submitted for any required road, drainage, landscaping, and pedestrian improvements. Construction plans must be prepared by a Civil Engineer registered by the State of California. Construction plans shall be on a sheet size of 22" x 34", unless approved otherwise by this Department. Construction of the improvements shall not commence until authorized by this Department. This Department will require the submittal of 1 full size (22" x 34") set and 1 reduced (11" x 17") set of the approved construction plans prior to start of work.

The construction plans shall show the location of all proposed new utilities and any existing utilities within 10 feet of the improvements. The plans shall be signed as approved by the local fire response agency and public utility companies having any facilities within the subdivision prior to construction authorization by this Department.

Construction plans shall be tied into elevation datum approved by this Department. Projects located within McKinleyville Community Services District (MCSD) area shall be tied to MCSD elevation datum unless waived by this Department.

Unless otherwise waived by this Department, record drawing (“As-Built”) plans shall be submitted for any road, drainage, landscaping, and pedestrian improvements that are constructed as part of this project. Record drawing plans must be prepared by a Civil Engineer registered by the State of California. Once approved by this Department, one (1) set of “wet stamped” record drawings on 22” x 34” mylar sheets shall be filed with this Department.

## **2.2 CONSTRUCTION PERIOD**

Construction of improvements for this project will not be allowed to occur between October 15 and April 15 without permission of this Department.

## **2.3 ADA FACILITIES**

All pedestrian facilities shall be ADA compliant. This includes, but is not limited to, providing curb ramps at intersections and sidewalks behind driveway aprons (or ADA compliant driveway aprons).

Fire hydrants, neighborhood box units for mail, utility poles (including down guys), street lights, or other obstructions will not be allowed in sidewalks unless approved by this Department.

Applicant shall replace/retrofit to meet current standards any non-ADA compliant pedestrian improvements within the public right of way (or access easements that the subject property has a legal right to use) contiguous to the project.

## **2.4 ROAD NAMES**

The access road(s) shall be named as approved by the Planning & Building Department – Planning Division.

## **2.5 TRAFFIC CONTROL DEVICES & SIGNS**

Traffic control devices and signs may need to be placed as required and approved by this Department. All signs and striping on County maintained roads shall be installed by the County at the expense of the developer, unless otherwise approved by the Department.

- (a) A stop sign shall be installed on Azalea Avenue (not-County maintained) at its intersection with Sutter Road. When the road is paved, a "stop" pavement marking and limit line shall be installed.
- (b) Pursuant to County Code §324-2(c)(4), non-county maintained roads shall be posted with a sign of at least 2 square feet in size containing substantially the following words in 2" high black letters on a yellow background: "Not a County Maintained Road" or "Not a

County Maintained Street". The sign shall be approved by the Department prior to installation. (last paragraph for private roads)

- (c) No parking signs shall be installed along both sides of Azalea Avenue (not-County maintained) from Sutter Road to north property line of Parcel 2.
- (d) No parking signs shall be installed along both sides of unnamed access roads #1 and #2 from their intersection with Azalea Avenue to the eastern property lines of parcel 4 and the remainder parcel, respectively.
- (e) Street name signs shall be provided at all road intersections. In State Responsibility Areas, street name signs shall also comply with SFSR §1274.00 et seq. and County Code §3113-11.

For streets that will not be named, address signs shall be posted at the intersection. In State Responsibility Areas, the address signs shall comply with County Code §3113-11 and §1274.00 et seq. In the event that addresses are not available at the time that the subdivision map is filed with the County Recorder, then a note shall be added to the development plan indicating that street address signs shall be posted prior to issuance of a building permit.

**Note:** CalFire has decertified the County's Fire Safe Regulations (FSR) codified in County Code §3111-1, et seq., as a result States's Fire Safe Regulations (SFSR) set forth in §1270.05, et seq. apply. Because the County has not repealed County Code §3111-1, et seq, County Code requirements also apply. When there is a conflict between the County's FSR and the State's SFSR, the code affording the greatest fire protection applies. [As an example, if County FSR requires a minimum 16 foot wide road and State SFSR requires a minimum 20 foot wide road, the State's requirement for a 20 foot wide road applies as it provides the greatest fire protection.]

- (f) Fire hydrants shall be identified with a retroreflective blue colored raised pavement marker. In State Responsibility Areas, water source signs shall also comply with SFSR §1275.04 and County Code §3114-5.
- (g) Additional signing and striping may be required by the Department upon review of the improvement plans. This includes, but is not limited to, centerline striping, two way left turn lane striping, bicycle lane striping, edge lines, dead end road signs, no outlet signs, speed limit signs, warning signs, etc....

## 2.6 ACCESS ROADS

The access road(s) serving the subdivision shall be constructed to the satisfaction of this Department as follows:

- (a) All intersections must conform to Humboldt County Code §341 regarding visibility.
- (b) **Sutter Road (County Maintained):** Applicant shall retrofit the existing access apron for Azalea Avenue to comply with ADA requirements.

- (c) **Unnamed Access Road #1:** Unnamed Access Road #1 shall be constructed having a typical section comprised of a 16-foot-wide travel lane.
- (d) **Unnamed Access Road #2:** Unnamed Access Road #2 shall be constructed having a typical section comprised of a 16-foot-wide travel lane.
- (e) **Azalea Avenue (Non-County Maintained):** Azalea Avenue, north of Sutter Road, shall be constructed having a typical section comprised of an 18-foot-wide travel lane and a 5 foot wide pedestrian sidewalk with Caltrans Type A2-6 portland cement concrete (PCC) curb and gutter(s) on the east side.

The sidewalk shall be extended to the north line of the subdivision to align with a future sidewalk/trail connection to Blackbird Avenue. (Added 04/30/2024)



*Above: conceptual design of improvements. An engineered design is required.*

- (f) The access road(s) from a County maintained road to the subject property; and all access road(s) (including driveways) within the subject property shall be certified by a Civil Engineer registered by the State of California to be in conformance with SFSR; and in conformance with any exceptions approved by Cal Fire. Conformance shall include but is not limited to width of traveled way; roadway grade; curve radius; roadway surface; turnouts; turnaround areas; and maximum length of dead-end road. Certification shall be made in a manner approved by this Department.
- (g) In the event that the Civil Engineer is unable to certify that the road(s) are in conformance, the applicant shall cause construction plans to be prepared by a Civil Engineer that show

what improvements need to be constructed to bring the road(s) into conformance. The plans shall be submitted for review by this Department. Once the construction plans are authorized for construction by this Department and the applicant constructs the improvements, the engineer shall certify that the road(s) are in conformance.

- (h) Nothing is intended to prevent the applicant from constructing the improvements to a greater standard.
- (i) Nothing is intended to prevent this Department from approving alternate typical sections, structural sections, drainage systems, and road geometrics based upon sound engineering principals as contained in, but not limited to, the Humboldt County Roadway Design Manual, Caltrans Highway Design Manual, Caltrans Local Programs Manual, Caltrans Traffic Manual, California Manual on Uniform Traffic Control Devices (MUTCD), and AASHTO's A Policy of Geometric Design of Highways and Streets (AKA "The Green Book"). Engineering must not be in conflict with Humboldt County Code or County adopted guidelines and policies.
- (j) Applicant shall remove and replace any public curb, gutter, sidewalk, flowline drain, or pavement found by this Department to be broken, uplifted, or damaged that fronts or is within the subdivision.
- (k) The surface of the access road(s) shall conform to the *Structural Section* requirements within this document.

## 2.7 STRUCTURAL SECTION

The access road(s) shall be constructed to a structural section recommended in the soils report and as approved by this Department.

- (a) **For paved road surfaces**, the structural section shall include a minimum of 0.2 feet of Caltrans Type A 1/2" hot mix ("asphalt") over 0.67 foot of Caltrans Class 2 aggregate base. If required by this Department, the structural section of all roads shall be determined by Caltrans R-Value method using a Traffic Index (T.I.) approved by this Department. Based upon soil conditions, this Department may also require a geotextile fabric to be placed on top of the sub grade.
- (b) When widening hot mix ("asphalt") roads, the widened road shall be paved with hot mix. A sawcut is required to ensure a uniform joint between the existing and new pavements. The location of the sawcut shall be approved by this Department based upon the condition of the existing road surface.

Access roads and driveways may include decorative accent treatments such as, but not limited to, stamped concrete or decorative brick pavers. Decorative accent treatments must provide appropriate traction for pedestrians, bicycles, and vehicles. **Decorative access treatments are not permitted within the public right of way**, unless approved in writing by this Department.



- (c) **For unpaved road surfaces**, the structural section shall include a minimum, of 0.5 foot of Caltrans Class 2 aggregate base. Paved surfaces are required for grades in excess of 16%.

## **2.8 UNKNOWN IMPROVEMENTS**

Other on-site and/or off-site improvements may be required which cannot be determined from the tentative map and/or preliminary improvement plans at this time. These improvements will be determined after more complete improvement plans and profiles have been submitted to the County for review.

## **2.9 UTILITIES**

The proposed improvements may require the undergrounding or relocation of existing facilities at the expense of the applicant. Undergrounding of existing facilities, relocation of existing facilities, or construction of new facilities shall be completed prior to constructing the structural section for the roadway.

If any utilities are required to be installed as a condition of tentative map, the utility work shall be completed prior to constructing the structural section for the road. All laterals shall be extended onto each lot and marked in a manner that they will be easily located at the time of individual hookups. A letter of completion of all work from each involved utility company shall be submitted prior to constructing the roadway structural section. Any utilities that need to be relocated shall be done solely at the subdivider's expense.

Applicant shall remove any abandoned utilities (natural gas, electrical, cable tv, etc.) within the public right of way fronting the subdivision or within the subdivision as directed by this Department.

## **2.10 PERMITS**

Pursuant to County Code §411-11 (a)&(b), an encroachment permit is required to be obtained prior to construction from this Department for all work within the right of way of a County maintained road.

## **2.11 NEIGHBORHOOD BOX UNIT (NBU) MAILBOXES**

When clustered mailboxes (neighborhood box units) are required by the Post Office, applicant shall obtain approval for the location of the mailbox unit from the Post Master. The pad for the mailbox unit shall be constructed as part of the subdivision and shall be encompassed by a sidewalk easement or other easement, as approved by this Department. If the NBUs will not be installed by the Post Office, the subdivider shall install the NBUs as part of the subdivision.

Note: The Post Office may not require an NBU for this project. (Use this note when it is questionable whether or not an NBU will be required by the post office.)

## **2.12 COMPLETION OF IMPROVEMENTS ON PARCEL MAP SUBDIVISION**

When improvements are not constructed before the subdivision map is filed with the County Recorder, the following apply:

- (a) Pursuant to Government Code §66411.1 (improvement timing), fulfillment of reasonable on-site and off-site construction requirements may be imposed prior to Parcel Map filing

with the County Recorder if found necessary for the public health or safety or orderly development of the area. The following improvements are necessary for the public health or safety or orderly development of the area and shall be completed: (1) within twenty-four (24) months after the filing date of the Parcel Map, or (2) prior to issuance of a building permit on any property subject to this notice, or (3) prior to any other grant of approval for any property subject to this notice, whichever occurs first:

Item 2.6(b)

- (b) The following improvements shall be completed: (1) prior to issuance of a building permit on any property subject to this notice, or (2) prior to any other grant of approval for any property subject to this notice, whichever occurs first:

Item 2.5 and Item 2.6

### **3.0 DRAINAGE**

#### **3.1 PRELIMINARY DRAINAGE REPORTS**

Any submitted reports have not been through a thorough engineering review. Detailed review and approval will be provided after the tentative map has been approved. This also applies to low impact development submittals.

#### **3.2 DRAINAGE ISSUES**

Applicant shall be responsible to correct any involved drainage problems associated with the subdivision to the satisfaction of this Department.

#### **3.3 DRAINAGE REPORT**

Applicant must submit a complete hydraulic report and drainage plan regarding the subdivision for review and approval by this Department. The report and plan must be prepared by a Civil Engineer registered by the State of California. This may require the construction of drainage facilities on-site and/or off-site in a manner and location approved by this Department. In the preparation of drainage plans, applicant shall comply with the Community of McKinleyville County Storm Water Management Program.

#### **3.4 STORM WATER QUALITY**

Applicant shall include within the project site the implementation of Best Management Practices (BMPs) to prevent storm water pollution. BMPs include, but are not limited to, stenciling drainage inlets.

#### **3.5 DETENTION FACILITIES**

Pursuant to McKinleyville Community Plan Policy 3310 (5), this project is required to construct detention facilities in a manner and location approved by this Department. In general, storm flows from the 100-year ( $Q_{100}$ ) storm shall be detained so as to release water from the site at a rate no greater than the predevelopment 2-year ( $Q_2$ ) storm flows. Contact this Department regarding any questions.

If the site conditions do not allow for detention, then infiltration may be considered by the Department as an alternative.

Applicant may construct individual facilities on each lot or may provide a consolidated facility to serve the entire subdivision.

### **3.6 DRAINAGE FEES**

Applicant must conform to County Code §328.1-16 regarding McKinleyville Drainage Area Fees.

### **3.7 LOW IMPACT DEVELOPMENT (LID)**

The subdivision is required to comply with County Code §337-13. The applicant shall submit a Storm Water Information Sheet for review and approval by the County. The improvement plans must incorporate LID strategies for the entire subdivision, including roads, lots, and other areas.

At the time that the subdivision improvements are constructed, the LID elements related to an individual lot may be deferred until such time as the lot is developed. It is intended that any deferred LID strategies shown on the improvement plans for a lot are conceptual in nature and subject to adjustment/refinement at the time that the building permit is applied for. Any deferred LID improvements must be shown and identified on the Development Plan.

When there will be deferred LID improvements, a separate sheet in the improvement plans shall be provided for the LID concepts proposed for the individual lots. It is intended that this sheet will be attached to the development plan to facilitate issuance of a building permit at a later time.

Each lot in the subdivision is considered a regulated project.

### **4.0 GRADING**

<NONE>

### **5.0 MAINTENANCE**

#### **5.1 MAINTENANCE OF IMPROVEMENTS**

The improvements to be constructed as part of this subdivision will not be maintained by the County. Pursuant to Humboldt County Code § 324-2 (b) regarding Private Lanes, the Applicant must provide a permanent maintenance plan acceptable to this Department for all improvements including, but not limited to, the following: roads, drainage systems (pipes, drainage inlets, detention basins), pedestrian facilities, and landscape areas. An engineer's estimate for the cost of yearly maintenance must be approved by this Department. Maintenance shall be provided by a maintenance association, district, or other means as approved by this Department. More than one maintenance plan may be required.

Based upon the tentative map, the following will need to be maintained by a maintenance plan:

- A maintenance plan for all facilities within the proposed subdivision.
- A maintenance plan for Azalea Avenue.
- A maintenance plan for the two unnamed access roads.

If a maintenance association currently exists for the access road, applicant shall attempt to the satisfaction of this Department to annex the subdivision into the existing road maintenance association. That portion of this condition regarding road maintenance may be waived if the applicant provides evidence satisfactory to this Department that the subject property already belongs to a maintenance association for the access road(s).

A maintenance plan is not required for driveways as driveways serve only one parcel. A maintenance plan is *optional* for roads that serve only two parcels. A maintenance plan is required for roads serving three or more parcels.

A maintenance plan for projects that contain consolidated detention facilities shall include, but is not limited to, the following:

- (a) A schedule for the periodic monitoring of the detention facilities. At a minimum, the detention facilities shall be monitored at least once each year between April 15 and October 15.
- (b) A system to monitor the basins in a timely manner after significant rain fall events.
- (c) Monitoring shall be done by a qualified professional as approved by this Department.
- (d) Monitoring shall include an annual written report identifying (1) the condition of the facilities; (2) the recommended maintenance needed for the facilities to function as originally constructed or as required by subsequent regulation; and (3) certification that the maintenance was completed to the satisfaction of a qualified professional. The report shall be submitted no later than October 31 of each year to this Department.
- (e) A financially secured procedure that will ensure that maintenance is identified and subsequently performed in a timely manner.
- (f) For infiltration basins, wet weather testing of the percolation rate of the basin consistent with Department of Environmental Health standards for determining the percolation rates for septic systems. Percolation rate testing shall be done every five (5) years.

## **5.2 MAINTENANCE AGREEMENTS**

Any agreements regarding the maintenance of the detention facilities between the applicant and a public entity or Homeowners Association may be required to be approved by County Counsel and the County Risk Manager.

## **6.0 DEVELOPMENT PLAN**

<NONE>

## **7.0 LANDSCAPING**

<NONE>

## **7.1 WATER EFFICIENT LANDSCAPE GOALS**

For projects with an aggregate landscape area equal to or greater than 500 square feet, landscaping design and documentation shall be completed in accordance with County Code §331-11(o). After approval, the applicant shall submit a copy of the Water Efficient Landscape Worksheet to the local water purveyor.

// END //