To:

Pape Machinery

2850 EL Centro Road

Sacramento, CA 95851

Attn:

Mike Wilwerding

Fax:

Phone: 916-997-8617

Email:

mwilwerding@papemachinery.com

PO #:

Issued:

January 28, 2020

Quote #: TK-61013.01

Ref:

TK120HDGE 16 wheel expando

Humboldt County

TK Sourcewell ID 121918-TKI

Contact:

Phone:

Fax:

Email:

Est.

Comp.

Expires: February 28, 2020

FOB:

TK120HDG Advantage Plus Hydraulic Detachable 14218-120HDG AdvPlus

14218 - STANDARD EQUIPMENT

Gooseneck arched for increased truck fender

clearance

Hydraulic self-lifting detachable gooseneck (can lift above or below transport positions)

Gooseneck doesn't require ground bearing pads

Rubber mounted sealed lights and harness

Electrical system per DOT regulations Red & white conspicuity markings

Blasted prior to paint

| | | Gooseneck doesn't require ground bearing pads | biasted prior | to pai | пс | |
|--------|---------------|--|---------------|--------|------------|----------|
| Item # | Category | Description | Weight (lbs) | Qty | Unit Price | Total |
| 14218 | Open Deck | TK120HDG Advantage Plus Hydraulic Detachable | () | | \$99,689 | \$99,689 |
| 10007 | Gooseneck | PTO Hydraulics | | | | |
| 14220 | Gooseneck | 11' 11" gooseneck length (16" and 28" KP setting with 98" and 86" swing) | | | (\$618) | (\$618) |
| 14222 | Gooseneck | 5-position gooseneck height adjustment +/- 3" | | | | |
| 14553 | Gooseneck | Hydraulic gooseneck support arm | | | | |
| 14554 | Gooseneck | Air-activated, positive self-locking pin | | - | | |
| 14555 | Fifth Wheel / | 50" loaded fifth wheel height | | | | |
| 10017 | Deck Length | 24" loaded deck height, 8" ground clearance | | | | |
| O9998 | Deck Length | Alternative Option Selected. See Add'l Options Section Below. | | | | |
| 10027 | Deck Width | 102" deck width | | | | |
| 10028 | Deck Width | Full-width deck - 4 beam main frame construction | | | | |
| 14632 | Main Deck | I-beam crossmembers on 24" centers | | | | |
| 14633 | Main Deck | 4" stubs in outer bays between crossmembers | | | | |
| 14634 | Main Deck | Triangle cut-outs on deck beams and bolster | ¥S | | | |
| 14635 | Main Deck | Knuckle trough at rear of deck - 72" long, covered with 1/4" steel | | | | |
| 10037 | Wheel Area | Fixed wheel area - includes front half bolster | | | | |
| 10038 | Wheel Area | No wheel covers | | | | |
| O9998 | Wheel Area | Alternative Option Selected. See Add'l Options Section Below. | | | | |
| O9998 | Wheel Area | Alternative Option Selected. See Add'l Options Section Below. | | | | |
| O9998 | Wheel Area | Alternative Option Selected. See Add'l Options Section Below. | | | | |
| O9998 | Wheel Area | Alternative Option Selected. See Add'l Options Section Below. | | | | |
| 14250 | Decking | 1 3/4 Apitong decking (raised) | | | | |

| 14314 | Tie Downs | 14 bent-style D-rings on deck, 2 D-rings on wheel area |
|-------|------------------------------------|---|
| 14257 | Outriggers / Side Extensions | Swingout outriggers, with pullout HD outrigger at front, double swingouts at center, and 4' storage pan |
| 14639 | Outriggers / | Outrigger Planks Loose |
| | Ramps | Front ramps (31" std deck, 42" tapered deck, N/A on rail deck) |
| | / Axles | Alternative Option Selected. See Add'l Options Section Below. |
| | / Axles | Alternative Option Selected. See Add'l Options Section Below. |
| | / Axles | Alternative Option Selected. See Add'l Options Section Below. |
| | / Axles | Alternative Option Selected. See Add'l Options Section Below. |
| | / Axles | Alternative Option Selected. See Add'l Options Section Below. |
| | / Axles | Alternative Option Selected. See Add'l Options Section Below. |
| 14644 | · | One-piece oil seals |
| O9998 | Axle Spacing | Alternative Option Selected. See Add'l Options Section Below. |
| 10055 | Brakes | No ABS |
| O9998 | Brakes | Alternative Option Selected. See Add'l Options Section Below. |
| 14646 | Brakes | Automatic slack adjusters |
| 08214 | Hub / Drum | Steel hub-piloted - cast drum (per complete axle) |
| O9998 | Wheels (inside) | Alternative Option Selected. See Add'l Options Section Below. |
| O9998 | Wheels (outside) | Alternative Option Selected. See Add'l Options Section Below. |
| 10058 | Spare Wheel | No Spare Wheel |
| O9998 | Tires | Alternative Option Selected. See Add'l Options Section Below. |
| 10059 | Spare Tires | No spare tire |
| 14647 | Flaps, Mud | Mudflaps |
| 10060 | Lights / | 3rd Tail Light Package (amber in center) |
| 14648 | Lights / | LED lights |
| 14649 | Lights / | 7-pole electrical connector |
| 14650 | Flagholders | Flagholders, front of deck and rear of trailer |
| 14651 | Flagholders | Wide load sign brackets |
| 08009 | Paint | Epoxy primer |
| 08023 | Paint | Trail King 2-part polyurethane paint. Click on arrow to select color from drop-down box. |

14218-Additional Options

| Item # | Category | Description | Weight (lbs) | Qty | Unit Price | Total |
|--------------|-------------------|---|-----------------|-----|------------|----------|
| O9999- 02 | Custom Options | TK120HDG, 16 Tire "Expando" wheel area (215/75R17.5 tires,steel hub piloted wheels) ILO Standard 3 axle air ride (255/70R 22.5 tires, steel wheels) | | | \$33,228 | \$33,228 |

| O9999- 03 | Options | Center of King Pin to center of rear axle max 36' Deck length will be approximately 18' 3" | | |
|--------------|-------------------|--|-----------------------|---------------|
| 76384 | Custom Options | 76384 - TK HDGE - Removable Wheel covers for 16 wheel expando. | \$3,439 | \$3,439 |
| 10062 | Lights / | 4-pole socket wired to clearance light | \$74 | \$74 |
| | | TOTALS | | |
| | | | Total: | \$135,812.00 |
| | | | Trade Discount (15%): | (\$20,371.80) |
| | | | Discounted Net: | \$115,440.20 |
| | | _ | Freight: | \$4,500.00 |
| | | | PDI: | \$1,400.00 |
| | | ======================================= | Unit Sale Price: | \$121,340.20 |
| | | _ | F.E.T: | \$14,153.78 |
| | | | Sales Tax (8.5%): | \$10,313.92 |
| | | | Total Sale Price: | \$145,807.90 |
| | | _ | Net Due: | \$145,807.90 |
| | | | Prices | in US Dollars |
| | | Sign Here: | Date: | |

Terms and Conditions

- Prices effective 9/24/2018. Prices and specs subject to change without notice.
- Order pricing and specifications finalized at 16 week window.
- All orders and terms subject to credit approval.
- Federal Excise Tax calculated on selling price to non-exempt end user.
- Non-Standard production units require 20% down payment.
- Fifth-wheel trailers may require 10% down payment to secure productions slot.
- Promised Date subject to change under following conditions:
 - 1. Change in customer credit status.
 - 2. Approval drawing not signed promptly.
 - 3. Down payment not received promptly.
- 4. Customer change order modifying design, manufacturing or sourcing time.



THE COMPLETE TRAILER LINE MANUFACTURER

TRAIL KING INDUSTRIES, INC. LIMITED WARRANTY POLICY

| WA | DD | ٨ | м | T | 37 |
|----|-----|---|---|-----|----|
| WA | RR. | ж | м | - 1 | Y |

Trail King Industries, Inc. warrants that trailer model: Serial number (herein-after referred to as "Equipment") manufactured by Trail King Industries will be free from defects in materials and workmans hip, provided that the Equipment warranted hereunder is operated by the purchaser in accordance with the practices approved by Trail King Industries with loads not exceeding the manufacturer's rated capacities and with loads that are not abras ive or

Trail King Industries' sole obligation under this warranty shall be limited to repairing or replacing, at its option, in accordance with the schedule below, any defective part of the warranted Equipment, which shall be seturned to Trail King Industries' factory location or authorized service facilities and then Trail King Industries 'examination shall disclose to its satisfaction to have been defective; provided, however, that the purchaser notifies the Warranty Department immediately upon identification of defect, and such defective Equipment is returned by the purchaser to a Trail King Industries location authorized by the Warranty Department of Trail King Industries with transportation and freight charges prepaid within fifteen (15) days after discovery of defective conditions.

The customer shall not be required to deliver defective Equipment to Trail King Industries if the Equipment was destroyed as a result of defect covered in this warranty and the Trail King Industries Warranty Department is reasonably satisfied that the Equipment was defective at the time of the sale.

All labor and parts warranty must be authorized by Trail King Industries Warranty Manager. Failure to do so will result in no warranty payment of any kind.

THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES OF MATERIAL, WORKMANSHIP, DESIGN, APPLICATION OR OTHERWISE WITH RESPECT TO ANY EQUIPMENT, WHETHER EXPRESS OR IMPLIED, INCLUD-ING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, AND OF ALL OTHER OBLIGATIONS OR LIABILITIES ON THE PART OF TRAIL KING INDUSTRIES.

Components supplied by other manufacturers shall be warranted under the following schedule:

1 Axles, Suspensions, Landing Gear, Wheels, Rims, Hubs Hydraulic Valve Body

One Year 100%

II -Air Lines, Springs, Air Bags, Leveling Valves, Bearings, Brake Valves, Paint, Oil Seals, Brake Drums, Shock Absorbers, Electrical, Cylinders, Hydraulic Hoses &

Six Months 100%

Connections, Floor Plastic, Plastic Liners, Rubber Flashing III. Tires, Tubes and Engines

Warranty claims must be made directly to component suppliers

IV. Wood Components

Trail King Open Deck Series & Van Chassis (i.e. Medical Chassis)

Trail King Industries shall bear that portion of the cost of repairing or replacing the main beams, (The two beams zurning from front to back that both the upper coupler and the suspension are connected to) found to be defective under the following schedule: This excludes all parts that may be bolted, welded or otherwise attached to the main beams.

Year 1 - 100% Year 2 - 75% Year 3 - 50% Year 4 - 25%

All other Trail King manufactured components

One Year 100%

Trail King Dump Series:

Bottom Dump, Side Dump, Half Round Trailers, and Steel Tub End Dumps: All Trail King manufactured components One Year 100%

(continued...)

TRAIL KING Industries, Inc. • P.O. Box 1084 • Millohell, SD 57:301-7084 USB • 500-543-3924 • Fax 605-908-47:27 • www.treitling.com

Trail King Pneumatic Bulker Series:

| All Trail King manufactured components | One Year 100% | | |
|--|---------------|--------------|--------------|
| Frame, Struts, Vessel | Year 1 - 100% | Year 2 - 75% | Year 3 - 50% |

Trail King Live Bottom Series:

The period of warranty is set forth as follows

Construction Live Bottom Trailers, 5-Star Trailers, and Advantage Ag Trailers (Continuous Belt):

| Ĭ, | Gear box, Motor and Drive She Year 1 – 100% Year 2 – 75% | | ain Strands Only Year 4 – 25% | Year 5-25% | | | |
|--|--|-------------|----------------------------------|-------------|--|--|--|
| II. | Trail King manufactured components. Yes This excludes all hopper sheets. Yes | | | 100% 75% | | | |
| Aluminum Super Hi-Lite and Advantage Ag Trailers (Segmented Belt): | | | | | | | |
| I. | Chain, Gear box, Motor and D | rive shaft | Year 1 | 100% | | | |
| Π_{i} | Components Manufactured by | Trail King. | Year 1 Year 2 | 100% 75% | | | |

All other warranties, if any, extended by the makers and suppliers of component parts, accessories, or other goods included in the manufacture of Trail King Industries' Equipment will be assigned, if contractually permitted, to the purchaser. This warranty excludes such parts or accessories which are not defective, but may wear out and have to replaced during the warranty period, including, but not limited to, light bulbs, paint, brake lining, brake drums, wood pieces and equipment that has been repaired, replaced, or altered by someone other than TRAIL KING or one of its authorized dealers. (Tire Warranties are expressly excluded from Trail King Industries' warranty herein.) Purchaser is expected to pay all repairs or replacement costs, in connection with this Agreement, including sales and other taxes immediately upon completion of work performed.

LIMITATION OF LIABILITY: Trail King Industries shall not be liable to purchaser for any incidental or consequential damages suffered by the purchaser, including, but not limited to, any commercially reasonable charges, expenses or commissions incurred in connection with effecting cover or any other reasonable expense incident to the delay or other breach of warranty by Trail King Industries, any loss of or damage to any cargo loaded or shipped in or on Equipment, loss of anticipated profits, transportation expenses due to repairs, non-operation or increased expense of operation costs of purchased or replaced equipment, claim of customers, cost of money, any loss of use of capital or revenue, or for any special damage or loss of any nature arising at any time or from any cause whatsoever.

LIMITATION OF REMEDY: In the event of Trail Kind Industries' failure to repair the Equipment subject to the warranty contained herein, the purchaser's sole and exclusive remedy against Trail King Industries shall be for the repair or replacement of any defective part or parts of Equipment subject to work or repair within the time period and manner set forth herein. This exclusive remedy shall not be deemed to have failed of its essential purpose so long as Trail King is willing and able to repair or replace defective parts in the prescribed manner.

January 2011