

Water Quality Assessment Exemption

EA: 01-0K510

EFIS: 0120000108

County/Route/PM: HUM/101/PM 89.4

Project Description: Boyd Draw Bike Path; Construct Bike Path

Disturbed Soil Area (DSA): Less than 1 acre

- ☒ This project does not require preparation of a Water Quality Assessment.
- ☒ No permanent water quality impacts are anticipated.
- ☒ A Water Pollution Control Program (WPCP) will be prepared by the contractor. Appropriate construction site Best Management Practices (BMPs) shall be deployed to avoid/minimize water quality impacts.
- ☐ This project is within the jurisdiction of the Central Valley RWQCB (rainy season from Oct 15th –Apr 15th)
- ☒ This project is within the jurisdiction of the North Coast RWQCB (rainy season from Oct 15 – May 15)
- ☒ This project is expected to take one construction season.

Comments:

Compliance with Statewide NPDES Permit and Construction General Permit is required. New net impervious surface is less than one acre. Treatment BMPs will be required if the new impervious surface exceeds one acre. No water quality impacts are anticipated.

Andrew Rogers

Andrew Rogers

August 31, 2022

Associate Environmental Planner (Water Quality/NPDES)

Caltrans North Region Environmental Engineering Office - North