



A.M. BAIRD

ENGINEERING & SURVEYING, INC.

1257 Main Street • P.O. Box 396 • Fortuna, CA. 95540 • (707) 725-5182 • Fax (707) 725-5581

CONSULTING – LAND DEVELOPMENT – DESIGN – SURVEYING

AMBIENT WATER GRAB **SAMPLING RESULTS**

Supply Creek **Humboldt County**

March 7th, 2020
Job # 17-4696



INTRODUCTION

The purpose of this document is to report the results of water grab samples taken from Supply Creek as well as a tributary to Supply Creek in the fall of 2019. This office does not provide a qualitative analysis of the results. All analysis will be strictly for quantitative comparison purposes.

BACKGROUND

Humboldt County Department of Building and Planning Cannabis Services Division (herein referred to as The County) has received applications for cultivation on the Supply Creek Watershed. The Hoopa Valley Tribe has expressed concerns that the cultivation operations may affect the creek or potentially degrade its water quality. AM Baird Engineering and Surveying was contacted by The County to conduct field sampling and in-stream data collection.

REGULATORY/REGIONAL CONSIDERATIONS

Cannabis Cultivation is heavily regulated by the California Department of Food and Agriculture, California Regional Water Quality Control Board, California Department of Pesticide Regulation, Bureau of Cannabis Control, and The County. These regulatory bodies can dictate what pesticides/herbicides can be applied to cannabis, which areas of a parcel cultivation can occur, and where fuel or hazardous chemicals can be stored. These regulations are the basis for choosing which constituents to include for testing.

PESTICIDES/HERBICIDES

Both the California Department of Food and Agriculture and California Department of Pesticide Regulation states that no pesticide or herbicide can be used that may migrate into or affect groundwater, unless of a food grade or essential oil type (see attached). In addition to these usage requirements, the State also has testing requirements for the plant/product itself. Anyone applying selling in the cannabis market is required to test their products for pesticides, herbicides, heavy metals...etc. These direct product tests, as opposed to water sampling, are typically sufficient for monitoring these contaminants. Thus, they were not included in the water grab sample analysis of this report. Instead, Water grab testing for hydrocarbons, phosphorous, nitrogen, and turbidity was conducted as requested by The County because of their potential to be present with cannabis activities.

EUTROPHICATION/OTHER

Eutrophication, an excessive richness of nutrients, is a major concern on rivers within the North Coast. Nutrient load and sedimentation increase outside of natural processes, such as cannabis activities, can have the potential to cause eutrophication. Sedimentation can also occur as a by-product of development for cultivation or other grading related activities. Nutrient load increase may also occur from exposed soil amendments/fertilizers, or improper soil/amendment storage methods. However, these things can be mitigated by following both the State of California and The County best management practices (BMPs) as required in the permitting process.



TURBIDITY

Turbidity in this context is the measurement of the amount of sediment in the water. The unit of measurement for turbidity is the Nephelometric Turbidity Unit or NTU, the amount of incident light coming from 90 degrees off the object in which the initial light was directed. The NCRWB basin plan states that the allowable NTU for discharging waters is 20% of the typical level of turbidity for the receiving main body of water (River for this project). The allowable turbidity level for the Klamath and Trinity river is not stipulated by the *Hoopa Valley Water Quality Control Plan* as it is currently being evaluated.

NITROGEN AND PHOSPHOROUS

Nitrogen and Phosphorous are naturally occurring elements and are important for creating the algae, plants, and aquatic organisms for larger animals like anadromous salmonids. However, they can be detrimental if they attribute to eutrophication, which may occur in low flow periods during hot dry weather. The *Water Quality Monitoring Hoopa Valley Tribe WY 2018 document* specifies a total nitrogen value of 0.2 mg/L and a total phosphorus value of 0.035 mg/L as thresholds for the Klamath River, but does not indicate thresholds for any tributary into the Trinity river, or the river itself. It is reasonable to assume that tributaries would have equal or more stringent thresholds.

Table 1: Constituent/Contaminate Sampled For

Constituent/Contaminate	Reason
Nitrogen	Nutrient Load, may contribute to late season eutrophication
Turbidity	Sedimentation load
Phosphorus	Nutrient Load, may contribute to late season eutrophication
Benzene	Pollutant from generators, cars, other engines used in cultivation
Toluene	Pollutant from generators, cars, other engines used in cultivation
Gasoline	Pollutant from generators, cars, other engines used in cultivation
Diesel	Pollutant from generators, cars, other engines used in cultivation
Motor Oil	Pollutant from generators, cars, other engines used in cultivation



METHOD/RESULTS

In-stream pH testing and water grab sampling was conducted on August 20th, September 3rd, and September 18th. The main stream and smaller tributary to Supply Creek (see attached) was sampled twice. Fecal Coliform (*Escherichia Coli*:E.coli) testing was completed on September 3rd and September 18th. Another tributary was suggested for sampling, but the steep terrain made it difficult to access a site.

The pH parameter threshold for any tributary within the Hoopa Valley Reservation is 7.0-8.5 according to a Water Quality Monitoring document prepared by the Hoopa Valley Tribe in 2019. Below are also the results of the pH tests. The data herein is for informational purposes only and the decision for additional testing and requirements lies with involved agencies and parties. The test results of the analysis for the constituents/contaminants relevant to this report are negative, or absent, as follows:

Table 2 NUTRIENT LEVELS

Constituent/Contaminate	Test 1	Test 2	Test 3
Total Nitrogen (mg/L)	ND < 1.0	ND < 1.0	ND < 1.0
Total Phosphorous	ND < 0.020	ND < 0.020	ND < 0.020
Turbidity (NTU)	0.43	0.15	3.4
ND = Not Detected			

Table 3: In-Stream pH Results

pH	
SITE 1	8.3
SITE 2	8.4
SITE 3	8.3

Table 4: E.Coli Analysis Results

Fecal Coliform Well Test		
Site	MPN/100 ML	Bacteria
1	16.8	E.Coli
2	1	E.Coli

The presence of E.coli within Supply Creek and other tributaries in Humboldt County is not atypical. In a study completed by the Hoopa Valley Tribe E.coli was present within the stream during tests completed from June 21, 2018 – September 20, 2018. Cultivation applications in the area were given the CUP designation 2016 or 2017, indicating they applied to The County during those years and cultivation activities were likely occurring during that testing period. The Hoopa Valley Tribe stated that Supply Creek remained within the “Healthy River Conditions” threshold in 2018. Following, is the quality summary of Supply Creek taken from the HVT 2018 water quality study mentioned above.




SUPPLY CREEK




Macroinvertebrate

Index of Biological Integrity gives Lower Supply Creek a score of **GOOD** for water quality. Physical Habitat scores at 64.5% indicate that the creek is partially supportive of aquatic life.



E. coli readings were below the 126 CFU threshold from June through September.



7 day average water temperature was below the 23.5 °F. threshold from June through September.




REFERENCES

Environmental Protection Agency, December 2000, *Ambient Water Quality Criteria Recommendations Rivers and Streams in Nutrient Ecoregion II*

Hoopa Valley Tribe, September 11, 2002, Revisions June, 2, 2018. *Water Quality Control Plan Hoopa Valley Indian Reservation*, pg 48 - 52

Northcoast Regional Water Quality Control Board (NCWRB), June 2018. *Water Quality Control Plan for the North Coast Region*, Chapter 3, *Water Quality Objectives*, pg 3-6




A.M. BAIRD

ENGINEERING & SURVEYING, INC.

1257 Main Street • P.O. Box 396 • Fortuna, CA. 95540 • (707) 725-5182 • Fax (707) 725-5581

CONSULTING – LAND DEVELOPMENT – DESIGN – SURVEYING





NORTH COAST LABORATORIES LTD

5680 West End Rd, Arcata, California 95521 (707)822-4649

A

Please complete the following sample information:

☐ POTABLE WATER ☒ SOURCE WATER ☐ WASTEWATER

System # _____ Sampling Time 9:58 AM

Location SUPPLY Creek Sampled By Chase Ch. Kn

Sampling Date 9/18/19 Phone # 725-5182

☐ Routine Sample ☐ Repeat ☐ Replacement ☐ Special

Payment is due at time of service. We are pleased to accept the following (please check one):

☐ Check \$ _____ # _____ ☐ Cash \$ _____

☐ Visa ☐ Mastercard ☐ Am. Express ☐ Discover \$ _____

If you are paying by credit card and are not submitting samples in person
please use the enclosed form to provide credit card information

Attn/email: Chase

Name Am Baird Engineering

Address 1257 Main Street

City/State/Zip Fortuna, CA, 95522

DATE CLIENT NOTIFIED _____ INITIALS _____

DATE REGULATOR NOTIFIED _____ INITIALS _____

For Office Use Only

SAMPLE TEMP (°C) 9.8 ON ICE? ☒ Y ☐ N H / I
REC'D BY NAK TIME REC'D 1:15
DATE REC'D 9/18/19 INOC 122 9/18/19 BJT
SAMPLE # 1909381 READ 1327 9/18/19 BJT

TESTS REQUESTED:

☐ Presence / Absence

☒ QUANTI-TRAY

☐ 3 X 5 MTF

☐ HPC

☐ _____

RESULTS: (MPN/100mL)

☒ Total Coliform 606.7

☐ Fecal Coliform _____

☒ E.coli 1.0

☐ _____

Analyst Notes: NAK 9/18/19
Seal 1 left on sample

Quanti-Tray/2000: Total coliform 49,32 (large/small) E. coli 1,0 (large/small)

Bacterial Examination Report

All microbiology data will be destroyed after 6 years

Hrs	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
24															
48															
24															
48															
24															

SCS
Quality Assurance Unit



NORTH COAST LABORATORIES LTD
5680 West End Rd, Arcata, California 95521 (707)822-4649

B

Please complete the following sample information:

☐ POTABLE WATER ☒ SOURCE WATER ☐ WASTEWATER

System # _____ Sampling Time 11:40 AM

Location Supply Sampled By _____

Sampling Date 9/13/19 Phone # _____

☐ Routine Sample ☐ Repeat ☐ Replacement ☐ Special

Payment is due at time of service. We are pleased to accept the following (please check one):

☐ Check \$ _____ # _____ ☐ Cash \$ _____

☐ Visa ☐ Mastercard ☐ Am. Express ☐ Discover \$ _____

If you are paying by credit card and are not submitting samples in person please use the enclosed form to provide credit card information

Attn:/email: Ambaird

Name Ambaird Engineering and Surveying

Address 1257 Main Street

City/State/Zip Fortuna, Ca

DATE CLIENT NOTIFIED _____ INITIALS _____

DATE REGULATOR NOTIFIED _____ INITIALS _____

For Office Use Only

SAMPLE TEMP (°C) 2.0 ON ICE? ☒ Y ☐ N 4/1

REC'D BY g TIME REC'D 1315

DATE REC'D 9/13/18 INOC 1400 8-9/13ha JJ

SAMPLE # 1909050 READ 1516 9/14/19 JJ

TESTS REQUESTED: ☐ Presence / Absence ☒ QUANTI-TRAY ☐ 3 X 5 MTF ☐ HPC ☐ _____	RESULTS: (MPN/100mL) ☒ Total Coliform <u>416.0</u> ☐ Fecal Coliform _____ ☒ E.coli <u>16.8</u> ☐ _____	Analyst Notes: <u>(004) JJ 9/13/19</u> <u>(004) JJ 9/14/19</u>

Quanti-Tray/2000: Total coliform 48 / 29 (large/small) E. coli 411 / 4 (large/small)

Bacterial Examination Report								All microbiology data will be destroyed after 6 years							
Hrs	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
24															
48															
24															
48															
24															

SCS



**NORTH COAST
LABORATORIES LTD.**

August 20, 2019

A.M. Baird Engineering
P.O. Box 396
Fortuna, CA 95540-0396

Attn: Allan Baird

Order No.: 1908031
Invoice No.: 148085
PO No.:
ELAP No.1247-Expires July 2020

RE:

SAMPLE IDENTIFICATION

Fraction	Client Sample Description
----------	---------------------------

01A	SP#1
01B	SP#1
01C	SP#1
01D	SP#1

ND = Not Detected at the Reporting Limit

Limit = Reporting Limit

Flag = Explanation in Case Narrative

All solid results are expressed on a wet-weight basis unless otherwise noted.

Approved for release by:

Roxanne Moore, Project Manager

Date: 20-Aug-2019

WorkOrder: 1908031

ANALYTICAL REPORT

Client Sample ID: SP#1

Received: 8/2/2019

Lab ID: 1908031-01A

Collected: 8/2/2019 11:31

Test Name: Nitrate and/or Nitrite

Reference: EPA 300.0 Rev 2.1 (1993)

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Nitrate (as Nitrogen)	ND		0.10	mg/L	1.0		8/2/2019
Nitrite (as Nitrogen)	ND		0.10	mg/L	1.0		8/2/2019

Test Name: Turbidity

Reference: EPA 180.1

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Turbidity	0.43		0.050	NTU	1.0		8/3/2019

Client Sample ID: SP#1

Received: 8/2/2019

Lab ID: 1908031-01B

Collected: 8/2/2019 11:31

Test Name: Nitrogen - Total Kjeldahl

Reference: SM 4500-NH3 B,D 1997. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Nitrogen- Total Kjeldahl	ND		1.0	mg/L	1.0	8/14/2019	8/15/2019

Test Name: Total Nitrogen

Reference: SM 4500-N, 1997. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Total Nitrogen	ND		1.0	mg/L	1.0		8/16/2019

Test Name: Total Phosphate Phosphorus

Reference: SM 4500-PE, 1999. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Total Phosphate Phosphorus	ND		0.020	mg/L	1.0	8/19/2019	8/20/2019

Client Sample ID: SP#1

Received: 8/2/2019

Lab ID: 1908031-01C

Collected: 8/2/2019 11:31

Test Name: EPA 8260B

Reference: EPA 8260B

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Benzene	ND		0.50	µg/L	1.0		8/6/2019
Toluene	ND		0.50	µg/L	1.0		8/6/2019
Ethylbenzene	ND		0.50	µg/L	1.0		8/6/2019
m,p-Xylene	ND		0.50	µg/L	1.0		8/6/2019
o-Xylene	ND		0.50	µg/L	1.0		8/6/2019
Surrogate: 1,2-Dichloroethane-d4	95.5		72.1-128	% Rec	1.0		8/6/2019
Surrogate: Dibromofluoromethane	97.6		80.1-124	% Rec	1.0		8/6/2019
Surrogate: Toluene-d8	94.0		72.2-125	% Rec	1.0		8/6/2019

Test Name: TPH as Gasoline

Reference: LUFT/EPA 8260B Modified

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
TPHC Gasoline	ND		50	µg/L	1.0		8/6/2019

Date: 20-Aug-2019**WorkOrder:** 1908031**ANALYTICAL REPORT****Client Sample ID:** SP#1**Received:** 8/2/2019**Lab ID:** 1908031-01D**Collected:** 8/2/2019 11:31**Test Name:** TPH as Diesel/Motor Oil**Reference:** LUFT/EPA 3511/EPA 8015B

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
TPHC Diesel (C12-C22)	ND		50	µg/L	1.0	8/5/2019	8/7/2019
TPHC Motor Oil	ND		170	µg/L	1.0	8/5/2019	8/7/2019

North Coast Laboratories, Ltd.

Date: 8/20/2019

CLIENT: A.M. Baird Engineering**Work Order:** 1908031**Project:****QC SUMMARY REPORT**

Method Blank

Sample ID	MB 080619	Batch ID:	R100349	Test Code:	8260EW	Units:	µg/L	Analysis Date	8/6/2019 12:09:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190806B	SeqNo:	1427955						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	0.50									
Toluene	ND	0.50									
Ethylbenzene	ND	0.50									
m,p-Xylene	ND	0.50									
o-Xylene	ND	0.50									
Surrogate: Dibromofluoromethane	0.976	0.10	1.00	0	97.6%	80	124	0			
Surrogate: 1,2-Dichloroethane-d4	0.961	0.10	1.00	0	96.1%	72	128	0			
Surrogate: Toluene-d8	1.10	0.10	1.00	0	110%	72	125	0			

Sample ID	MB 080619	Batch ID:	R100348	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	8/6/2019 12:09:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190806A	SeqNo:	1427949						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	ND	50									

Sample ID	MB-080219	Batch ID:	R100331	Test Code:	ICNOW	Units:	mg/L	Analysis Date	8/2/2019 5:43:33 PM	Prep Date	
Client ID:		Run ID:	INIC2_190802B	SeqNo:	1427667						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	ND	0.10									
Nitrite (as Nitrogen)	ND	0.10									

Sample ID	MBLANK	Batch ID:	R100458	Test Code:	NKJEW	Units:	mg/L	Analysis Date	8/15/2019	Prep Date	8/14/2019
Client ID:		Run ID:	WC_190815C	SeqNo:	1429698						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1908031

Project:

QC SUMMARY REPORT

Method Blank

Sample ID	MBLANK WL-0819	Batch ID:	R100493	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	8/20/2019	Prep Date	8/19/2019
Client ID:		Run ID:	WC_190820A	SeqNo:	1430153						
Analyte		Result		Limit		SPK value		SPK Ref Val		% Rec	
Total Phosphate Phosphorus		ND		0.020							

Sample ID	MB-37671	Batch ID:	37671	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	8/6/2019 9:59:05 PM	Prep Date	8/5/2019
Client ID:		Run ID:	ORGC14_190806A	SeqNo:	1428137						
Analyte		Result		Limit		SPK value		SPK Ref Val		% Rec	
TPHC Diesel (C12-C22)		ND		50							
TPHC Motor Oil		ND		170							

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

North Coast Laboratories, Ltd.

Date: 8/20/2019

CLIENT: A.M. Baird Engineering

Work Order: 1908031

Project:

QC SUMMARY REPORT

Sample Matrix Spike

Sample ID	1908031-01CMS	Batch ID:	R100349	Test Code:	8260EW	Units:	µg/L	Analysis Date	8/6/2019 1:36:00 PM	Prep Date	
Client ID:	SP#1	Run ID:	ORGCMS2_190806B	SeqNo:	1427958						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	24.03	0.50	20.0	0	120%	72	122	0			
Toluene	20.32	0.50	20.0	0	102%	76	120	0			
Ethylbenzene	21.07	0.50	20.0	0	105%	74	124	0			
m,p-Xylene	41.07	0.50	40.0	0	103%	77	121	0			
o-Xylene	20.53	0.50	20.0	0	103%	71	122	0			
Surrogate: Dibromofluoromethane	1.00	0.10	1.00	0	100%	80	124	0			
Surrogate: 1,2-Dichloroethane-d4	0.945	0.10	1.00	0	94.5%	72	128	0			
Surrogate: Toluene-d8	0.945	0.10	1.00	0	94.5%	72	125	0			

Sample ID	1908031-01CMS	Batch ID:	R100348	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	8/6/2019 2:03:00 PM	Prep Date	
Client ID:	SP#1	Run ID:	ORGCMS2_190806A	SeqNo:	1427951						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	1,083	50	1,000	0	108%	74	125	0			

Sample ID	1908031-01B MS	Batch ID:	R100493	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	8/20/2019	Prep Date	8/19/2019
Client ID:	SP#1	Run ID:	WC_190820A	SeqNo:	1430157						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus	0.5052	0.020	0.500	0.0142	98.2%	85	115	0			

Sample ID	1908031-01B MSD	Batch ID:	R100493	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	8/20/2019	Prep Date	8/19/2019
Client ID:	SP#1	Run ID:	WC_190820A	SeqNo:	1430158						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus	0.5041	0.020	0.500	0.0142	98.0%	85	115	0.505	0.218%	10	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

North Coast Laboratories, Ltd.

Date: 8/20/2019

CLIENT: A.M. Baird Engineering

Work Order: 1908031

Project:

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID	LCS-19201	Batch ID:	R100349	Test Code:	8260EW	Units:	µg/L	Analysis Date	8/6/2019 10:17:00 AM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190806B	SeqNo:	1427953						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	21.77	0.50	20.0	0	109%	72	122	0			
Toluene	20.85	0.50	20.0	0	104%	76	120	0			
Ethylbenzene	18.55	0.50	20.0	0	92.8%	74	124	0			
m,p-Xylene	39.25	0.50	40.0	0	98.1%	77	121	0			
o-Xylene	17.43	0.50	20.0	0	87.2%	71	122	0			
Surrogate: Dibromofluoromethane	1.00	0.10	1.00	0	100%	80	124	0			
Surrogate: 1,2-Dichloroethane-d4	0.925	0.10	1.00	0	92.5%	72	128	0			
Surrogate: Toluene-d8	1.04	0.10	1.00	0	104%	72	125	0			

Sample ID	LCSD-19201	Batch ID:	R100349	Test Code:	8260EW	Units:	µg/L	Analysis Date	8/6/2019 10:45:00 AM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190806B	SeqNo:	1427954						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	21.14	0.50	20.0	0	106%	72	122	21.8	2.94%	30	
Toluene	18.25	0.50	20.0	0	91.2%	76	120	20.8	13.3%	30	
Ethylbenzene	20.32	0.50	20.0	0	102%	74	124	18.6	9.11%	30	
m,p-Xylene	39.91	0.50	40.0	0	99.8%	77	121	39.2	1.65%	30	
o-Xylene	20.52	0.50	20.0	0	103%	71	122	17.4	16.3%	30	
Surrogate: Dibromofluoromethane	0.998	0.10	1.00	0	99.8%	80	124	1.00	0.689%	30	
Surrogate: 1,2-Dichloroethane-d4	0.941	0.10	1.00	0	94.1%	72	128	0.925	1.75%	30	
Surrogate: Toluene-d8	0.945	0.10	1.00	0	94.5%	72	125	1.04	9.63%	30	

Sample ID	LCS-19202	Batch ID:	R100348	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	8/6/2019 11:12:00 AM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190806A	SeqNo:	1427947						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	1,054	50	1,000	0	105%	74	125	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1908031

Project:

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID	LCSD-19202	Batch ID:	R100348	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	8/6/2019 11:39:00 AM	Prep Date		
Client ID:		Run ID:	ORGCMS2_190806A					SeqNo:	1427948			
Analyte		Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline		1,167	50	1,000	0	117%	74	125	1,050	10.2%	20	

Sample ID	LCS-WL-080219-0	Batch ID:	R100331	Test Code:	ICNOW	Units:	mg/L	Analysis Date	8/2/2019 6:00:11 PM	Prep Date	
Client ID:		Run ID:	INIC2_190802B	SeqNo:	1427668						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	4.816	0.10	5.00	0	96.3%	90	110	0			
Nitrite (as Nitrogen)	4.788	0.10	5.00	0	95.8%	90	110	0			

Sample ID	LCSD-WL-080219-	Batch ID:	R100331	Test Code:	ICNOW	Units:	mg/L	Analysis Date	8/2/2019 6:16:49 PM	Prep Date	
Client ID:		Run ID:	INIC2_190802B	SeqNo:	1427669						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	4.838	0.10	5.00	0	96.8%	90	110	4.82	0.451%	10	
Nitrite (as Nitrogen)	4.843	0.10	5.00	0	96.9%	90	110	4.79	1.14%	10	

Sample ID	BLKSPK	Batch ID:	R100458	Test Code:	NKJEW	Units:	mg/L	Analysis Date	8/15/2019	Prep Date	8/14/2019
Client ID:		Run ID:	WC_190815C	SeqNo:	1429699						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	10.35	1.0	10.0	0	103%	85	115	0			

Sample ID	BLKSPK	Batch ID:	R100458	Test Code:	NKJEW	Units:	mg/L	Analysis Date	8/15/2019	Prep Date	8/14/2019
Client ID:		Run ID:	WC_190815C	SeqNo:	1429701						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	8.774	1.0	10.0	0	87.7%	85	115	10.4	16.5%	20	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1908031

Project:

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID	LCS WL-08191901	Batch ID:	R100493	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	8/20/2019	Prep Date	8/19/2019
Client ID:		Run ID:	WC_190820A	SeqNo:	1430154						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus	0.5004	0.020	0.500	0	100%	85	115	0			

Sample ID	LCSD WL-081919	Batch ID:	R100493	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	8/20/2019	Prep Date	8/19/2019
Client ID:		Run ID:	WC_190820A	SeqNo:	1430155						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus	0.4951	0.020	0.500	0	99.0%	85	115	0.500	1.06%	10	

Sample ID	LCS-37671	Batch ID:	37671	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	8/6/2019 10:32:47 PM	Prep Date	8/5/2019
Client ID:		Run ID:	ORGC14_190806A	SeqNo:	1428138						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)	533.5	50	500	0	107%	73	126	0			
TPHC Motor Oil	1,102	170	1,000	0	110%	75	131	0			

Sample ID	LCSD-37671	Batch ID:	37671	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	8/6/2019 11:06:31 PM	Prep Date	8/5/2019
Client ID:		Run ID:	ORGC14_190806A	SeqNo:	1428139						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)	575.7	50	500	0	115%	73	126	534	7.61%	30	
TPHC Motor Oil	1,065	170	1,000	0	107%	75	131	1,100	3.38%	30	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank



**NORTH COAST
LABORATORIES LTD.**

5680 West End Road • Arcata • CA 95521-9202
707-822-4649 Fax 707-822-6831

Chain of Custody

Attention: _____
Results & Invoice to: Baird
Address: ambaird@suddenlinkmail.com

Phone: 707-725-5182

Copies of Report to: _____

Sampler (Sign & Print): Chase Cirina 

PROJECT INFORMATION

Project Number: _____

Project Name: _____

Purchase Order Number: _____

[illegible][illegible]

LABORATORY NUMBER: 1908031

TAT: ☒ STD (2-3 Wk) ☐ Other:
PRIOR AUTHORIZATION IS REQUIRED FOR
RUSH SAMPLES.

REPORTING REQUIREMENTS:

☐ State Forms
☐ Geotracker ☐ SWAMP ☐ Other EDD:
☐ Final Report PDF ☐ FAX By:

CONTAINER CODES: 1— $\frac{1}{2}$ gal. pl; 2—250 ml pl;
3—500 ml pl; 4—1 L Nalgene; 5—250 ml BG;
6—500 ml BG; 7—1 L BG; 8—40 ml VOA;
9—60 ml VOA; 10—125 ml VOA; 11—4 oz glass jar;
12—8 oz glass jar; 13—brass tube; 14—other
PRESERVATIVE CODES: a— HNO_3 ; b— HCl ; c— H_2SO_4 ;
d— $\text{Na}_2\text{S}_2\text{O}_3$; e— NaOH ; f— $\text{C}_2\text{H}_3\text{O}_2\text{Cl}$; g—other

SPECIAL INSTRUCTIONS	SAMPLE CONDITION
	Temperature 5.0 °C
	Received On Ice? ☒ / N
	Samples Intact? ☒ / N
	Preserved? ☒ / N
	Preserved @ NCL?
	Y / N / ☒ NA

RELINQUISHED BY (Sign & Print)	DATE/TIME	RECEIVED BY (Sign)	DATE/TIME
	8/2/19 3:00pm	 8/2/19	1502

SAMPLE DISPOSAL

☒ NCL Disposal of Non-Contaminated
☐ Return ☐ Pickup

CHAIN OF CUSTODY SEALS Y/N/NA

SHIPPED VIA: UPS Fed-Ex Hand

***MATRIX:** DW=Drinking Water; Eff=Effluent; Inf=Influent; SW=Surface Water; GW=Ground Water; WW = Waste Water; S= Soil; O = Other.

ALL CONTAMINATED NON-AQUEOUS SAMPLES WILL BE RETURNED TO CLIENT



**NORTH COAST
LABORATORIES LTD.**

September 16, 2019

A.M. Baird Engineering
P.O. Box 396
Fortuna, CA 95540-0396

Attn: Allan Baird

Order No.: 1909028
Invoice No.: 148548
PO No.:
ELAP No.1247-Expires July 2020

RE:

SAMPLE IDENTIFICATION

Fraction	Client Sample Description
----------	---------------------------

01A	Supply Creek
01B	Supply Creek
01C	Supply Creek
01D	Supply Creek

ND = Not Detected at the Reporting Limit

Limit = Reporting Limit

Flag = Explanation in Case Narrative

All solid results are expressed on a wet-weight basis unless otherwise noted.

Approved for release by:

A handwritten signature in black ink, appearing to read 'Roxanne Moore', is written over a horizontal line.

Roxanne Moore, Project Manager

Date: 16-Sep-2019

WorkOrder: 1909028

ANALYTICAL REPORT

Client Sample ID: Supply Creek

Received: 9/3/2019

Lab ID: 1909028-01A

Collected: 9/3/2019 10:59

Test Name: Nitrate and/or Nitrite

Reference: EPA 300.0 Rev 2.1 (1993)

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Nitrate (as Nitrogen)	ND		0.10	mg/L	1.0		9/4/2019
Nitrite (as Nitrogen)	ND		0.10	mg/L	1.0		9/4/2019

Test Name: Turbidity

Reference: EPA 180.1

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Turbidity	0.15		0.050	NTU	1.0		9/5/2019

Client Sample ID: Supply Creek

Received: 9/3/2019

Lab ID: 1909028-01B

Collected: 9/3/2019 10:59

Test Name: TPH as Diesel/Motor Oil

Reference: LUFT/EPA 3511/EPA 8015B

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
TPHC Diesel (C12-C22)	ND		50	µg/L	1.0	9/10/2019	9/11/2019
TPHC Motor Oil	ND		170	µg/L	1.0	9/10/2019	9/11/2019

Client Sample ID: Supply Creek

Received: 9/3/2019

Lab ID: 1909028-01C

Collected: 9/3/2019 10:59

Test Name: EPA 8260B

Reference: EPA 8260B

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Methyl tert-butyl ether (MTBE)	ND		0.50	µg/L	1.0		9/5/2019
Benzene	ND		0.50	µg/L	1.0		9/5/2019
Toluene	ND		0.50	µg/L	1.0		9/5/2019
Ethylbenzene	ND		0.50	µg/L	1.0		9/5/2019
m,p-Xylene	ND		0.50	µg/L	1.0		9/5/2019
o-Xylene	ND		0.50	µg/L	1.0		9/5/2019
Surrogate: 1,2-Dichloroethane-d4	113		72.1-128	% Rec	1.0		9/5/2019
Surrogate: Dibromofluoromethane	103		80.1-124	% Rec	1.0		9/5/2019
Surrogate: Toluene-d8	96.0		72.2-125	% Rec	1.0		9/5/2019

Test Name: TPH as Gasoline

Reference: LUFT/EPA 8260B Modified

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
TPHC Gasoline	ND		50	µg/L	1.0		9/5/2019

Client Sample ID: Supply Creek

Received: 9/3/2019

Lab ID: 1909028-01D

Collected: 9/3/2019 10:59

Test Name: Nitrogen - Total Kjeldahl

Reference: SM 4500-NH3 B,D 1997. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Nitrogen- Total Kjeldahl	ND		1.0	mg/L	1.0	9/12/2019	9/16/2019

Test Name: Total Nitrogen

Reference: SM 4500-N, 1997. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Total Nitrogen	ND		1.0	mg/L	1.0		9/16/2019

Date: 16-Sep-2019**WorkOrder:** 1909028**ANALYTICAL REPORT****Client Sample ID:** Supply Creek**Received:** 9/3/2019**Lab ID:** 1909028-01D**Collected:** 9/3/2019 10:59**Test Name:** Total Phosphate Phosphorus**Reference:** SM 4500-PE, 1999. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Total Phosphate Phosphorus	ND		0.020	mg/L	1.0	9/11/2019	9/12/2019

North Coast Laboratories, Ltd.

Date: 9/16/2019

CLIENT: A.M. Baird Engineering**Work Order:** 1909028**Project:****QC SUMMARY REPORT**

Method Blank

Sample ID MB 090519	Batch ID: R100698	Test Code: 8260EW	Units: µg/L	Analysis Date 9/5/2019 2:44:00 PM	Prep Date
Client ID:	Run ID: ORGCMS2_190905B	SeqNo: 1433297			

Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	ND	0.50									
Benzene	ND	0.50									
Toluene	ND	0.50									
Ethylbenzene	ND	0.50									
m,p-Xylene	ND	0.50									
o-Xylene	ND	0.50									
Surrogate: Dibromofluoromethane	1.03	0.10	1.00	0	103%	80	124	0			
Surrogate: 1,2-Dichloroethane-d4	1.13	0.10	1.00	0	113%	72	128	0			
Surrogate: Toluene-d8	0.966	0.10	1.00	0	96.6%	72	125	0			

Sample ID MB 090519	Batch ID: R100697	Test Code: GASW-MS	Units: µg/L	Analysis Date 9/5/2019 2:44:00 PM	Prep Date
Client ID:	Run ID: ORGCMS2_190905A	SeqNo: 1433286			

Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	ND	50									

Sample ID MBLK 090419	Batch ID: R100685	Test Code: ICNOW	Units: mg/L	Analysis Date 9/4/2019 11:14:06 AM	Prep Date
Client ID:	Run ID: INIC2_190904B	SeqNo: 1433053			

Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	ND	0.10									
Nitrite (as Nitrogen)	ND	0.10									

Sample ID MBLANK	Batch ID: R100853	Test Code: NKJEW	Units: mg/L	Analysis Date 9/16/2019	Prep Date 9/12/2019
Client ID:	Run ID: WC_190916A	SeqNo: 1435333			

Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1909028

Project:

QC SUMMARY REPORT

Method Blank

Sample ID	MBLANK WL-0911	Batch ID:	R100809	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	9/12/2019	Prep Date	9/11/2019
Client ID:		Run ID:	WC_190912B	SeqNo:	1434749						
Analyte		Result		Limit		SPK value		SPK Ref Val		% Rec	
Total Phosphate Phosphorus		ND		0.020							

Sample ID	MB-37804	Batch ID:	37804	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	9/11/2019 3:08:13 PM	Prep Date	9/10/2019
Client ID:		Run ID:	ORGC14_190910B	SeqNo:	1434546						
Analyte		Result		Limit		SPK value		SPK Ref Val		% Rec	
TPHC Diesel (C12-C22)		ND		50							
TPHC Motor Oil		ND		170							

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

North Coast Laboratories, Ltd.

Date: 9/16/2019

CLIENT: A.M. Baird Engineering**Work Order:** 1909028**Project:****QC SUMMARY REPORT**

Sample Matrix Spike

Sample ID	1909028-01CMS	Batch ID:	R100697	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	9/5/2019 6:41:00 PM	Prep Date				
Client ID:	Supply Creek	Run ID:	ORGCMS2_190905A	SeqNo:	1433292									
Analyte		Result		Limit		SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline		1,177		50		1,000	27.1	115%	74	125	0			

Sample ID	1909028-01D MS	Batch ID:	R100809	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	9/12/2019	Prep Date	9/11/2019			
Client ID:	Supply Creek	Run ID:	WC_190912B	SeqNo:	1434762									
Analyte		Result		Limit		SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus		0.4971		0.020		0.500	0.0160	96.2%	85	115	0			

Sample ID	1909028-01D MSD	Batch ID:	R100809	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	9/12/2019	Prep Date	9/11/2019			
Client ID:	Supply Creek	Run ID:	WC_190912B	SeqNo:	1434763									
Analyte		Result		Limit		SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus		0.4930		0.020		0.500	0.0160	95.4%	85	115	0.497	0.828%	10	

Sample ID	1909028-01BMS	Batch ID:	37804	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	9/11/2019 4:38:24 PM	Prep Date	9/10/2019			
Client ID:	Supply Creek	Run ID:	ORGC14_190910B	SeqNo:	1434549									
Analyte		Result		Limit		SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)		523.7		50		500	0	105%	73	126	0			
TPHC Motor Oil		970.6		170		1,000	0	97.1%	75	131	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

North Coast Laboratories, Ltd.

Date: 9/16/2019

CLIENT: A.M. Baird Engineering

Work Order: 1909028

Project:

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID	LCS-19231	Batch ID:	R100698	Test Code:	8260EW	Units:	µg/L	Analysis Date	9/5/2019 11:48:00 AM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190905B	SeqNo:	1433295						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	20.20	0.50	20.0	0	101%	69	133	0			
Benzene	20.45	0.50	20.0	0	102%	72	122	0			
Toluene	19.09	0.50	20.0	0	95.4%	76	120	0			
Ethylbenzene	19.38	0.50	20.0	0	96.9%	74	124	0			
m,p-Xylene	38.49	0.50	40.0	0	96.2%	77	121	0			
o-Xylene	19.02	0.50	20.0	0	95.1%	71	122	0			
Surrogate: Dibromofluoromethane	1.11	0.10	1.00	0	111%	80	124	0			
Surrogate: 1,2-Dichloroethane-d4	1.09	0.10	1.00	0	109%	72	128	0			
Surrogate: Toluene-d8	0.974	0.10	1.00	0	97.4%	72	125	0			

Sample ID	LCSD-19231	Batch ID:	R100698	Test Code:	8260EW	Units:	µg/L	Analysis Date	9/5/2019 12:18:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190905B	SeqNo:	1433296						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Methyl tert-butyl ether (MTBE)	20.22	0.50	20.0	0	101%	69	133	20.2	0.0777%	30	
Benzene	20.01	0.50	20.0	0	100%	72	122	20.4	2.19%	30	
Toluene	18.50	0.50	20.0	0	92.5%	76	120	19.1	3.13%	30	
Ethylbenzene	18.79	0.50	20.0	0	94.0%	74	124	19.4	3.09%	30	
m,p-Xylene	37.08	0.50	40.0	0	92.7%	77	121	38.5	3.74%	30	
o-Xylene	18.84	0.50	20.0	0	94.2%	71	122	19.0	0.965%	30	
Surrogate: Dibromofluoromethane	1.10	0.10	1.00	0	110%	80	124	1.11	1.03%	30	
Surrogate: 1,2-Dichloroethane-d4	1.09	0.10	1.00	0	109%	72	128	1.09	0.129%	30	
Surrogate: Toluene-d8	0.963	0.10	1.00	0	96.3%	72	125	0.974	1.10%	30	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1909028

Project:

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID	LCS-19232	Batch ID:	R100697	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	9/5/2019 12:48:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190905A	SeqNo:	1433284						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	992.7	50	1,000	0	99.3%	74	125	0			
Sample ID	LCSD-19232	Batch ID:	R100697	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	9/5/2019 1:18:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190905A	SeqNo:	1433285						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	956.5	50	1,000	0	95.6%	74	125	993	3.72%	20	
Sample ID	LCS WL-090419-0	Batch ID:	R100685	Test Code:	ICNOW	Units:	mg/L	Analysis Date	9/4/2019 11:30:44 AM	Prep Date	
Client ID:		Run ID:	INIC2_190904B	SeqNo:	1433054						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	5.052	0.10	5.00	0	101%	90	110	0			
Nitrite (as Nitrogen)	5.041	0.10	5.00	0	101%	90	110	0			
Sample ID	LCSD WL-090419-	Batch ID:	R100685	Test Code:	ICNOW	Units:	mg/L	Analysis Date	9/4/2019 11:47:22 AM	Prep Date	
Client ID:		Run ID:	INIC2_190904B	SeqNo:	1433055						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	5.059	0.10	5.00	0	101%	90	110	5.05	0.153%	10	
Nitrite (as Nitrogen)	5.035	0.10	5.00	0	101%	90	110	5.04	0.110%	10	
Sample ID	BLKSPK	Batch ID:	R100853	Test Code:	NKJEW	Units:	mg/L	Analysis Date	9/16/2019	Prep Date	9/12/2019
Client ID:		Run ID:	WC_190916A	SeqNo:	1435334						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	10.01	1.0	10.0	0	100%	85	115	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1909028

Project:

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID	BLKSPK	Batch ID:	R100853	Test Code:	NKJEW	Units:	mg/L	Analysis Date	9/16/2019	Prep Date	9/12/2019		
Client ID:				Run ID:	WC_190916A			SeqNo:	1435335				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl		9.906		1.0	10.0	0	99.1%	85	115	10.0	1.04%	20	

Sample ID	LCS WL-09111901	Batch ID:	R100809	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	9/12/2019	Prep Date	9/11/2019		
Client ID:				Run ID:	WC_190912B			SeqNo:	1434750				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus		0.4959		0.020	0.500	0	99.2%	85	115	0			

Sample ID	LCSD WL-091119	Batch ID:	R100809	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	9/12/2019	Prep Date	9/11/2019		
Client ID:				Run ID:	WC_190912B			SeqNo:	1434751				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus		0.4880		0.020	0.500	0	97.6%	85	115	0.496	1.61%	10	

Sample ID	LCS-37804	Batch ID:	37804	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	9/11/2019 3:38:16 PM	Prep Date	9/10/2019		
Client ID:				Run ID:	ORGC14_190910B			SeqNo:	1434547				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)		469.9		50	500	0	94.0%	73	126	0			
TPHC Motor Oil		969.9		170	1,000	0	97.0%	75	131	0			

Sample ID	LCSD-37804	Batch ID:	37804	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	9/11/2019 4:08:18 PM	Prep Date	9/10/2019		
Client ID:				Run ID:	ORGC14_190910B			SeqNo:	1434548				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)		524.8		50	500	0	105%	73	126	470	11.0%	30	
TPHC Motor Oil		983.3		170	1,000	0	98.3%	75	131	970	1.37%	30	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

5680 West End Road • Arcata • CA 95521-9202
707-822-4649 Fax 707-822-6831

Chain of Custody

P. _____ of _____

1909028

Sampler (Sign & Print): _____

Purchase Order Number: _____

[illegible][illegible]

SPECIAL INSTRUCTIONS	SAMPLE CONDITION
	Temperature 2.0 °C
	Received On Ice? Y / N
	Samples Intact? Y / N
	Preserved? Y / N
	Preserved @ NCL?
	Y / N / NA

RELINQUISHED BY (Sign & Print)	DATE/TIME	RECEIVED BY (Sign)	DATE/TIME
 Chase Ciriaco	9/3/19 1:15	 9/3/19 1320	

SHIPPED VIA: UPS Fed-Ex Hand

ALL CONTAMINATED NON-AQUEOUS SAMPLES WILL BE RETURNED TO CLIENT



**NORTH COAST
LABORATORIES LTD.**

September 27, 2019

A.M. Baird Engineering
P.O. Box 396
Fortuna, CA 95540-0396

Attn: Chase

Order No.: 1909350
Invoice No.: 148814
PO No.:
ELAP No.1247-Expires July 2020

RE:

SAMPLE IDENTIFICATION

Fraction	Client Sample Description
----------	---------------------------

01A	Supply Creek
01B	Supply Creek
01C	Supply Creek
01D	Supply Creek

ND = Not Detected at the Reporting Limit

Limit = Reporting Limit

Flag = Explanation in Case Narrative

All solid results are expressed on a wet-weight basis unless otherwise noted.

Approved for release by:

A handwritten signature in black ink, appearing to read 'Roxanne Moore', is written over a horizontal line.

Roxanne Moore, Project Manager

Date: 27-Sep-2019

WorkOrder: 1909350

ANALYTICAL REPORT

Client Sample ID: Supply Creek

Received: 9/18/2019

Lab ID: 1909350-01A

Collected: 9/18/2019 9:58

Test Name: Nitrate and/or Nitrite

Reference: EPA 300.0 Rev 2.1 (1993)

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Nitrate (as Nitrogen)	ND		0.10	mg/L	1.0		9/19/2019
Nitrite (as Nitrogen)	ND		0.10	mg/L	1.0		9/19/2019

Test Name: Turbidity

Reference: EPA 180.1

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Turbidity	3.4		0.050	NTU	1.0		9/20/2019

Client Sample ID: Supply Creek

Received: 9/18/2019

Lab ID: 1909350-01B

Collected: 9/18/2019 9:58

Test Name: Nitrogen - Total Kjeldahl

Reference: SM 4500-NH3 B,D 1997. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Nitrogen- Total Kjeldahl	ND		1.0	mg/L	1.0	9/25/2019	9/26/2019

Test Name: Total Nitrogen

Reference: SM 4500-N, 1997. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Total Nitrogen	ND		1.0	mg/L	1.0		9/27/2019

Test Name: Total Phosphate Phosphorus

Reference: SM 4500-PE, 1999. Revs 2011

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Total Phosphate Phosphorus	ND		0.020	mg/L	1.0	9/25/2019	9/26/2019

Client Sample ID: Supply Creek

Received: 9/18/2019

Lab ID: 1909350-01C

Collected: 9/18/2019 9:58

Test Name: EPA 8260B

Reference: EPA 8260B

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
Benzene	ND		0.50	µg/L	1.0		9/20/2019
Toluene	ND		0.50	µg/L	1.0		9/20/2019
Ethylbenzene	ND		0.50	µg/L	1.0		9/20/2019
m,p-Xylene	ND		0.50	µg/L	1.0		9/20/2019
o-Xylene	ND		0.50	µg/L	1.0		9/20/2019
Surrogate: 1,2-Dichloroethane-d4	95.0		72.1-128	% Rec	1.0		9/20/2019
Surrogate: Dibromofluoromethane	100		80.1-124	% Rec	1.0		9/20/2019
Surrogate: Toluene-d8	95.7		72.2-125	% Rec	1.0		9/20/2019

Test Name: TPH as Gasoline

Reference: LUFT/EPA 8260B Modified

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
TPHC Gasoline	ND		50	µg/L	1.0		9/20/2019

Date: 27-Sep-2019**WorkOrder:** 1909350**ANALYTICAL REPORT****Client Sample ID:** Supply Creek**Received:** 9/18/2019**Lab ID:** 1909350-01D**Collected:** 9/18/2019 9:58**Test Name:** TPH as Diesel/Motor Oil**Reference:** LUFT/EPA 3511/EPA 8015B

<u>Parameter</u>	<u>Result</u>	<u>Flag</u>	<u>Limit</u>	<u>Units</u>	<u>DF</u>	<u>Extracted</u>	<u>Analyzed</u>
TPHC Diesel (C12-C22)	ND		50	µg/L	1.0		9/23/2019
TPHC Motor Oil	ND		170	µg/L	1.0		9/23/2019

North Coast Laboratories, Ltd.

Date: 9/27/2019

CLIENT: A.M. Baird Engineering

Work Order: 1909350

Project:

QC SUMMARY REPORT

Method Blank

Sample ID	MB 092019	Batch ID:	R100932	Test Code:	8260EW	Units:	µg/L	Analysis Date	9/20/2019 2:16:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190920C	SeqNo:	1436482						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	ND	0.50									
Toluene	ND	0.50									
Ethylbenzene	ND	0.50									
m,p-Xylene	ND	0.50									
o-Xylene	ND	0.50									
Surrogate: Dibromofluoromethane	1.02	0.10	1.00	0	102%	80	124	0			
Surrogate: 1,2-Dichloroethane-d4	0.965	0.10	1.00	0	96.5%	72	128	0			
Surrogate: Toluene-d8	0.958	0.10	1.00	0	95.8%	72	125	0			

Sample ID	MB 092019	Batch ID:	R100931	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	9/20/2019 2:16:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190920B	SeqNo:	1436472						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	ND	50									

Sample ID	MBLK 091919	Batch ID:	R100923	Test Code:	ICNOW	Units:	mg/L	Analysis Date	9/19/2019 10:36:26 AM	Prep Date	
Client ID:		Run ID:	INIC2_190919A	SeqNo:	1436321						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	ND	0.10									
Nitrite (as Nitrogen)	ND	0.10									

Sample ID	MBLANK	Batch ID:	R101022	Test Code:	NKJEW	Units:	mg/L	Analysis Date	9/26/2019 11:00:00 AM	Prep Date	9/25/2019
Client ID:		Run ID:	WC_190926D	SeqNo:	1437719						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	ND	1.0									

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1909350

Project:

QC SUMMARY REPORT

Method Blank

Sample ID **MBLANK WL-0923** Batch ID: **R101016** Test Code: **PO4TOW** Units: **mg/L** Analysis Date **9/26/2019** Prep Date **9/25/2019**

Client ID: Run ID: **WC_190926C** SeqNo: **1437638**

Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
---------	--------	-------	-----------	-------------	-------	----------	-----------	-------------	------	----------	------

Total Phosphate Phosphorus	ND	0.020									
----------------------------	----	-------	--	--	--	--	--	--	--	--	--

Sample ID **MB-37829** Batch ID: **R100958** Test Code: **TPHDMW** Units: **µg/L** Analysis Date **9/23/2019 5:25:04 PM** Prep Date

Client ID: Run ID: **ORGC14_190923A** SeqNo: **1436835**

Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
---------	--------	-------	-----------	-------------	-------	----------	-----------	-------------	------	----------	------

TPHC Diesel (C12-C22)	ND	50									
-----------------------	----	----	--	--	--	--	--	--	--	--	--

TPHC Motor Oil	ND	170									
----------------	----	-----	--	--	--	--	--	--	--	--	--

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

North Coast Laboratories, Ltd.

Date: 9/27/2019

CLIENT: A.M. Baird Engineering**Work Order:** 1909350**Project:****QC SUMMARY REPORT**

Sample Matrix Spike

Sample ID	1909350-01CMS	Batch ID:	R100931	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	9/20/2019 8:41:00 PM	Prep Date			
Client ID:	Supply Creek			Run ID:	ORGCMS2_190920B			SeqNo:	1436477				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline		1,172		50	1,000	0	117%	74	125	0			

Sample ID	1909350-01BMS	Batch ID:	R101022	Test Code:	NKJEW	Units:	mg/L	Analysis Date	9/26/2019 11:00:00 AM	Prep Date	9/25/2019		
Client ID:	Supply Creek			Run ID:	WC_190926D			SeqNo:	1437745				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl		10.16		1.0	10.0	0	102%	85	115	0			

Sample ID	1909350-01DMS	Batch ID:	R100958	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	9/23/2019 6:55:21 PM	Prep Date			
Client ID:	Supply Creek			Run ID:	ORGC14_190923A			SeqNo:	1436838				
Analyte		Result		Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)		514.9		50	500	0	103%	73	126	0			
TPHC Motor Oil		987.2		170	1,000	0	98.7%	75	131	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

North Coast Laboratories, Ltd.

Date: 9/27/2019

CLIENT: A.M. Baird Engineering

Work Order: 1909350

Project:

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID	LCS-19254	Batch ID:	R100932	Test Code:	8260EW	Units:	µg/L	Analysis Date	9/20/2019 12:55:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190920C	SeqNo:	1436480						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	18.98	0.50	20.0	0	94.9%	72	122	0			
Toluene	17.58	0.50	20.0	0	87.9%	76	120	0			
Ethylbenzene	16.88	0.50	20.0	0	84.4%	74	124	0			
m,p-Xylene	34.52	0.50	40.0	0	86.3%	77	121	0			
o-Xylene	17.36	0.50	20.0	0	86.8%	71	122	0			
Surrogate: Dibromofluoromethane	1.05	0.10	1.00	0	105%	80	124	0			
Surrogate: 1,2-Dichloroethane-d4	0.952	0.10	1.00	0	95.2%	72	128	0			
Surrogate: Toluene-d8	0.964	0.10	1.00	0	96.4%	72	125	0			

Sample ID	LCSD-19254	Batch ID:	R100932	Test Code:	8260EW	Units:	µg/L	Analysis Date	9/20/2019 1:22:00 PM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190920C	SeqNo:	1436481						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	18.02	0.50	20.0	0	90.1%	72	122	19.0	5.20%	30	
Toluene	16.09	0.50	20.0	0	80.5%	76	120	17.6	8.83%	30	
Ethylbenzene	15.63	0.50	20.0	0	78.1%	74	124	16.9	7.70%	30	
m,p-Xylene	31.68	0.50	40.0	0	79.2%	77	121	34.5	8.59%	30	
o-Xylene	16.12	0.50	20.0	0	80.6%	71	122	17.4	7.39%	30	
Surrogate: Dibromofluoromethane	1.06	0.10	1.00	0	106%	80	124	1.05	1.11%	30	
Surrogate: 1,2-Dichloroethane-d4	0.977	0.10	1.00	0	97.7%	72	128	0.952	2.52%	30	
Surrogate: Toluene-d8	0.945	0.10	1.00	0	94.5%	72	125	0.964	1.98%	30	

Sample ID	LCS-19255	Batch ID:	R100931	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	9/20/2019 11:24:00 AM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190920B	SeqNo:	1436470						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	1,113	50	1,000	0	111%	74	125	0			

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1909350

Project:

QC SUMMARY REPORT

Laboratory Control Spike Duplicate

Sample ID	LCSD-19255	Batch ID:	R100931	Test Code:	GASW-MS	Units:	µg/L	Analysis Date	9/20/2019 11:54:00 AM	Prep Date	
Client ID:		Run ID:	ORGCMS2_190920B	SeqNo:	1436471						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Gasoline	1,078	50	1,000	0	108%	74	125	1,110	3.23%	20	

Sample ID	LCS WL-091919-0	Batch ID:	R100923	Test Code:	ICNOW	Units:	mg/L	Analysis Date	9/19/2019 11:26:20 AM	Prep Date	
Client ID:		Run ID:	INIC2_190919A	SeqNo:	1436324						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	4.830	0.10	5.00	0	96.6%	90	110	0			
Nitrite (as Nitrogen)	4.920	0.10	5.00	0	98.4%	90	110	0			

Sample ID	LCSD WL-091919-	Batch ID:	R100923	Test Code:	ICNOW	Units:	mg/L	Analysis Date	9/19/2019 11:42:59 AM	Prep Date	
Client ID:		Run ID:	INIC2_190919A	SeqNo:	1436325						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrate (as Nitrogen)	4.835	0.10	5.00	0	96.7%	90	110	4.83	0.0976%	10	
Nitrite (as Nitrogen)	4.975	0.10	5.00	0	99.5%	90	110	4.92	1.12%	10	

Sample ID	LCS	Batch ID:	R101022	Test Code:	NKJEW	Units:	mg/L	Analysis Date	9/26/2019 11:00:00 AM	Prep Date	9/25/2019
Client ID:		Run ID:	WC_190926D	SeqNo:	1437720						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	9.940	1.0	10.0	0	99.4%	90	110	0			

Sample ID	LCSD	Batch ID:	R101022	Test Code:	NKJEW	Units:	mg/L	Analysis Date	9/26/2019 11:00:00 AM	Prep Date	9/25/2019
Client ID:		Run ID:	WC_190926D	SeqNo:	1437721						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Nitrogen- Total Kjeldahl	9.310	1.0	10.0	0	93.1%	90	110	9.94	6.55%	20	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

CLIENT: A.M. Baird Engineering

Work Order: 1909350

Project:

QC SUMMARY REPORT

Laboratory Control Spike

Sample ID	LCS WL-09231901	Batch ID:	R101016	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	9/26/2019	Prep Date	9/25/2019
Client ID:		Run ID:	WC_190926C	SeqNo:	1437639						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus	0.5012	0.020	0.500	0	100%	90	110	0			
Sample ID	LCSD WL-092319	Batch ID:	R101016	Test Code:	PO4TOW	Units:	mg/L	Analysis Date	9/26/2019	Prep Date	9/25/2019
Client ID:		Run ID:	WC_190926C	SeqNo:	1437640						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Total Phosphate Phosphorus	0.4912	0.020	0.500	0	98.2%	90	110	0.501	2.02%	10	
Sample ID	LCS-37829	Batch ID:	R100958	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	9/23/2019 5:55:15 PM	Prep Date	
Client ID:		Run ID:	ORGC14_190923A	SeqNo:	1436836						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)	509.0	50	500	11.6	99.5%	73	126	0			
TPHC Motor Oil	943.7	170	1,000	0	94.4%	75	131	0			
Sample ID	LCSD-37829	Batch ID:	R100958	Test Code:	TPHDMW	Units:	µg/L	Analysis Date	9/23/2019 6:25:22 PM	Prep Date	
Client ID:		Run ID:	ORGC14_190923A	SeqNo:	1436837						
Analyte	Result	Limit	SPK value	SPK Ref Val	% Rec	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
TPHC Diesel (C12-C22)	514.6	50	500	11.6	101%	73	126	509	1.08%	30	
TPHC Motor Oil	996.9	170	1,000	0	99.7%	75	131	944	5.47%	30	

Qualifiers: ND - Not Detected at the Reporting Limit
J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits
R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

**NORTH COAST
LABORATORIES LTD.**

5680 West End Road • Arcata • CA 95521-9202
707-822-4649 Fax 707-822-6831

Chain of Custody

P. 1 of 1

LABORATORY NUMBER:

1909350

Attention: Chase

Results & Invoice to: AM Baird Engineering

Address: 1257 Main Street, Fortuna,

CA,

Phone: 707-725-5182

Copies of Report to: _____

Sampler (Sign & Print): Clare C. Smith

PROJECT INFORMATION

Project Number: _____

Project Name: _____

Purchase Order Number: _____

[illegible][illegible]

TAT: ☒ STD (2-3 Wk) ☐ Other:
PRIOR AUTHORIZATION IS REQUIRED FOR
RUSH SAMPLES.

REPORTING REQUIREMENTS:

☐ State Forms
☐ Geotracker ☐ SWAMP ☐ Other EDD:
☐ Final Report PDF ☐ FAX By:

CONTAINER CODES: 1—½ gal. pl; 2—250 ml pl;
3—500 ml pl; 4—1 L Nalgene; 5—250 ml BG;
6—500 ml BG; 7—1 L BG; 8—40 ml VOA;
9—60 ml VOA; 10—125 ml VOA; 11—4 oz glass jar;
12—8 oz glass jar; 13—brass tube; 14—other
PRESERVATIVE CODES: a—HNO₃; b—HCl; c—H₂SO₄;
d—Na₂S₂O₃; e—NaOH; f—C₂H₃O₂Cl; g—other

SPECIAL INSTRUCTIONS	SAMPLE CONDITION
	Temperature 5.2 °C
	Received On Ice? ~~Y/N~~
	Samples Intact? ~~Y/N~~
	Preserved? ~~Y/N~~
	Preserved @ NCL?
	~~Y/N~~ / NA

RELINQUISHED BY (Sign & Print)	DATE/TIME	RECEIVED BY (Sign)	DATE/TIME
 Chase Simcha	9/18/19 11:14	NAAL	9/18/19 11:15

SAMPLE DISPOSAL

☒ NCL Disposal of Non-Contaminated
☐ Return ☐ Pickup

CHAIN OF CUSTODY SEALS Y/N/NA
SHIPPED VIA: UPS Fed-Ex Hand

***MATRIX:** DW=Drinking Water; Eff=Effluent; Inf=Influent; SW=Surface Water; GW=Ground Water; WW = Waste Water; S = Soil; O = Other.

ALL CONTAMINATED NON-AQUEOUS SAMPLES WILL BE RETURNED TO CLIENT

SAMPLE CONTAINER ORDER FORM

CLIENT NAME: Baird Engineering		DATE OF REQUEST: 9/17/19	
ADDRESS (Street not PO Box) :			
CONTACT PERSON: Chase		PHONE NUMBER:	
SHIP BY: 9/18 am		PROJECT NAME:	

Deliver		Pickup		Cooler		Box	
Ship		DW Samples					

SPECIAL INSTRUCTIONS:

ANALYSIS	# OF Samples	Bottle Type/ Sample Volume	Number of Containers	Preservation
Turbidity/NO2/NO3	1	250 mL HDPE	1	-
Total N/P	1	500 mL HDPE	1	H2SO4
BTEX/gas	1	40 mL VOA	3	HCL
TPH D/MO	1	60 mL VOA	3	-
Bacteria	1	Bacteria	1	-

Request Taken By	RM	Prepared & Shipped By		Date Shipped		Method of Shipment	
------------------	----	-----------------------	--	--------------	--	--------------------	--



BUREAU OF CANNABIS CONTROL

CALIFORNIA

ALL CANNABIS HARVESTED ON OR AFTER 1/1/2018 AND ALL CANNABIS PRODUCTS MANUFACTURED ON OR AFTER 1/1/2018, SHALL BE TESTED ACCORDING TO TITLE 16 OF THE CALIFORNIA CODE OF REGULATIONS, SECTION 5715, AND THE REGULATIONS THAT FOLLOW.

PHASE-IN OF REQUIRED LABORATORY TESTING	INHALABLE CANNABIS	INHALABLE CANNABIS PRODUCTS	OTHER CANNABIS & CANNABIS PRODUCTS
JANUARY 1, 2018			
Cannabinoids Testing	✓	✓	✓
Moisture Content Testing	✓		
Category II Residual Solvents and Processing Chemicals Testing		✓	✓
Category I Residual Pesticides Testing	✓	✓	✓
Microbial Impurities Testing (A. fumigatus, A. flavus, A. niger, A. terreus)	✓	✓	
Microbial Impurities Testing (Escherichia coli and Salmonella spp.)	✓	✓	✓
Homogeneity Testing of Edible Cannabis Products			✓
JULY 1, 2018			
Category I Residual Solvents and Processing Chemicals Testing		✓	✓
Category II Residual Pesticides Testing	✓	✓	✓
Foreign Material Testing	✓	✓	✓
DECEMBER 31, 2018			
Terpenoids Testing	✓	✓	✓
Mycotoxins Testing	✓	✓	✓
Heavy Metals Testing	✓	✓	✓
Water Activity Testing of Solid or Semi-Solid Edibles	✓		✓





WILLOW BLOG



California Residual Pesticide Testing

The state of California requires all cannabis goods batches to be tested for residual pesticide (s) prior to their release for sale to the public. The full list of tests can be found *here*, on our California Cannabis Testing page.

The required cannabis residual pesticide testing classifies pesticides into two categories.

Category I residual pesticides must be undetected, meaning under .10 µg/g.

Category I Residual Pesticide	CAS No.
Aldicarb	116-06-3
Carbofuran	1563-66-2
Chlordane	57-74-9
Chlorfenapyr	122453-73-0

DDVP (Dichlorvos)	62-73-7
Dimethoate	60-51-5
Ethoprop(hos)	13194-48-4
Etofenprox	80844-07-1
Fenoxycarb	72490-01-8
Fipronil	120068-37-3
Imazalil	35554-44-0
Methiocarb	2032-65-7
Methyl parathion	298-00-0
Mevinphos	7786-34-7
Paclobutrazol	76738-62-0
Propoxur	114-26-1
Spiroxamine	118134-30-8
Thiacloprid	111988-49-9

Category II residual pesticides must be under their respective action levels.

Abamectin	71751-41-2	0.1	0.3
Acephate	30560-19-1	0.1	5
Acequinocyl	57960-19-7	0.1	4
Acetamiprid	135410-20-7	0.1	5
Azoxystrobin	131860-33-8	0.1	40
Bifenazate	149877-41-8	0.1	5
Bifenthrin	82657-04-3	3	0.5
Boscalid	188425-85-6	0.1	10
Captan	133-06-2	0.7	5
Carbaryl	63-25-2	0.5	0.5
Chlorantraniliprole	500008-45-7	10	40
Clofentezine	74115-24-5	0.1	0.5
Cyfluthrin	68359-37-5	2	1
Cypermethrin	52315-07-8	1	1
Diazinon	333-41-5	0.1	0.2
Dimethomorph	110488-70-5	2	20
Etoxazole	153233-91-1	0.1	1.5
Fenhexamid	126833-17-8	0.1	10
Fenpyroximate	111812-58-9	0.1	2
Flonicamid	158062-67-0	0.1	2
Fludioxonil	131341-86-1	0.1	30
Hexythiazox	78587-05-0	0.1	2
Imidacloprid	138261-41-3	5	3
Kresoxim-methyl	143390-89-0	0.1	1
Malathion	121-75-5	0.5	5
Metalaxyl	57837-19-1	2	15
Methomyl	16752-77-5	1	0.1
Myclobutanil	88671-89-0	0.1	9
Naled	300-76-5	0.1	0.5
Oxamyl	23135-22-0	0.5	0.2
Pentachloronitrobenzene	82-68-8	0.1	0.2
Permethrin	52645-53-1	0.5	20
Phosmet	732-11-6	0.1	0.2
Piperonylbutoxide	51-03-6	3	8
Prallethrin	23031-36-9	0.1	0.4
Propiconazole	60207-90-1	0.1	20
Pyrethrins	8003-34-7	0.5	1
Pyridaben	96489-71-3	0.1	3
Spinetoram	187166-15-0, 187166-40-1	0.1	3
Spinosad	131929-60-7, 131929-63-0	0.1	3
Spiromesifen	283594-90-1	0.1	12
Spirotetramat	203313-25-1	0.1	13
Tebuconazole	107534-96-3	0.1	2
Thiamethoxam	153719-23-4	5	4.5
Trifloxystrobin	141517-21-7	0.1	30

In addition to residual pesticide testing, California also tests for residual solvents and processing chemicals. Similar to residual pesticides, solvents and processing chemicals are classified in one of two categories.

Category I solvents and processing chemicals must be undetected, meaning under 1.0 µg/g.

Benzene	71-43-2
Chloroform	67-66-3
Ethylene oxide	75-21-8
Methylene chloride	75-09-2
Trichloroethylene	79-01-6

Category II solvents and processing chemicals must be under their respective action levels.

Category II Residual solvent or processing chemical	CAS No.	Action Level µg/g
Acetone	67-64-1	1000
Acetonitrile	75-05-8	80
Butane	106-97-8	1000
Ethanol	64-17-5	1000
Ethyl acetate	141-78-6	1000
Ethyl ether	60-29-7	1000
Heptane	142-82-5	1000
Hexane	110-54-3	60
Isopropyl alcohol	67-63-0	1000
Methanol	67-56-1	600
Pentane	109-66-0	1000

For more information on the other mandatory tests required by the state of California, check out our article on [California Cannabis Testing](#). Information on retesting and remediation for failed batches can be found on our California Remediation and Retesting page.

How to Work With Us

Willow can work with you by providing product cleaning services at your location or by selling and servicing your own WillowPure machine.



We'll bring our technology and expertise to you!

Start-to-finish decontamination service:

- WillowPure technology delivered to your facility
- Access to best practices and recommendations
- Fast and efficient cycle time
- On-site experts to setup, operate, clean and repackage your product



Have your product be safe and sellable by making WillowPure part of your standard process. Willow will install your machine, train your staff and share best practices.

Not in Colorado? We provide out-of-state trials. We also make financing plans available.



WILLOW
INDUSTRIES

855.921.6886

EMAIL US

WILLOW
INDUSTRIES

MICROBIAL MOMENT

THE WILLOW INDUSTRIES NEWSLETTER

Microbial Moment

February 2020 This month's newsletter is all about product quality! You'll find articles on cultivation, tips-and-tricks for brand building, regulatory updates, case studies, and more! 1. It's Not Too Late: Post-Harvest Solutions to Microbial Contamination Issues This is a long one, but well worth the read. It includes a comprehensive review of microbial contaminant testing. [READ MORE](#)

WILLOW INDUSTRIES

FEBRUARY 19, 2020



Michigan Marijuana Testing

Understanding Michigan Marijuana Testing Requirements Michigan instated required contaminant and potency testing for medical marijuana in 2018, and now that adult-use laws have gone into effect starting in December 2019, large volumes of product sold in Michigan are subject to the challenges of testing. This blog post will provide an overview of Michigan contaminant testing. [READ MORE](#)

WILLOW INDUSTRIES

FEBRUARY 10, 2020



Passing Microbial Testing and Remediation Options in Oklahoma

Oklahoma legalized medical cannabis in 2018, and after almost a year of sales, the state introduced a framework for contaminant and potency testing in 2019. While the laws are good news for patient safety, growers and manufacturers are pressed to find reliable testing labs while trying to avoid failed results. The state's implementation of testing. [READ MORE](#)

WILLOW INDUSTRIES

JANUARY 20, 2020



A Natural Approach to Reducing Pesticide Use on Cannabis Plants

A major hurdle to growing clean cannabis is pest control. When insects begin to take over a cannabis crop, cultivators have limited options outside spraying plants with pesticides. This blog discusses some of the safer alternatives growers should consider before resorting to the use of chemical or natural pesticides, as well as best practices to [READ MORE](#)

WILLOW INDUSTRIES

JANUARY 16, 2020



WILLOW
INDUSTRIES

855.921.6886

EMAIL US



Stay up to date with our growers newsletter

Email

Submit

[OUR SYSTEMS](#)

[FAQS](#)

[WILLOW BLOG](#)

[HOW IT WORKS](#)

[ABOUT US](#)

[CAREER](#)

[855.921.6886](#)

contact@willowindustries.com

[PRESS](#)

7000 E 47TH AVENUE DR – UNIT 800, DENVER, CO 80216

PRIVACY POLICY / TERMS OF USE ©2020 WILLOW INDUSTRIES

CANNABIS

PESTICIDES THAT ARE **LEGAL** TO USE



Protecting workers, the public, and the environment from adverse effects of pesticide use in cannabis cultivation is critical to the mission of the California Department of Pesticide Regulation (DPR). DPR and the County Agricultural Commissioners (CAC) enforce the use and sale of pesticides under Divisions 6 and 7 of the California Food and Agricultural Code (FAC), and Title 3 of the California Code of Regulations (CCR). These laws and regulations apply to all pesticide use; cannabis is no exception.

All pesticide product labels include a warning statement, precautionary statements for protecting human and environmental health, storage and disposal statements, and directions for use. By law, all pesticide users must follow these statements.

When using pesticide products in cannabis cultivation, applicators must not use a rate that is higher than the rates listed on the label and follow the agricultural use requirements including method of application, restricted entry interval, personal protective equipment, and pre-harvest interval.

Some pesticide products are never allowed in cannabis cultivation under any circumstances (see DPR's document: [Pesticides that Cannot be Used on Cannabis](#)).

Always read the label prior to using any pesticide.

PRODUCTS THAT CAN BE LEGALLY APPLIED TO CANNABIS IN CALIFORNIA

A pesticide product can legally be applied to cannabis under state law if the active ingredients found in the product are exempt from residue tolerance requirements and the product is either exempt from registration requirements or registered for a use that is broad enough to include use on cannabis.

Residue tolerance requirements are set by U.S. EPA for each pesticide on each food crop and are the amount of pesticide residue allowed to remain in or on each treated crop with "reasonable certainty of no harm." Some pesticides are exempt from the tolerance requirement when they are found to be minimal risk.

Active ingredients exempt from registration requirements are mostly food-grade essential oils such as peppermint oil or rosemary oil.

Cannabis cultivators who are licensed by the California Department of Food and Agriculture are required to comply with pesticide laws and regulations as enforced by DPR and the CAC's.

For more information:
www.cdpr.ca.gov/cannabis

PESTICIDES THAT ARE **LEGAL** TO USE ON CANNABIS

The following are examples of pesticide active ingredients that are exempt from tolerance requirements and either exempt from registration requirements or have labels broad enough to include use on cannabis. This is not an exhaustive list of active ingredients that may fit the legal use criteria. The active ingredients are organized by the intended target.

Insecticides and Miticides

- Azadirachtin
- *Bacillus thuringiensis* sub. *kurstaki*
- *Bacillus thuringiensis* sub. *israelensis*
- *Beauveria bassiana*
- *Burkholderia* spp. strain A396
- Capsaicin
- Cinnamon and cinnamon oil
- Citric acid
- Garlic and garlic oil
- Geraniol
- Horticultural oils (petroleum oil)
- Insecticidal soaps (potassium salts of fatty acids)
- Iron phosphate
- *Isaria fumosorosea*
- Neem oil
- Potassium bicarbonate
- Potassium sorbate
- Rosemary oil
- Sesame and sesame oil
- Sodium bicarbonate
- Soybean oil
- Sulfur
- Thyme oil

Fungicides and Antimicrobials

- *Bacillus amyloliquefaciens* strain D747
- Cloves and clove oil
- Corn oil
- Cottonseed oil
- *Gliocladium virens*
- Neem oil
- Peppermint and peppermint oil
- Potassium bicarbonate
- Potassium silicate
- Rosemary and rosemary oil
- Sodium bicarbonate
- *Reynoutria sachalinensis* extract
- *Trichoderma harzianum*

Vertebrate Repellants

- Castor oil
- Geraniol

CANNABIS

PESTICIDES THAT **CANNOT** BE USED



Protecting workers, the public, and the environment from adverse effects of pesticide use in cannabis cultivation is critical to the mission of the California Department of Pesticide Regulation (DPR). DPR and the County Agricultural Commissioners (CAC) enforce the use and sale of pesticides under Divisions 6 and 7 of the California Food and Agricultural Code (FAC), and Title 3 of the California Code of Regulations (CCR). These laws and regulations apply to all pesticide use; cannabis is no exception.

All pesticide product labels include a warning statement, precautionary statements for protecting human and environmental health, storage and disposal statements, and directions for use. By law, all pesticide users must follow these statements.

When using pesticide products in cannabis cultivation, applicators must not use a rate that is higher than the rates listed on the label and follow the agricultural use requirements including method of application, restricted entry interval, personal protective equipment, and pre-harvest interval.

Always read the label prior to using any pesticide.

Some pesticides cannot be used in cannabis cultivation.

While there are some pesticide products that are legal to use on cannabis under state law, (see DPR's document: [Pesticides that are Legal to Use on Cannabis](#)) other products are never allowed in cannabis cultivation. The following criteria identify pesticide products that cannot be used in California cannabis cultivation under any circumstances. The use of any pesticides meeting any one of these criteria on cannabis will be strictly enforced as a violation of the FAC and could result in civil or criminal penalties (FAC sections 12996 and 12999.5):

- Not registered for a food use in California
- California Restricted Material including Federal Restricted Use Pesticides (3CCR section 6400)
On the groundwater protection list (3CCR section 6800)

Cannabis cultivators who are licensed by the California Department of Food and Agriculture are required to comply with pesticide laws and regulations as enforced by DPR and the CAC's.

For more information:
www.cdpr.ca.gov/cannabis

PESTICIDES THAT **CANNOT** BE USED ON CANNABIS

The following are criteria for identifying pesticides that cannot be used in cannabis cultivation and examples of active ingredients meeting these criteria. This is a representative list of active ingredients and not intended to be exhaustive. The fact that an active ingredient is not listed does not authorize its use on cannabis in California.

Pesticides Not Registered for Food Use in California

If a pesticide product does not have directions for use on a food crop, it cannot be used in cannabis cultivation. Examples of active ingredients that do not have food uses include:

- Aldicarb
- Carbofuran
- Chlordane
- Chlorfenapyr
- Coumaphos
- Daminozide
- DDVP (Dichlorvos)
- Etofenprox
- Fenoxycarb
- Imazalil
- Methyl parathion
- Mevinphos
- Paclobutrazol
- Propoxur
- Spiroxamine
- Thiacloprid

California Restricted Materials

DPR designates certain pesticides as California restricted materials (3 CCR section 6400). A pesticide can be considered a restricted material for many reasons including designation as a federal Restricted Use Pesticide. Many of these products have product labels that clearly state "Restricted Use Pesticide." Consult your local CAC to determine whether a product is a restricted material. Examples of California restricted materials include:

- Abamectin
- Bifenthrin
- Brodifacoum
- Bromodiolone
- Cyfluthrin
- Difenacoum
- Difethialone
- Fipronil
- Naled

Pesticides on the Groundwater Protection List

Active ingredients that are on the Groundwater Protection List (3CCR section 6800) have chemical characteristics that make them likely to move into groundwater. Examples of active ingredients on the groundwater protection list include:

- Acephate
- Azoxystrobin
- Boscalid
- Carbaryl
- Chlorantraniliprole
- Diazinon
- Dimethoate
- Dimethomorph
- Ethoprop(hos)
- Fludioxonil
- Imidacloprid
- Malathion
- Metalaxyl
- Methiocarb
- Methomyl
- Myclobutanil
- Propiconazole
- Tebuconazole
- Thiamethoxam