

ATTACHMENT 1A

CONDITIONS OF APPROVAL

APPROVAL OF THE CONDITIONAL USE PERMIT AND SPECIAL PERMIT IS CONDITIONED ON THE FOLLOWING TERMS AND REQUIREMENTS WHICH MUST BE SATISFIED BEFORE THE PROVISIONAL CANNABIS CULTIVATION PERMIT CAN BE FINALIZED.

A. General Conditions

1. The applicant is responsible for obtaining all necessary County and State permits and licenses, and for meeting all requirements set forth by other regulatory agencies.
2. The applicant is required to pay for permit processing on a time and material basis as set forth in the schedule of fees and charges as adopted by ordinance of the Humboldt County Board of Supervisors. The Planning and Building Department will provide a bill to the applicant after the decision. Any and all outstanding planning fees to cover the processing of the application to decision by the Hearing Officer shall be paid to the Humboldt County Planning Division, 3015 "H" Street, Eureka.
3. The applicant is responsible for costs for post-approval review for determining project conformance with conditions. A deposit is collected to cover this staff review. Permit conformance with conditions must be demonstrated prior to release of building permit or initiation of use and at time of annual inspection. A conformance review deposit as set forth in the schedule of fees and charges as adopted by ordinance of the Humboldt County Board of Supervisors (currently \$750) shall be paid within sixty (60) days of the effective date of the permit or upon filing of the Compliance Agreement (where applicable), whichever occurs first. Payment shall be made to the Humboldt County Planning Division, 3015 "H" Street, Eureka.
4. A Notice of Determination (NOD) will be prepared and filed with the County Clerk for this project in accordance with the State CEQA Guidelines. The Department will file the NOD and will charge this cost to the project.
5. Within 60 days of the effective date of permit approval, the applicant shall execute a Compliance Agreement with the Humboldt County Planning and Building Department detailing all necessary permits and infrastructure improvements described under Conditions of Approval #9 through #25. The agreement shall provide a timeline for completing all outstanding items. All activities detailed under the agreement must be completed to the satisfaction of the Planning and Building Department before the permit may be finalized and no longer considered provisional.
6. Within 60 days of the effective date of permit approval, the applicant shall submit a revised plot plan showing the following, in addition to what is shown:

- a. Reduce the amount of proposed nursery space to reflect a maximum of 10% of the cultivation area, or 1,160 SF, and provide the proposed perimeter dimensions of the reduced nursery space.
 - b. Location, size, and dimensions of the decommissioned cultivation areas.
 - c. Location, number, and size of additional water storage tanks (minimum of 61,750 gallons) required to be added to the subject site within a previously disturbed area and outside of all required Streamside Management Area (SMA) setbacks.
 - d. Any grading that has occurred.
7. Within 60 days of the effective date of permit approval, the applicant shall submit a revised Cultivation and Operations Plan confirming the amount of proposed nursery space will be 1,160 SF to reflect a maximum of 10% of the cultivation area. The revised Cultivation and Operations Plan shall be submitted to the Planning Department for review and approval. A sign-off from the Planning Department will satisfy this condition.
 8. Within 90 days of the effective date of permit approval, a qualified professional (i.e., professional biologist) shall assess the decommissioned areas and any remediation efforts that have occurred, as well as the graded flat/disturbed area located within a required SMA setback, and prepare a Remediation Plan detailing any additional remediation efforts recommended for to restore the areas and mitigate for any impacts to the SMA. Any recommended remediation efforts shall occur within a period of 6 months from project approval. The applicant shall submit evidence (e.g., statement from qualified professional and/or photographs) to demonstrate compliance with this condition. Alternatively, the applicant may request a site inspection with the Planning Department to verify this condition is met. A sign-off from the Planning Department will satisfy this condition.
 9. Prior to the 2023 cultivation season, the applicant shall cease use of the onsite well for irrigation. Only after the applicant submits a report from an appropriate professional (i.e., professional registered geologist, hydrogeologist, etc.) documenting the well is not hydrologically connected to surface waters and a modification to this permit is obtained may use of the well for irrigation be authorized to occur. A sign-off from the Planning Department will satisfy this condition.
 10. Prior to the 2023 cultivation season, the applicant shall install the rainwater catchment infrastructure (gutters) onto the roof of the two-story ag barn with a footprint of approximately 2,688 SF (32'X84'). The applicant shall add a minimum of 81,750 gallons (including the 20,000 gallons of additional storage proposed by the applicant) of onsite water storage in a previously disturbed area without the use of heavy machinery to serve the project. The tanks shall be filled prior to the 2023 cultivation season. The applicant shall submit evidence (e.g., statement from qualified professional and/or photographs) to demonstrate compliance with this condition. Alternatively, the applicant may request a site inspection with the Planning Department to verify this condition is met.

Should the applicant be unable to install the additional water storage tanks and/or catch the amount of water needed from the rainwater catchment system to meet the annual water demand (i.e., the additional water storage tanks are not filled) prior to the 2023 cultivation season, the

applicant shall reduce their cultivation amount to 2,852 SF until such time the applicant can install the additional water storage tanks and demonstrate they are filled by the rainwater catchment system.

A sign-off from the Planning Department will satisfy this condition.

11. For the life of the project, the propagation space shall be irrigated and supported solely by rainwater catchment. The applicant shall submit evidence (e.g., statement from qualified professional and/or photographs) to demonstrate compliance with this condition. Alternatively, the applicant may request a site inspection with the Planning Department to verify this condition is met. A sign-off from the Planning Department will satisfy this condition.
12. The applicant shall secure building permits for all structures related to the cannabis cultivation and other commercial cannabis activity, including but not limited to, existing and proposed greenhouses, water tanks over 5,000 gallons, existing and proposed structures associated with drying and storage, or any activity with a nexus to cannabis, and any noise containment structures as necessary. The plans submitted for building permit approval shall be consistent with the project description and the approved project site plan. A letter or similar communication from the Building Division verifying that all structures related to the cannabis cultivation are permitted will satisfy this condition.
13. The applicant shall retain a Registered Professional Forester (RPF) to evaluate if timber removal was completed in conformance with the Forest Practice Rules. As applicable, the report shall include recommendations for improvements, including, but not limited to restocking. The report shall also include reporting and monitoring requirements that shall be prepared by RPF that shall be submitted annually to the Planning and Building Department until the restocking is complete as indicated by the monitoring report. A sign-off from the Planning Department will satisfy this condition.
14. The applicant shall continue to adhere to all terms and conditions of the Right to Divert and Use Water, issued for three (3) points of diversion by the State Water Resources Control Board (SWRCB; Registration No. H504738, Certificate No. H100939) in January 2019. This includes limiting the amount of water diverted and stored onsite to a maximum of 48,878 gallons, consistent with the appropriative right.
15. The applicant shall adhere to and implement the Final Streambed Alteration Agreement issued by CDFW in September 2017 (Notification No. 1600-2017-0156-R1). Reporting requirements shall be submitted to the Planning Department and the California Department of Fish and Wildlife at 619 Second Street, Eureka, CA 95501, no later than December 31 of each year.
16. The applicant shall submit a Notification of Lake or Streambed Alteration Agreement and obtain a Final SAA from CDFW for the third point of diversion and/or revise the current SAA accordingly, as applicable, for the additional point of diversion utilized and for the point of diversion currently noted to only be utilized for domestic use only (POD 3; Notification No. 1600-2017-0156-R1) and adhere to all terms and conditions.

17. The applicant shall implement any corrective actions included in the Water Resource Protection Plan (WRPP; WDID 1B171719CHUM), prepared by Timberland Resource Consultants in September 2017 and revised in July 2018. The applicant shall submit evidence (e.g., a letter from a qualified professional and photographs) that the corrective actions were completed as described by the WRPP. Alternatively, the applicant may request a site inspection from the Planning and Building Department to review the corrective actions.
18. The applicant to submit copies of all documents filed with the State Water Resources Control Board, including, but not limited to, a Site Management Plan. The applicant is required to adhere to and implement the requirements contained in the SWRCB's Cannabis Cultivation Policy, the General Order, the Site Management Plan, and the Notice of Applicability. A copy of the reporting form portion of the Mitigation and Reporting Program (MRP) shall be submitted annually to the Planning and Building Department concurrent with the submittal to the SWRCB.
19. The applicant must demonstrate that a properly functioning onsite wastewater treatment system serves the operation or shall secure permits and install an onsite wastewater treatment system and restroom facilities prior to processing onsite. The applicant may secure permits and install a new on-site sewage disposal system, or provide the Department of Environmental Health (DEH) with an assessment of the existing system performed by a qualified professional engineer, geologist, soil scientist, or registered environmental health specialist (REHS) that certifies the existing system complies with the SWRCB definition of a Tier 0 system – not impairing groundwater or surface water resources. Board (SWRCB) definition of a Tier 0 system (not impairing groundwater or surface water resources). Portable toilet and handwashing facilities may be utilized during the construction of these improvements for cultivation staff only. The applicant shall furnish receipts or other documentation to the DEH for the continual use of portable toilets for employees until a permanent septic system is installed to their satisfaction. A letter or similar communication from DEH verifying that all their requirements have been met will satisfy this condition.
20. All driveways and private road intersections onto the County road shall be maintained in accordance with County Code Section 41-1 (Sight Visibility Ordinance). This condition shall be completed to the satisfaction of the Department of Public Works prior to commencing operations, final sign-off for a building permit, or Public Works approval for a business license. A letter or similar communication from the Department of Public Works will satisfy this condition.
21. The applicant shall improve the intersection of the private access road with the County maintained road to commercial driveway standards. Specifically, the applicant shall pave the access road (Dutyville Road) for a minimum width of 20 feet and a length of feet (or break in slope) where it intersects the County road (Ettersburg-Honeydew Road). The applicant shall obtain an encroachment permit from the Department of Public Works prior to commencing any work. This condition shall be completed to the satisfaction of the Department of Public Works prior to commencing operations, final sign-off for a building permit, or Public Works approval for a business license. A letter or similar communication from the Department of Public Works will satisfy this condition.

22. Within 90 days of the effective date, the applicant shall join the “Dutyville Friends of the Road” Road Maintenance Association, provide evidence of enrollment, and pay fair share costs associated with maintaining Dutyville Road. The applicant shall provide evidence, such as meeting minutes or receipts. In the event the applicant is unable to join the “Dutyville Friends of the Road” Road Maintenance Association, the applicant shall pay fair-share cost for maintenance of the road to any road user engaged in maintaining the road. A sign-off from the Planning Department will satisfy this condition.
23. The applicant shall construct noise containment structures for all generators used on the parcel. The applicant shall obtain all required building permits for such structures. The applicant shall maintain generator, fan, and dehumidifier noise at or below 50 decibels at the edge of the clearing or 100 feet, whichever distance is closer. This will satisfy the auditory disturbance guidance prepared by the U.S. Fish and Wildlife (USFS), California Fish and Wildlife (CDFW) and Department Policy Statement No. 16-005 to minimize impacts to the Northern Spotted Owl and Marbled murrelet. All generators must be located on stable surfaces with a minimum 200-foot buffer from Class I and Class II streams, per the requirements of CDFW. No generator use is authorized by this permit until the applicant can demonstrate compliance with this standard. In addition, fire-resistant materials shall be utilized for construction of the generator containment structures.
24. For the life of the project, all artificial lighting including security and propagation area lighting shall comply with International Dark Sky Association standards for Lighting Zone 0 and Lighting Zone 1 and be designed to regulate light spillage onto neighboring properties resulting from backlight, up light, or glare (BUG). International Dark Sky Association standards exceed the requirements of Scenic Resources Standard SR-S4, Light and Glare, that lighting be fully shielded, and designed and installed to minimize off-site lighting and direct light within the property boundaries. No use of artificial lighting is authorized by this permit until the applicant can demonstrate compliance with this standard.
25. Applicant shall secure permits from the North Coast Unified Air Quality Management District, as applicable. A letter or similar communication from the North Coast Air Quality Management District verifying that all their requirements have been met and/or no additional permitting is required will satisfy this condition.
26. The applicant shall not use any erosion control measures that contain synthetic (e.g. plastic or nylon) monofilament netting, including photo- or biodegradable plastic netting, on a regular and on-going basis. Geotextiles, fiber rolls, and other erosion control measures shall be made of loose-weave mesh, such as jute, hemp, coconut (coir) fiber, or other products without weaves.
27. All refuse shall be contained in wildlife proof containers, at all times, and relocated to an authorized waste management facility, in compliance with State and local laws, on a regular and on-going basis.

28. The applicant shall install and utilize a water meter to demonstrate that there is sufficient water supply to meet the demands of the project. The water used for cultivation is limited to the use of the water diversions, rainwater catchment system (once installed), groundwater well (only after the well is assessed and determined not to be hydrologically connected to surface waters; see Condition of Approval A.9), and amount of water available in storage tanks and shall be provided annually prior to or during the annual inspection. Each source of irrigation water shall be separately metered.
29. The applicant shall cause to be recorded an "ACKNOWLEDGMENT OF NO AVAILABLE EMERGENCY RESPONSE AND FIRE SUPPRESSION SERVICES" for the parcel(s) on a form provided by the Humboldt County Planning Division. Document review fees as set forth in the schedule of fees and charges as adopted by ordinance of the Humboldt County Board of Supervisors will be required.
30. The applicant shall be compliant with the County of Humboldt's Certified Unified Program Agency (CUPA) requirements regarding hazardous materials. A written verification of compliance shall be required before any provisional permits may be finalized. Ongoing proof of compliance with this condition shall be required at each annual inspection in order to keep the permit valid.
31. The applicant shall execute and file with the Planning Division the statement titled, "Notice and Acknowledgment regarding Agricultural Activities in Humboldt County," ("Right to Farm" ordinance) as required by the HCC and available at the Planning Division.

B. Ongoing Requirements/Development Restrictions Which Must be Satisfied for the Life of the Project:

1. The combination of background, generator and greenhouse fan or other operational equipment created noise must not result in the harassment of Northern Spotted Owl species as required to meet the performance standards for noise set by Department Policy Statement No. 16-005 clarifying CMMLUO Section 55.4.11 (o) requirements. The combined noise levels measured at 100 feet or the edge of habitat, whichever is closer, shall be at or below 50 decibels. Conformance will be evaluated using current auditory disturbance guidance prepared by the United State Fish and Wildlife Service, and further consultation where necessary. A building permit shall be obtained should any structures be necessary for noise attenuation.
2. Artificial lighting is limited to the ancillary nursery space only. All artificial lighting shall be fully contained within structures such that no light escapes (e.g., through blackout curtains). Structures shall be enclosed between 30 minutes prior to sunset and 30 minutes after sunrise to prevent disruption to crepuscular wildlife. Security lighting shall be motion activated and comply with the International Dark-Sky Association standards and Fixture Seal of Approval Program; see: <https://www.darksky.org/our-work/lighting/lighting-for-citizens/lighting-basics/>. Standards include but are not limited to the following, 1) light shall be shielded and downward facing, 2) shall consist of Low Pressure Sodium (LPS) light or low spectrum Light Emitting Diodes (LED) with a color temperature of 3000 kelvins or less and 3) only placed where needed.

3. Should the Humboldt County Planning Division receive complaints that the lighting or noise is not complying with the standards listed above in items B.1. and B.2., within ten (10) working days of receiving written notification that a complaint has been filed, the applicant shall submit written verification that the lights' shielding and alignment, and noise levels have been repaired, inspected, and corrected as necessary.
4. Prohibition on use of synthetic netting. To minimize the risk of wildlife entrapment, Permittee shall not use any erosion control and/or cultivation materials that contain synthetic (e.g., plastic or nylon) netting, including photo- or biodegradable plastic netting. Geotextiles, fiber rolls, and other erosion control measures shall be made of loose-weave mesh, such as jute, hemp, coconut (coir) fiber, or other products without welded weaves.
5. All refuse shall be contained in wildlife proof storage containers, at all times, and disposed of at an authorized waste management facility.
6. Should any wildlife be encountered during work activities, the wildlife shall not be disturbed and be allowed to leave the work site unharmed.
7. The use of anticoagulant rodenticide is prohibited.
8. The operator shall provide information to all employees about the potential health impacts of cannabis use on children. Information shall be provided by posting the brochures from the Department of Health and Human Services titled "Cannabis Palm Card" and "Cannabis Rack Card." This information shall also be provided to all employees as part of the employee orientation.
9. All components of project shall be developed, operated, and maintained in conformance with the Project Description, the approved Site Plan, the Plan of Operations, and these conditions of approval. Changes shall require modification of this permit except where consistent with Humboldt County Code Section 312-11.1, Minor Deviations to Approved Plot Plan. If offsite processing is chosen to be the preferred method of processing, this permit shall be modified to identify the offsite licensed facility.
10. Cannabis cultivation and other commercial cannabis activity shall be conducted in compliance with all laws and regulations as set forth in the CMMLUO and MAUCRSA, as applicable to the permit type.
11. If operating pursuant to a written approved compliance agreement, permittee shall abate or cure violations at the earliest feasible date, but in no event no more than two (2) years from the date of issuance of a provisional clearance or permit. Permittee shall provide plans for curing such violations to the Planning and Building Department within one (1) year of issuance of the provisional clearance or permit. If good faith effort toward compliance can be shown within the two years following the issuance of the provisional clearance or permit, the Department may, at the discretion of the Director, provide for extensions of the provisional permit to allow additional time to meet the outstanding requirements.

12. Possession of a current, valid required license, or licenses, issued by any agency of the State of California in accordance with the MAUCRSA, and regulations promulgated thereunder, as soon as such licenses become available.
13. Compliance with all statutes, regulations, and requirements of the California State Water Resources Control Board and the Division of Water Rights, at a minimum to include a statement of diversion of surface water from a stream, river, underground stream, or other watercourse required by Water Code Section 5101, or other applicable permit, license, or registration, as applicable.
14. Confinement of the area of cannabis cultivation, processing, manufacture, or distribution to the locations depicted on the approved site plan. The commercial cannabis activity shall be set back at least 30 feet from any property line, and 600 feet from any school, school bus stop, church or other place of religious worship, or tribal cultural resources, except where a reduction to this setback has been approved pursuant to Section 55.4.11(d).
15. Maintain enrollment in Tier 1, 2, or 3, certification with North Coast Regional Water Quality Control Board (RWQCB) Order No. R1-2015-0023, if applicable, or any substantially equivalent rule that may be subsequently adopted by the County of Humboldt or other responsible agency.
16. Comply with the terms of the Final Lake and Streambed Alteration Agreement (1600-2017-0156-R1), as well as any subsequent amendments, obtained from the California Department of Fish and Wildlife (CDFW).
17. Comply with the terms of a less-than-3-acre conversion exemption or timberland conversion permit, approved by the California Department of Forestry and Fire Protection (Cal Fire), if applicable.
18. Consent to an annual on-site compliance inspection, with at least 24 hours prior notice, to be conducted by appropriate County officials during regular business hours (Monday through Friday, 9:00 a.m. to 5:00 p.m., excluding holidays).
19. Refrain from the improper storage or use of any fuels, fertilizer, pesticide, fungicide, rodenticide, or herbicide.
20. Pay all applicable application, review for conformance with conditions and annual inspection fees.
21. Fuel shall be stored and handled in compliance with applicable state and local laws and regulations, including the County of Humboldt's Certified Unified Program Agency (CUPA) program, and in such a way that no spillage occurs.
22. The master log books maintained by the applicant to track production and sales shall be maintained for inspection by the County.

23. Pay all applicable taxes as required by the Humboldt County Commercial Marijuana Cultivation Tax Ordinance (Humboldt County Code Section 719-1 et seq.).

Performance Standards for Cultivation and Processing Operations

24. Pursuant to the MAUCRSA, Health and Safety Code Section 19322(a)(9), an applicant seeking a cultivation license shall “provide a statement declaring the applicant is an ‘agricultural employer,’ as defined in the Alatorre-Zenovich-Dunlap-Berman Agricultural Labor Relations Act of 1975 (Part 3.5 commencing with Section 1140) of Division 2 of the Labor Code), to the extent not prohibited by law.”
25. Cultivators shall comply with all applicable federal, state, and local laws and regulations governing California Agricultural Employers, which may include federal and state wage and hour laws, Cal/OSHA, OSHA, the California Agricultural Labor Relations Act, and the Humboldt County Code (including the Building Code).
26. Cultivators engaged in processing shall comply with the following Processing Practices:
 - a. Processing operations must be maintained in a clean and sanitary condition including all work surfaces and equipment.
 - b. Processing operations must implement protocols which prevent processing contamination and mold and mildew growth on cannabis.
 - c. Employees handling cannabis in processing operations must have access to facemasks and gloves in good operable condition as applicable to their job function.
 - d. Employees must wash hands sufficiently when handling cannabis or use gloves.
27. All persons hiring employees to engage in commercial cannabis cultivation and processing shall comply with the following Employee Safety Practices:
 - a. Cultivation operations and processing operations must implement safety protocols and provide all employees with adequate safety training relevant to their specific job functions, which may include:
 - (1) Emergency action response planning as necessary;
 - (2) Employee accident reporting and investigation policies;
 - (3) Fire prevention;
 - (4) Hazard communication policies, including maintenance of material safety data sheets (MSDS);
 - (5) Materials handling policies;
 - (6) Job hazard analyses; and
 - (7) Personal protective equipment policies, including respiratory protection.
 - b. Cultivation operations and processing operations must visibly post and maintain an emergency contact list which includes at a minimum:
 - (1) Operation manager contacts;
 - (2) Emergency responder contacts; and
 - (3) Poison control contacts.
 - c. At all times, employees shall have access to safe drinking water and toilets and handwashing facilities that comply with applicable federal, state, and local laws and

regulations. Plumbing facilities and water source must be capable of handling increased usage without adverse consequences to neighboring properties or the environment.

- d. On site-housing provided to employees shall comply with all applicable federal, state, and local laws and regulations.

28. All cultivators shall comply with the approved processing plan as to the following:

- a. Processing practices
- b. Location where processing will occur
- c. Number of employees, if any
- d. Employee Safety Practices
- e. Toilet and handwashing facilities
- f. Plumbing and/or septic system and whether or not the system is capable of handling increased usage
- g. Drinking water for employees
- h. Plan to minimize impact from increased road use resulting from processing
- i. On-site housing, if any

29. Term of Commercial Cannabis Activity Special Permit. Any Commercial Cannabis Cultivation SP issued pursuant to the CMMLUO shall expire one (1) year after date of issuance, and on the anniversary date of such issuance each year thereafter, unless an annual compliance inspection has been conducted and the permittees and the permitted site have been found to comply with all conditions of approval.

30. If the inspector or other County official determines that the permittees or site do not comply with the conditions of approval, the inspector shall serve the permit holder with a written statement identifying the items not in compliance, and the action that the permit holder may take to cure the noncompliance, or file an appeal within ten (10) days of the date that the written statement is delivered to the permit holder. Personal delivery or mailing the written statement to the mailing address listed on the application by regular mail, plus three (3) days after date of mailing, shall constitute delivery. The permit holder may request a reinspection to determine whether or not the permit holder has cured all issues of noncompliance. Failure to request reinspection or to cure any items of noncompliance shall terminate the Special Permit, immediately upon the expiration of any appeal period, or final determination of the appeal if an appeal has been timely filed pursuant to Section 55.4.13.

31. Permit Renewals to Comply with Updated Laws and Regulations. Permit renewal is subject to the laws and regulations effective at the time of renewal, which may be substantially different than the regulations currently in place and may require the submittal of additional information to ensure that new standards are met.

32. Acknowledgements to Remain in Full Force and Effect. Permittee acknowledges that the County reserves the right to reduce the size of the area allowed for cultivation under any clearance or permit issued in accordance with this section in the event that environmental conditions, such as a sustained drought or low flows in the watershed in which the cultivation area is located, will not support diversions for irrigation.

33. Transfers. Transfer of any leases or permits approved by this project is subject to the review and approval of the Planning Director for conformance with CMMLUO eligibility requirements and agreement to permit terms and acknowledgments. The fee for required permit transfer review shall accompany the request. The request shall include the following information:
- a. Identifying information for the new owner(s) and management as required in an initial permit application;
 - b. A written acknowledgment by the new owner in accordance as required for the initial permit application;
 - c. The specific date on which the transfer is to occur;
 - d. Acknowledgement of full responsibility for complying with the existing permit; and
 - e. Execution of an Affidavit of Non-diversion of Medical Cannabis.
34. Inspections. The permit holder and subject property owner are to permit the County or representative(s) or designee(s) to make inspections at any reasonable time deemed necessary to assure that the activities being performed under the authority of this permit are in accordance with the terms and conditions prescribed herein.

Informational Notes:

1. Pursuant to Section 314-55.4.11(a) of the CMMLUO, if upon inspection for the initial application, violations of any building or other health, safety, or other state or county statute, ordinance, or regulation are discovered, the Planning and Building Department may issue a provisional clearance or permit with a written approved Compliance Agreement. By signing the agreement, the permittee agrees to abate or cure the violations at the earliest opportunity but in no event more than two (2) years after the date of issuance of the provisional clearance or permit. Plans for curing the violations shall be submitted to the Planning and Building Department by the permittee within one (1) year of the issuance of the provisional certificate or permit. The terms of the compliance agreement may be appealed pursuant to Section 314-55.4.13 of the CMMLUO.
2. This provisional permit approval shall expire and become null and void at the expiration of one (1) year after all appeal periods have lapsed (see "Effective Date"), except where the Compliance Agreement has been executed and the corrective actions pursuant to the agreement are being undertaken. Once building permits have been secured and/or the use initiated pursuant to the terms of the agreement, the use is subject to the Permit Duration and Renewal provisions set forth in Conditions of Approval #29 and 31 of the Ongoing Requirements/Development Restrictions, above.
3. If cultural resources are encountered during construction activities, the contractor on-site shall cease all work in the immediate area and within a 50-foot buffer of the discovery location. A qualified archaeologist and the appropriate Tribal Historic Preservation Officer(s) are to be contacted to evaluate the discovery and, in consultation with the applicant and the lead agency, develop a treatment plan in any instance where significant impacts cannot be avoided.

Prehistoric materials may include obsidian or chert flakes, tools, locally darkened midden soils, groundstone artifacts, shellfish or faunal remains, and human burials. If human remains are found, California Health and Safety Code 7050.5 requires that the County Coroner be contacted immediately at 707-445-7242. If the Coroner determines the remains to be Native American, the Native American Heritage Commission will then be contacted by the Coroner to determine appropriate treatment of the remains pursuant to Public Resources Code (PRC) Section 5097.98. Violators shall be prosecuted in accordance with PRC Section 5097.99.