


## REFERRAL AGENCY COMMENTS AND RECOMMENDATIONS

The project was referred to the following referral agencies for review and comment. Those agencies that provided written comments are checked off.

<b>Referral Agency</b>	<b>Response</b>	<b>Recommendation</b>	<b>Location</b>
Building Inspection Division	✓	Conditional approval	Attached
Division Environmental Health	✓	Conditional approval	Attached
Public Works, Land Use Division	✓	Conditional approval	Attached
CALFIRE	✓	No comments	On file
California Department of Fish & Wildlife	✓	More info requested, conditions to be added, and denial	Attached
Northwest Information Center	✓	Conditional approval	On file
Bear River Band	✓	Conditional approval	On file
Intertribal Sinkyone Wilderness Council			
NCUAQMD			
Regional Water Quality Control Board			
District Attorney			
Ag Commissioner			
Sheriff			
Division of Water Rights			
Southern Humboldt Unified School District			



**HUMBOLDT COUNTY  
PLANNING AND BUILDING DEPARTMENT  
CURRENT PLANNING DIVISION  
3015 H STREET, EUREKA, CA 95501 ~ PHONE (707) 445-7541**

**5/31/2018**

**PROJECT REFERRAL TO: Building Inspection Division**

**Project Referred To The Following Agencies:**

Building Inspection Division, Public Works Land Use Division, Health and Human Services Environmental Health Division, County Counsel, CalFire, California Department of Fish And Wildlife, Northwest Information Center, Bear River Band Rohnerville Rancheria, Regional Water Quality Control Board, North Coast Unified Air Quality Management District, Humboldt County District Attorney, Humboldt County Agriculture Commissioner, Intertribal Sinkiyone Wilderness Council, Sheriff, WRCB - Division of Water Rights, Southern Humboldt Unified School District

222-071-030

**Applicant Name** Justin Baldwin **Key Parcel Number** 222-071-030-000

**Application (APPS#)** 12244 **Assigned Planner** Cannabis Planner (CPOD) (707) 445-7541 **Case Number(s)** CUP16-580  
SP16-458

Please review the above project and provide comments with any recommended conditions of approval. To help us log your response accurately, please include a copy of this form with your correspondence.

Questions concerning this project may be directed to the assigned planner for this project between 8:30am and 5:30pm Monday through Friday.

County Zoning Ordinance allows up to 15 calendar days for a response. If no response or extension request is received by the response date, processing will proceed as proposed.

If this box is checked, please return large format maps with your response.

**Return Response No Later Than 6/15/2018** Planning Commission Clerk  
County of Humboldt Planning and Building Department  
3015 H Street  
Eureka, CA 95501  
**E-mail:** PlanningClerk@co.humboldt.ca.us **Fax:** (707) 268-3792

**We have reviewed the above application and recommend the following (please check one):**

- Recommend Approval. The Department has no comment at this time.
- Recommend Conditional Approval. Suggested Conditions Attached.
- Applicant needs to submit additional information. List of items attached.
- Recommend Denial. Attach reasons for recommended denial.
- Other Comments: \_\_\_\_\_

DATE: 7/13/18

PRINT NAME: Rudy Marenghi



COUNTY OF HUMBOLDT  
PLANNING AND BUILDING DEPARTMENT  
BUILDING DIVISION

3015 H STREET EUREKA CA 95501  
PHONE: (707) 445-7245 FAX: (707) 445-7446

## Building Division's Referral Comments for Cannabis Operations:

Application No.: 46903/12244  
Parcel No.: 222-071-030  
Case No.: CUP16-580/SP16-458

The following comments apply to the proposed project, (check all that apply).

- Site/plot plan appears to be accurate.
- Submit revised site/plot plan showing all of the following items: all grading including ponds and roads, location of any water course including springs, all structure including size and use and all setbacks from the above stated to each other and property lines.
- Existing operation appears to have expanded, see comments: \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
- Existing structures used in the cannabis operation shall not to be used/occupied until all required permits have been obtained.
- Proposed new operation has already started.
- Recommend approval based on the condition that all required grading, building, plumbing electrical and mechanical permits and or Agricultural Exemption are obtained.
- Other Comments: Revise plot plan to show nursery as just propagation, one of the proposed propagation GH's as existing, the propane tanks, the shipping containers directly west of pond with dimensions, proposed solar panels, fuel tank, any grading over 50 cubic yards, and any grading on slopes of 15% or more.

Name: Rudy Marenghi

Date: 7/13/18

Note: Remember to take photographs and then save them to the Planning's case number. File location J, Current Planning, Projects,(CUP, SP, ZCC) Case number.



HUMBOLDT COUNTY  
PLANNING AND BUILDING DEPARTMENT  
CURRENT PLANNING DIVISION  
3015 H STREET, EUREKA, CA 95501 ~ PHONE (707) 445-7541

PROJECT REFERRAL TO: Health and Human Services Environmental  
Health Division

Project Referred To The Following Agencies:

Building Inspection Division, Public Works Land Use Division, Health and Human Services Environmental Health Division, County Counsel, CalFire, California Department of Fish And Wildlife, Northwest Information Center, Bear River Band Rohnerville Rancheria, Regional Water Quality Control Board, North Coast Unified Air Quality Management District, Humboldt County District Attorney, Humboldt County Agriculture Commissioner, Intertribal Sinkyone Wilderness Council, Sheriff, WRCB - Division of Water Rights, Southern Humboldt Unified School District

---

Applicant Name Justin Baldwin Key Parcel Number 222-071-030-000

Application (APPS#) 12244 Assigned Planner Rodney Yandell (707) 268-3732 Case Number(s) CUP16-580  
SP16-458

---

Please review the above project and provide comments with any recommended conditions of approval. [To help us log your response accurately, please include a copy of this form with your correspondence.](#)

Questions concerning this project may be directed to the assigned planner for this project between 8:30am and 5:30pm Monday through Friday.

County Zoning Ordinance allows up to 15 calendar days for a response. If no response or extension request is received by the response date, processing will proceed as proposed.

If this box is checked, please return large format maps with your response.

Return Response No Later Than Planning Commission Clerk  
County of Humboldt Planning and Building Department  
3015 H Street  
Eureka, CA 95501  
E-mail: [PlanningClerk@co.humboldt.ca.us](mailto:PlanningClerk@co.humboldt.ca.us) Fax: (707) 268-3792

---

We have reviewed the above application and recommend the following:

Conditional Approval

Comments:

Applicant must obtain permits for the composting toilet and gray water systems, or replace the composting toilet with an approved onsite wastewater treatment system.

Response Date: 11/29/2018 Recommendation By: Benjamin Dolf



DEPARTMENT OF PUBLIC WORKS  
**C O U N T Y O F H U M B O L D T**

MAILING ADDRESS: 1106 SECOND STREET, EUREKA, CA 95501-0579  
AREA CODE 707

ARCATA-EUREKA AIRPORT TERMINAL  
McKINLEYVILLE  
FAX 839-3596

PUBLIC WORKS BUILDING  
SECOND & L ST., EUREKA  
FAX 445-7409

CLARK COMPLEX  
HARRIS & H ST., EUREKA  
FAX 445-7388

AVIATION 839-5401

ADMINISTRATION 445-7491  
BUSINESS 445-7652  
ENGINEERING 445-7377  
FACILITY MAINTENANCE 445-7493

NATURAL RESOURCES 445-7741  
NATURAL RESOURCES PLANNING 267-9540  
PARKS 445-7651  
ROADS & EQUIPMENT MAINTENANCE 445-7421

LAND USE 445-7205

**LAND USE DIVISION INTEROFFICE MEMORANDUM**

TO: Michelle Nielsen, Senior Planner, Planning & Building Department

FROM: Kenneth M. Freed, Assistant Engineer

DATE: 09-21-2018

RE:

Applicant Name	JUSTIN BALDWIN
APN	222-071-030
APPS#	12244
CASE#	CUP16-580 / SP16-458

The Department has reviewed the above project and has the following comments:

- The Department's recommended conditions of approval are attached as **Exhibit "A"**.
- Additional information identified on **Exhibit "B"** is required before the Department can review the project. **Please re-refer the project to the Department when all of the requested information has been provided.**
- Additional review is required by Planning & Building staff for the items on **Exhibit "C"**. **No re-refer is required.**
- Road Evaluation Reports(s)* are required; See **Exhibit "D"**. **No re-refer is required.**

\*Note: Exhibits are attached as necessary.

Additional comments/notes:

---



---



---



---



---



---



---

// END //

# Exhibit "A"

## Public Works Recommended Conditions of Approval

(All checked boxes apply)

APPS # 12244

**COUNTY ROADS- FENCES & ENCROACHMENTS:**

All fences and gates shall be relocated out of the County right of way. All gates shall be setback sufficiently from the County road so that vehicles will not block traffic when staging to open/close the gate. In addition, no materials shall be stored or placed in the County right of way.

This condition shall be completed to the satisfaction of the Department of Public Works prior to commencing operations, final sign-off for a building permit, or Public Works approval for a business license.

**COUNTY ROADS- DRIVEWAY (PART 1):**

The submitted site plan is unclear and/or shows improvements that are inconsistent with County Code and/or Department of Public Works policies. The applicant is advised that these discrepancies will be addressed at the time that the applicant applies to the Department of Public Works for an Encroachment Permit. If the applicant wishes to resolve these issues prior to approval of the Planning & Building permit for this project, the applicant should contact the Department to discuss how to modify the site plan for conformance with County Code and or Department of Public Works policies. Notes:

**COUNTY ROADS- DRIVEWAY (PART 2):**

Any existing or proposed driveways that will serve as access for the proposed project that connect to a county maintained road shall be improved to current standards for a commercial driveway. An encroachment permit shall be issued by the Department of Public Works prior to commencement of any work in the County maintained right of way. This also includes installing or replacing driveway culverts; minimum size is typically 18 inches.

- If the County road has a paved surface at the location of the driveway, the driveway apron shall be paved for a minimum width of 18 feet and a length of 50 feet.
- If the County road has a gravel surface at the location of the driveway, the driveway apron shall be rocked for a minimum width of 18 feet and a length of 50 feet.
- If the County road is an urban road, frontage improvements (curb, gutter, and sidewalk) shall also be constructed to the satisfaction of the Department. Any existing curb, gutter or sidewalk that is damaged shall be replaced.

The exact location and quantity of driveways shall be approved by the Department at the time the applicant applies to the Department of Public Works for an Encroachment Permit.

This condition shall be completed to the satisfaction of the Department of Public Works prior to commencing operations, final sign-off for a building permit, or Public Works approval for a business license.

**COUNTY ROADS- DRIVEWAY (PART 3):**

The existing driveway will require substantial modification in order to comply with County Code. The applicant may wish to consider relocating the driveway apron if a more suitable location is available.

**COUNTY ROADS-PARKING LOT- STORM WATER RUNOFF:**

Surfaced parking lots shall have an oil-water filtration system prior to discharge into any County maintained facility.

This condition shall be completed to the satisfaction of the Department of Public Works prior to commencing operations, final sign-off for a building permit, or Public Works approval for a business license.

**COUNTY ROADS- DRIVEWAY & PRIVATE ROAD INTERSECTION VISIBILITY:**

All driveways and private road intersections onto the County Road shall be maintained in accordance with County Code Section 341-1 (Sight Visibility Ordinance).

This condition shall be completed to the satisfaction of the Department of Public Works prior to commencing operations, final sign-off for a building permit, or Public Works approval for a business license.

**COUNTY ROADS- PRIVATE ROAD INTERSECTION:**

Any existing or proposed non-county maintained access roads that will serve as access for the proposed project that connect to a county maintained road shall be improved to current standards for a commercial driveway. An encroachment permit shall be issued by the Department of Public Works prior to commencement of any work in the County maintained right of way.

- If the County road has a paved surface at the location of the access road, the access road shall be paved for a minimum width of 20 feet and a length of 50 feet where it intersects the County road.
- If the County road has a gravel surface at the location of the access road, the access road shall be rocked for a minimum width of 20 feet and a length of 50 feet where it intersects the County road.

This condition shall be completed to the satisfaction of the Department of Public Works prior to commencing operations, final sign-off for a building permit, or Public Works approval for a business license.

**COUNTY ROADS- ROAD EVALUATION REPORT(S):**

All recommendations in the *Road Evaluation Report(s)* for County maintained road(s) shall be constructed/implemented to the satisfaction of the Public Works Department prior to commencing operations, final sign-off for a building permit, or approval for a business license. An encroachment permit shall be issued by the Department of Public Works prior to commencement of any work in the County maintained right of way.

// END //



## Exhibit "D"


### Road Evaluation Reports

1. **ROADS – Road Evaluation Reports.** **Planning and Building Department staff shall request that the applicant provide *Road Evaluation Reports* for the project.** The particular roads that require a *Road Evaluation Report* is to be determined by following the guidance shown below.

The Department has developed a *Road Evaluation Report* form so that an applicant can address the adequacy of the various roads used by their project. Most projects will require that a *Road Evaluation Report* form be completed.

When viewing the project site on google earth, if the County maintained road (or other publicly maintained road) has a centerline stripe, the road is adequate. If there is no centerline stripe, then the roads leading from the nearest publicly maintained road with a paved centerline stripe (or a known category 4 road) must be evaluated. A separate *Road Evaluation Report* form is needed for each road. This applies to all roads regardless if they are publicly or privately maintained. The Department has prepared a "approved list" of known County maintained roads that are category 4 (or are equivalent to category 4) standards for cannabis projects. The Department has also prepared a list of roads that are known to not meet road category 4 of equivalent. Both of these lists will be updated as the County information regarding the County maintained roads becomes available.

The *Road Evaluation Report* form needs to be provided to applicants to complete. It is important that Planning and Building Department staff provide the applicant with a map that has the roads to be evaluated highlighted. This will most likely include a combination of County maintained roads and non-County maintained roads. This will give the applicant clear direction on which roads need to be evaluated.



Above: screenshot from the WebGIS showing County Road Number circled in **RED**.

A County maintained road will have a 5 or 6 character identifier. The general format is **ABCDDD** where:

- A** is an optional identifier for the functionality of the road (A=Arterial, C=Collector, F=Federal Aid)
- B** is a grid identifier number for the X-axis of a "battleship" style grid that was drawn on a county map to divide the county into a series of squares.
- C** is a grid identifier letter for the Y-axis for the grid.
- DDD** is a three digit road identification number within a particular grid. Each grid can have up to 999 roads in them

Examples:

**ABCDDD**

**A 3 M 0 2 0** Murray Road

**F 6 B 1 6 5** Alderpoint Road

**6 C 0 4 0** Thomas Road

## Exhibit "D"

### Road Evaluation Reports

The Department is working towards identifying which County maintained roads meet (or are equivalent to) Road Category 4 standards for cannabis projects. Two lists are being prepared: the first list with the green heading shows which roads (or portions thereof) meet or are equivalent to Road Category 4 standard (AKA "Approved List"); and the second list with the red heading shows which roads (or portions thereof) that do not meet or are not equivalent to Road Category 4 standards. These lists will be updated as information becomes available. **This list will be updated frequently. Make sure you are using the most up to date list.**

On occasion there may be more than one road that has the same name; in these instances check the road number to ensure that you are referencing the correct road. Until such time as the GIS roads layer has been proofed by the Department, the GIS is not to be used for this task. Use the paper road maps to check road numbers.

If the subject property takes direct access from a road on the "approved list", no further road evaluation needs to be done.

**Note: As stated above, County maintained roads with a painted centerline strip are roads considered meeting or exceeding Road Category 4 standards, and are not necessarily listed below.**

<b>"APPROVED LIST"</b>		
<b>List of County Maintained Roads that meet (or are equivalent to) Road Category 4 standards for Cannabis Projects</b>		
<b>Road Name</b>	<b>Road Number</b>	<b>Range meeting (or equivalent to) Road Category 4 standard</b>
Alderpoint Road	F6B165	All
Bair Road	C6L300	All
Bair Road	6L300	All
Bald Hills Road	F4R300	All
Benbow Drive	6B180	Oakcrest Drive to State Hwy 101
Blue Slide Road	F2G100	All [Grizzley Bluff Rd to City limits of Rio Dell]
Brannon Mountain Road	7M100	State Hwy 96 to Creekside Lane
Briceland Thorne Road	F5A010	All
Burrell Road	3D030	From Mattole Rod to P.M. 067
Cathey Road	6D050	State Park to P.M. 0.87 [End of County maintained]
Chemise Mountain Road	C4A030	Shelter Cove Road to P.M. 3.0
Dean Creek Road	6B198	State Hwy 101 to P.M. 0.48 [End of County maintained]
Eel Rock Road	7D010	All
Eighth Avenue	4N080	All
Ettersburg- Honeydew Road	F5A010	All
Fickle Hill Road	C5J040	PM 1.55 [end of centerline stripe] to P.M. 8.00
Fieldbrook Road	C4L760	All
Freshwater Road	F6F060	All
Friday Ridge Road	8L100	State Hwy 299 to PM 3.37[End of County maintained] then becomes USFS Road
Greenwood Heights Drive	C4K160	All
Grizzley Bluff Road	F2G100	All [City limits of Ferndale to Blue Slide Rd]
Jacoby Creek Road	C4K230	Old Arcata Road to P.M. 2.50
Jacoby Creek Road	4K230	From P.M. 2.5 to P.M. 2.69
Johnson Road	4G060	State Hwy 36 to P.M. 1.69 [End County maintained]
Kneeland Road	F6F060	Freshwater Road to Mountain View Road
Lighthouse Road	1D010	Mattole Road to State Park boundary
Maple Creek Road	5L100	All
Mattole Road	F3D010	All
Mattole Road	F3C010	All
McCann Road	6D090	Dyerville Loop Road to P.M. 1.0
McCellan Mtn Road	7F010	State Hwy 36 to P.M. 3.57[End of County maintained]
Mountain View Road	6H010	All
Murray Road	C3M020	All
Old Three Creeks Road	6L250	State Hwy 299 to P.M. 2.8 [End of County maintained]
Panther Gap Road	4D010	Mattole Road to P.M. 1.83[End of County maintained] continues as a non- County maintained road
Patterson Road	C3M130	All
Salmon Creek Road	6C030	Hwy 101 to P.M. 5.39 [Gate]
Shelter Cove Road	C4A010	All



**Exhibit "D"**

**Road Evaluation Reports**

<b>"APPROVED LIST"</b>		
<b>List of County Maintained Roads that meet (or are equivalent to) Road Category 4 standards for Cannabis Projects</b>		
<b>Road Name</b>	<b>Road Number</b>	<b>Range meeting (or equivalent to) Road Category 4 standard</b>
Sprowel Creek Road	C6B095	PM 0.0 to PM 2.11
Sprowel Creek Road	6B095	PM 2.11 to PM 4.00
Thomas Road	6C040	Salmon Creek Road to P.M. 4.03 [End of County maintained] continues as a non- County maintained rd
Titlow Hill Road	7K100	Hwy 299 to PM 4.7[End of County maintained] then becomes USFS Road
West End Road	5L010	PM 0.0 at Arcata City Limits to Warren Creek Road
Wilder Ridge Road	C5B010	All

<b>List of County Maintained Roads that do not meet (or are not equivalent to) Road Category 4 standards for Cannabis Projects</b>		
<b>Road Name</b>	<b>Road Number</b>	<b>Range not meeting (or not equivalent to) Road Category 4 standard</b>
Bark Shanty Road	9R105	All
Benbow Drive	6B180	Oakcrest Dr to end of County maintained
Brannon Mountain Road	7M100	Creekside Lane to PM 5.0 [End of County maintained] then becomes USFS Road
Burrell Road	3D030	P.M. 067 to P.M. 2.22 [End of County maintained]
Butte Creek Road	6H020	All
Chemise Mountain Road	C4A030	P.M. 3.0 to P.M. 4.09 [Mendocino County Line]
Essex Lane	C4L780	P.M. 0.2 to P.M. 0.9 [End of County maintained]
Fickle Hill Road	C5J040	P.M. 8.0 to P.M. 11.72
Kings Peak Road	C4A020	P.M. 1.0 to P.M 12.20
McCann Road	6D090	P.M.1.0 to P.M.2.6 [End of County maintained]
Mill Street	3G305	Country Club Estates to P.M. 0.49[End]
Old Eel Rock Road	7D025	All
River Bar Road	4G010	Hwy 36 to P.M. 1.76 [End of County maintained]
Salmon Creek Road	6C030	P.M. 5.39 to P.M. 5.88[End of County maintained]
Sprowel Creek Road	6B095	P.M 4.00 to PM 7.22 [End of County maintained]
Stapp Road	7H010	P.M 0.00 to 3.25[End of County maintained]
Warren Creek Road	5L740	P.M 0.0 to PM 0.95 [End of County maintained]
Williams Creek Road	2G045	All

// END //



**California Department of Fish and Wildlife  
CEQA Referral Checklist**

Applicant: Justin Baldwin		Date: 12/31/2018	
APPS No.:12244	APN: 222-071-030	DFW CEQA No.: 2018-0299	Case No.: CUP16-580 SP16-458
<input type="checkbox"/> New	<input checked="" type="checkbox"/> Existing	<input type="checkbox"/> Mixed-light (SF):	<input checked="" type="checkbox"/> Outdoor (SF): 31,200 <input type="checkbox"/> Indoor <input type="checkbox"/> RRR

Thank you for referring this application to the California Department of Fish and Wildlife (CDFW) for review and comment.

CDFW offers the following comments on the Project in our role as a Trustee and Responsible Agency pursuant to the California Environmental Quality Act (CEQA; California Public Resource Code Section 21000 *et seq.*). These comments are intended to assist the Lead Agency in making informed decisions early in the planning process.

- Recommend Approval. The Department has no comment at this time.
- Recommend Conditional Approval. Suggested conditions below.
- Applicant needs to submit additional information. Please see the list of items below.
- Recommend Denial. See comments below.

**Specific Project Comments**

The applicant was issued a Notice of Violation (NOV) from CDFW in 2015 following an inspection of the subject parcel. The project applicant has not followed the recommendations in the NOV, and has no current or pending Lake and Streambed Alteration Agreement (LSA) in process. The applicant still has existing violations on the parcel from unpermitted work conducted in the stream/SMA zone.

- Include a topographic map that identifies all surface water, wetlands, or other sensitive habitats onsite and the appropriate buffer distances for each.
- If new or existing road(s) cross streams, springs, seeps, wetlands, etc. on the parcel, provide detailed descriptions of each (e.g. culvert sizes, condition, etc.) and permits under which they were installed, if any. CDFW requires notification, pursuant to Fish and Game Code Section 1602, for all stream crossings or any other alteration of the bed, bank, or channel of any stream located on the parcel.
- Include a copy of the North Coast Regional Water Quality Control Board *Water Resource Protection Plan* if one has been developed for the Project. If none has been developed, indicate this in the referral packet.
- The Project is located within Northern Spotted Owl (*Strix occidentalis caurina*), a State- and Federally-Threatened species) potential habitat. CDFW requests that project scoping be conducted by an experienced qualified professional for the potential for presence/absence of NSO nesting/roosting habitat, prior to consideration of Project approval. Prior to scoping completion, CDFW requests that the applicant assume presence and avoid impacts as determined by a qualified

biologist, in consultation with CDFW. Avoidance measures include noise attenuation wherein generators are covered such that noise released is no greater than 50dB measured at 100ft.

### General Project Comments

- ☒ Prohibition on use of synthetic netting. To minimize the risk of wildlife entrapment, Permittee shall not use any erosion control and/or cultivation materials that contain synthetic (e.g., plastic or nylon) netting, including photo- or biodegradable plastic netting. Geotextiles, fiber rolls, and other erosion control measures shall be made of loose-weave mesh, such as jute, hemp, coconut (coir) fiber, or other products without welded weaves.
- ☒ Leave wildlife unharmed. If any wildlife is encountered during the Authorized Activity, Permittee shall not disturb the wildlife and shall allow wildlife to leave the work site unharmed.
- ☒ The environmental impacts of improper waste disposal are significant and well documented. CDFW requests, as a condition of Project approval, that all refuse be contained in wildlife proof storage containers, at all times, and disposed of at an authorized waste management facility.
- ☒ The referral materials state that there is a plan to construct a rainwater catchment pond onsite. CDFW requests:
  - CDFW requests, that the pond be designed to hold no more than the necessary volume of water needed for the project, with consideration to evaporative loss and designed in such a way to accommodate annual pond dewatering. The volume of water contained within the pond should be based on the square footage and method of cultivation in use prior to January 1, 2016.
  - That the applicant install an overflow spillway that will withstand a 100-year flood event, designed with a dispersal mechanism, or low-impact design, that discourages channelization and promotes dispersal and infiltration of flows to prevent surface overflow from reaching waters of the State. CDFW recommends the spillway be designed and placed to allow for a minimum of two-feet of freeboard.
  - That the applicant install several exit ramps to prevent wildlife entrapment. Exit ramps shall meet the following requirements: installed at no greater than 2:1 slope, securely fixed at the upslope end, made of solid material (e.g. wood).
  - That fish stocking be prohibited without written permission from the Department pursuant to Section 6400 of the Fish and Game Code.
- ☒ Human induced noise pollution may adversely affect wildlife species in several ways including abandonment of territory, loss of reproduction, auditory masking (inability to hear important cues and signals in the environment), hindrance to navigation, and physiological impacts such as stress, increased blood pressure, and respiration. To avoid disturbance, CDFW requests, as a condition of project approval, the construction of noise containment structures for all generators and fans on the parcel; noise released shall be no more than 50 decibels measured from 100ft.
- ☒ This project has the potential to affect sensitive fish and wildlife resources such as Northern Spotted Owl (*Strix occidentalis caurina*), Coho Salmon (*O. kisutch*), Steelhead Trout (*O. mykiss*), Coastal Rainbow Trout (*O. mykiss irideus*), Foothill Yellow-legged Frog (*Rana boylei*), Pacific Giant Salamander (*Dicamptodon tenebrosus*), Southern Torrent Salamander (*Rhyacotriton variegatus*), Northwestern Salamander (*Ambystoma gracile*), Rough-skinned Newt (*Taricha granulosa*), Northern Red-legged Frog (*Rana aurora*), Tailed Frog (*Ascaphus truei*), Boreal Toad (*Anaxyrus boreas boreas*), Western Pond Turtle (*Actinemys marmorata marmorata*), and amphibians, reptiles, aquatic invertebrates, mammals, birds, and other aquatic and riparian species.

Thank you for the opportunity to comment on this Project. Please send all inquiries regarding these comments to [david.manthorne@wildlife.ca.gov](mailto:david.manthorne@wildlife.ca.gov) .

Sincerely,

California Department of Fish and Wildlife  
619 2nd Street  
Eureka, CA 95501