

LINDBERG GEOLOGIC CONSULTING

**David N. Lindberg, CEG
Post Office Box 306
Cuttan California 95534
(707) 442-6000**

July 25, 2022

Project No: 0471.00

Healing Sun, MBC

Attention: Mr. Leif Stafslie

Post Office Box 331

Whitethorn, California 95589

Subject: Hydrogeologic Isolation of Existing Well from Surface Waters
Healing Sun MBC, 1000 Eubanks Road, Whitethorn, California
APN: 220-082-020, WCR2020-014622

To Whom It May Concern:

As requested, Lindberg Geologic Consulting has assessed an existing permitted well on the above-referenced parcel to estimate its potential for hydrologic connectivity with any adjacent wetlands and or surface waters, and if pumping this well could affect surface waters in nearby water courses. Creeks in the vicinity of this well drain to Painter Creek and an ephemeral tributary of Eubank Creek (Figure 1). A California-Certified Engineering Geologist visited this site on June 13, 2022 to observe the subject well and local site conditions. Based on our professional experience, our observations, and research, it is our opinion the subject well has a low likelihood of being hydrologically connected to nearby surface waters in any manner that could affect adjacent wetlands and or other surface waters in the vicinity. We understand that water from this well will be used to irrigate cannabis. We are not aware of the volume of water to be extracted or what the pumping schedule might be but expect that the applicant can supply that information.

According to the Humboldt County WebGIS, this parcel 220-082-020 (Figure 2) encompasses approximately 110 acres. Based on our on-site GPS measurements, the subject well is located approximately at latitude 40.08557° north, and longitude 123.96578° west ($\pm 9'$). As reported by the driller, this well is in Section 28, T4S, R2E, HB&M (Figures 1 and 2). A circle around the well, with a radius of approximately 1,000 feet is presented on Figures 1 through 3.

Based on the Humboldt County WebGIS mapping, this well is more than 650 feet northwest of Painter Creek, the nearest mapped surface waters. The site well is more than 1,500 feet southeast of the ephemeral tributary of Eubank Creek. Painter Creek originates from a spring on the subject parcel approximately 1,500 feet northeast of the site well at elevation 1,240 (Figure 1). Based on interpolation from the USGS Briceland (1969) topographic quadrangle map (Figure 1), and the Humboldt County WebGIS, well elevation is approximately 1,374 feet above sea level. At the nearest point to this well, the elevation of Painter Creek is approximately 1,140 feet and the ephemeral tributary of Eubank Creek is approximately 960 feet. The elevation of the bottom of the well is approximately 1,174 feet which is 37 feet higher than Painter Creek (650' to SE), and 214 feet higher than the ephemeral tributary of Eubank Creek (~1,500' to NW) at their nearest points on the Humboldt County WebGIS map.

LINDBERG GEOLOGIC CONSULTING
(707) 442-6000

July 25, 2022

Project No: 0471.00

Page 2

Only one spring is mapped in Section 28, and it is located approximately 1,500 feet northeast of the site well, at an elevation of 1,240 feet as discussed above (Figure 1). No other springs are mapped on Section 28 of the Briceland quadrangle map. Beyond Section 28, the nearest mapped spring appears to approximately 2.2 miles southeast in Section 34, at elevation 1,140 feet, on parcel 220-202-002. We observed no other mapped springs in Section 28, or in any other contiguous sections.

This well was drilled by Fisch Drilling, Hydesville, California, in October 2020, under county permit #18/19-1012. Fisch Drilling is a licensed well-drilling contractor (C-57 #683865). Fisch Drilling submitted the well completion report (DWR 188) on October 14, 2020 (attached). Fisch Drilling estimated the yield of the completed well at 6 gallons per minute on October 14, 2020. Based on Fisch's four-hour air lift pump test, the total drawdown was reported at 152 feet. The well location is shown approximately on the attached figures.

Borehole diameter as reported by the driller is 10-inches. Total drilled depth is 200 feet. Blank 5.563-inch PVC well casing was installed from grade to 40 feet. A bentonite surface sanitary seal was installed in the annulus around the 5.563-inch well casing per County regulations from grade to 20 feet. From 40 to 200 feet the well is screened with slotted PVC well screen (0.032" slots). From 20 feet to 200 feet the annulus was backfilled with 3/8-inch pea gravel. Depth to first water was reported as 48 feet below grade, and depth to static water in the completed and developed well was reported to be 45 feet bgs when the driller conducted the pump test on October 14, 2020.

On the geologic map (Figure 4), by McLaughlin et al., (2000), this area is underlain by the early Tertiary to late Cretaceous, rocks of the Coastal belt of the Franciscan Complex. Rocks at the well site are identified as "co2", *mélange*; "Subequal amounts of shattered sandstone and argillite with much clayey, penetratively sheared rock that exhibits generally irregular topography lacking well-incised sidehill drainages". *Mélange* is underlain by "co4", intact sandstone and argillite; "Exhibits sharp crested topography with a regular, well-incised system of sidehill drainage." Age range of the Coastal belt is late Eocene to late Cretaceous based on the paleontologic and isotopic age range of rocks in the *mélange* and on inferred range in age of penetrative shearing. Components of the Central belt *mélange* include: cm2 *mélange*-subequal amounts of metasandstone and meta-argillite. Exhibits irregular topography that lacks well incised sidehill drainages but is less lumpy than unit cm1". Shear foliation in the greenstone is mapped as striking northwest and dipping northeast. East of the subject parcel an "approximately located" fault traverses from south to north.

Materials reported on the geologic log of the driller's well completion report (WCR2020-014622 attached) include three feet of "top soil" over 13 feet of "soft brown sandstone". From a depth of 16 to 34 feet, the driller logged "shale". The shale was in turn underlain by 54 feet (34' to 88') of "blue sandstone", which appears to be the water bearing unit in this well. From 88 feet to 157 feet the driller logged "sandstone shale mix", and from 157 feet to total depth, "soft shale" was logged.

LINDBERG GEOLOGIC CONSULTING
(707) 442-6000

July 25, 2022

Project No: 0471.00

Page 3

We interpret the “shale” section of this profile from 16 to 34 feet to be an aquitard; a material of low permeability and transmissivity. Materials below 43 feet, the blue sandstone, and “sandstone shale mix” appear to be the water-bearing aquifer materials, having higher permeability and transmissivity. At the location of the subject well, the elevation of the water-bearing aquifer unit is thus approximately 1,329 feet.

Below the three feet of topsoil, the earth materials encountered in the boring are likely the sandstone and argillite mélange, and the intact sandstone mapped by McLaughlin et al, (2000). Sheared and folded sandstone materials may be expected to have a moderate to high hydraulic conductivity and can constitute a significant aquifer. We interpret the underlying sequence of materials described by the driller (shale and sandstone), as lithologies within the Coastal Belt of the Franciscan Complex. The sandstone is likely to have a significantly higher hydraulic conductivity than the shale in this profile, making the sandstone, in our interpretation, the water bearing unit in this well.

A geologic cross section of the area after McLaughlin et al, shows the structural and stratigraphic relationships between the local geologic units (Figure 5). The coastal belt mélange unit co2 is shown dipping to the northeast; unit co4 is mapped with southwest dipping overturned bedding at a locality in the southeast quarter of Section 28 (Figure 4). Southwest of the well co4 is also shown to dip east northeast on McLaughlin’s map. On-site, no attitudes could be observed in the sandstone or mélange because bedrock is mantled with soil and hillslope colluvium and obscured by vegetation. We interpret the faults in the coastal belt Franciscan Complex to be hydrologic boundaries of minimal permeability due to comminution (grinding and shearing along the fault planes) which effectively separate portions of the Franciscan units from each other, and limit groundwater flow between these fault-bound units.

In our professional opinion, based on our experience, observations, and review of pertinent and available information, this well has a low potential of having any direct connection to surface waters. First water was encountered at 48 feet. This well is sealed through the upper 20 feet of any potential unconfined, near-surface aquifers with which it might communicate hydraulically through the borehole because the bentonite-sealed surface casing isolates the topsoil, brown sandstone, and shale materials from the deeper blue sandstone aquifer. When considered with the stratigraphy and geologic structure, distances (horizontal and vertically) from the nearest surface waters, depth of the producing zone of this well (~45 to 157 feet), as well as its position relative to the nearest adjacent watercourses in Painter Creek or the ephemeral tributary of Eubank Creek, we conclude that the depth of the surface seal is sufficient to preclude the potential for hydraulic connectivity with surface waters. Thus, the water source from which this well draws appears to be a confined subsurface aquifer not connected to any unconfined near-surface aquifer(s). This well appears, in our professional opinion, likely to be hydraulically isolated from nearby wells, surface waters, springs or wetlands.

LINDBERG GEOLOGIC CONSULTING
(707) 442-6000

July 25, 2022

Project No: 0471.00

Page 4

In our professional opinion, it appears the aquifer tapped by the subject well is recharged by rainwater infiltrating in areas proximal to the well. As noted, the “Water Level and Yield of Completed Well” section of the Well Completion Report estimated the yield of this well at 6 gallons per minute (gpm) on October 14, 2020, after a four-hour air-lift pump test. At a rate of 6 gpm, this well might potentially produce 8,640 gallons per day. As noted on the well completion report, this capacity may not be representative of this well’s long-term yield. Additional pump testing would be necessary to estimate the sustainable long-term yield of the site well.

In our opinion the subject well does not appear to be hydrologically connected to, or capable of influencing surface water flows in the nearest streams Painter Creek, or the ephemeral tributary of Eubank Creek. This well appears to be hydrologically isolated from the spring on-site, and any ephemeral wetlands. Given the horizontal and vertical distances between the water-producing zone in the subject well, and the surface waters of the nearest watercourses, the potential for hydrologic connectivity between surface waters and groundwater in the bedrock aquifer appears low. Further, given the limiting condition of 18 feet of low-transmissivity shale above the water-bearing blue sandstone unit, the water-producing zone is likely hydrologically isolated from, and not demonstrably connected to any other aquifer(s) in the surrounding coastal belt Franciscan deposits.

On the Briceland USGS topographic quadrangle map, the nearest mapped spring is northeast at an elevation of approximately 1,240 feet, and no closer than approximately 1,500 feet (Figure 1) on the subject parcel. There do not appear to be any other significant mapped or unmapped natural springs or wetlands within 1,000 feet of parcel containing this subject well.

We researched the California Department of Water Resources (DWR) database to determine if there were other wells within 1,000 feet of the subject well on our client’s property. Well WCR2017-1087876 is a domestic well on the same parcel as the subject well, and is shown on Figures 1, 3 and 7. There is also a domestic well (WCR2017-1087875) that is more than 2,700 feet to the north on APN: 220-081-012. On parcel 220-171-002, there is another domestic well WCR2017-005582 (legacy well #01878774), which is more than 3,500 feet southwest of the subject well. Apart from the domestic well on-site, we could not find any other wells, domestic or agricultural, within 1,000 feet of the subject well.

The Natural Resources Conservation Service’s, online Web Soil Survey, shows the subject well to be located within the Sproulish-Canoecreek-Redwohly soil complex (#574, Figure 7), which is characterized by the NRCS as well-drained. The Web Soil Survey unit description of the Sproulish-Canoecreek-Redwohly soil complex is attached to this report. Mean annual precipitation in the area is listed as 60 to 100 inches per year. Capacity of the most limiting layer to transmit water (Ksat) is described as moderately low to high (0.060 to 2.00 in/hr). If ten percent of 60 inches of precipitation is absorbed by the soils and does not flow across the surface to local watercourses, then approximately 55 acre-feet, or 18 million gallons, of water per year may be expected to percolate into the regolith, to recharge the aquifer below this 110-acre subject property.

LINDBERG GEOLOGIC CONSULTING
(707) 442-6000

July 25, 2022

Project No: 0471.00

Page 5

On the 28th of March, 2022, California Governor Newsome issued executive order N-7-22 relating to the ongoing drought in California. In his executive order, the governor outlined several measures the state will undertake to avoid and ameliorate the negative impacts of the current drought. Among these measures, it was ordered that counties, cities, and other public agencies have been prohibited from approving permits for new groundwater wells (or alteration of existing wells) in basins *“subject to the Sustainable Groundwater Management Act and classified as medium- or high-priority without first obtaining written verification from a Groundwater Sustainability Agency managing the basin or area of the basin where the well is proposed”*. Your well at 1000 Eubanks Road, Whitethorn, is not within a basin subject to the Act, and there has been no Groundwater Sustainability Agency established with authority over the area where your permitted well is sited.

Further, order N-7-22 states that counties, cities, and other public agencies have been prohibited from issuing permits for new groundwater wells (or alteration of existing wells) *“without first determining that extraction of groundwater from the proposed well is (1) not likely to interfere with the production and functioning of existing nearby wells, and (2) not likely to cause subsidence that would adversely impact or damage nearby infrastructure”*. Note that this Order, and that cited in the preceding paragraph, are not applicable to *“wells that provide less than two acre-feet per year of groundwater for individual domestic users, or that will exclusively provide groundwater to public water supply systems.”* Well WCR2020-014622 is not likely to interfere with the production and functioning of nearby wells, as there are none. Nor is well WCR2020-014622 likely to cause subsidence that might adversely impact or damage nearby infrastructure, as there is no significant public infrastructure nearby.

Based on our professional experience, observations, and research, it is our opinion the well at 1000 Eubanks Road has a low likelihood of being hydrologically connected to nearby surface waters or wells in any manner that might adversely affect wetlands, wells, or surface waters in the vicinity.

Please contact us if you have questions or concerns regarding our findings and conclusions.

Sincerely,

David N. Lindberg, CEG
Lindberg Geologic Consulting

DNL:sll

LINDBERG GEOLOGIC CONSULTING
(707) 442-6000

July 25, 2022

Project No: 0471.00

Page 6

Attachments:

- Figure 1: Topographic Map of Well Location
- Figure 2: Humboldt County Assessor's Parcel Map
- Figure 3: Satellite Image Site Plan
- Figure 4: Geologic Map
- Figure 4a: Geologic Map Explanation
- Figure 5: Geologic Cross Section of Well Location
- Figure 6: Hydrogeologic Cross Section of Well Location
- Figure 7: Soil Map of Well Location

State of California Well Completion Reports:

WCR2018-014622

WCR #1087876

WCR #1087874

WCR #1087875

Web Soil Survey, NRCS Unit Descriptions:


Sproulish-Canoecreek-Redwohly complex, 30 to 50 percent slopes.

Canoecreek-Sproulish-Redwohly complex, 50 to 75 percent slopes

Lindberg Geologic Consulting
Post Office Box 306
Cutten, CA 95534
(707) 442-6000

Engineering-Geologic Well Connectivity Assessment Report
1000 Eubanks Road, Whitethorn, California
APN 220-082-020, Healing Sun MBC, Mr. Leif Stafslien, Client
Topographic Map of Well Location (locations approximate)



Figure 1
July 25, 2022
Project 0471.00
1" ≈ 2400



Lindberg Geologic Consulting	Engineering-Geologic Well Connectivity Assessment Report	Figure 2
Post Office Box 306	1000 Eubanks Road, Whitethorn, California	July 25, 2022
Cutten, CA 95534	APN 220-082-020, Healing Sun MBC, Mr. Leif Stafslien, Client	Project 0471.00
(707) 442-6000	Humboldt County Assessor's Parcel Map (locations approximate)	Scale as Shown

220-08

SECS 21 & 28 T4S, R2E H.B.& M.




Assessor's Map Bk.220, Pg.08
County of Humboldt, CA.

NOTE - Assessor's Block Numbers Shown in Ellipses
Assessor's Parcel Numbers Shown in Circles.

Lindberg Geologic Consulting	Engineering-Geologic Well Connectivity Assessment Report	Figure 3
Post Office Box 306	1000 Eubanks Road, Whitethorn, California	July 25, 2022
Cutten, CA 95534	APN 220-082-020, Healing Sun MBC, Mr. Leif Stafslie, Client	Project 0471.00
(707) 442-6000	Satellite Image Site Plan (locations approximate)	1" ≈ 300'




Lindberg Geologic Consulting	Engineering-Geologic Well Connectivity Assessment Report	Figure 4
Post Office Box 306	1000 Eubanks Road, Whitethorn, California	July 25, 2022
Cutten, CA 95534	APN 220-082-020, Healing Sun MBC, Mr. Leif Stafslie, Client	Project 0471.00
(707) 442-6000	Geologic Map (locations approximate)	1" ≈ 4100'




DESCRIPTION OF MAP UNITS

<p>QUATERNARY AND TERTIARY OVERLAP DEPOSITS</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">Qal</td><td>Alluvial deposits (Holocene and late Pleistocene?)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Qm</td><td>Undeformed marine shoreline and aolian deposits (Holocene and late Pleistocene)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Qt</td><td>Undifferentiated nonmarine terrace deposits (Holocene and Pleistocene)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Qls</td><td>Landslide deposits (Holocene and Pleistocene)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">QTog</td><td>Older alluvium (Pleistocene and [or] Pliocene)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">QTW</td><td>Marine and nonmarine overlap deposits (late Pleistocene to middle Miocene)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">TI</td><td>Volcanic rocks of Fickle Hill (Oligocene)</td></tr> </table> <p>COAST RANGES PROVINCE FRANCISCAN COMPLEX</p> <p style="text-align: center;">-- Coastal Belt --</p> <p style="text-align: center;"><i>Coastal terrane (Pliocene to Late Cretaceous)</i></p> <p>Sedimentary, igneous, and metamorphic rocks of the Coastal terrane (Pliocene to Late Cretaceous):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">co1</td><td>Melange</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">co2</td><td>Melange</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">co3</td><td>Broken sandstone and argillite</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">co4</td><td>Intact sandstone and argillite</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">cob</td><td>Basaltic Rocks (Late Cretaceous)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">col5</td><td>Limestone (Late Cretaceous)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">m</td><td>Undivided blueschist (Jurassic?)</td></tr> </table> <p style="text-align: center;"><i>King Range terrane (Miocene to Late Cretaceous)</i></p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">Krp</td><td>Igneous and sedimentary rocks of Point Delgada (Late Cretaceous)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">m</td><td>Undivided blueschist blocks (Jurassic?)</td></tr> </table> <p>Sandstone and argillite of King Peak (middle Miocene to Paleocene(?)):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">krk1</td><td>Melange and (or) folded argillite</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">krk2</td><td>Highly folded broken formation</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">krk3</td><td>Highly folded, largely unbroken rocks</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">krl</td><td>Limestone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">krc</td><td>Chert</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">krb</td><td>Basalt</td></tr> </table> <p style="text-align: center;"><i>False Cape terrane (Miocene? to Oligocene?)</i></p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">fc</td><td>Sedimentary rocks of the False Cape terrane (Miocene? to Oligocene?)</td></tr> </table> <p style="text-align: center;"><i>Yager terrane (Eocene to Paleocene?)</i></p> <p>Sedimentary rocks of the Yager terrane (Eocene to Paleocene?):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">y1</td><td>Sheared and highly folded mudstone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">y2</td><td>Highly folded broken mudstone, sandstone, and conglomeratic sandstone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">y3</td><td>Highly folded, little-broken sandstone, conglomerate, and mudstone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">Ycgl</td><td>Conglomerate</td></tr> </table> <p style="text-align: center;">-- Central belt --</p> <p>Melange of the Central belt (early Tertiary to Late Cretaceous):</p> <p>Unnamed Metasandstone and meta-argillite (Late Cretaceous to Late Jurassic):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">cm1</td><td>Melange</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">cm2</td><td>Melange</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">cb1</td><td>Broken formation</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">cb2</td><td>Broken formation</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">cwr</td><td>White Rock metasandstone of Jayko and others (1989) (Paleogene and [or] Late Cretaceous)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">chr</td><td>Haman Ridge graywacke of Jayko and others (1989) (Cretaceous?)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">cfs</td><td>Fort Seward metasandstone (age unknown)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">cls</td><td>Limestone (Late to Early Cretaceous)</td></tr> </table>	Qal	Alluvial deposits (Holocene and late Pleistocene?)	Qm	Undeformed marine shoreline and aolian deposits (Holocene and late Pleistocene)	Qt	Undifferentiated nonmarine terrace deposits (Holocene and Pleistocene)	Qls	Landslide deposits (Holocene and Pleistocene)	QTog	Older alluvium (Pleistocene and [or] Pliocene)	QTW	Marine and nonmarine overlap deposits (late Pleistocene to middle Miocene)	TI	Volcanic rocks of Fickle Hill (Oligocene)	co1	Melange	co2	Melange	co3	Broken sandstone and argillite	co4	Intact sandstone and argillite	cob	Basaltic Rocks (Late Cretaceous)	col5	Limestone (Late Cretaceous)	m	Undivided blueschist (Jurassic?)	Krp	Igneous and sedimentary rocks of Point Delgada (Late Cretaceous)	m	Undivided blueschist blocks (Jurassic?)	krk1	Melange and (or) folded argillite	krk2	Highly folded broken formation	krk3	Highly folded, largely unbroken rocks	krl	Limestone	krc	Chert	krb	Basalt	fc	Sedimentary rocks of the False Cape terrane (Miocene? to Oligocene?)	y1	Sheared and highly folded mudstone	y2	Highly folded broken mudstone, sandstone, and conglomeratic sandstone	y3	Highly folded, little-broken sandstone, conglomerate, and mudstone	Ycgl	Conglomerate	cm1	Melange	cm2	Melange	cb1	Broken formation	cb2	Broken formation	cwr	White Rock metasandstone of Jayko and others (1989) (Paleogene and [or] Late Cretaceous)	chr	Haman Ridge graywacke of Jayko and others (1989) (Cretaceous?)	cfs	Fort Seward metasandstone (age unknown)	cls	Limestone (Late to Early Cretaceous)	<table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">cc</td><td>Chert (Late Cretaceous to Early Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">bs</td><td>Basaltic rocks (Cretaceous and Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">m</td><td>Undivided blueschist blocks (Jurassic?)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">gs</td><td>Greenstone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">c</td><td>Metachert</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">yb</td><td>Metasandstone of Yolla Bolly terrane, undivided</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">b</td><td>Melange block, lithology unknown</td></tr> </table> <p style="text-align: center;">-- Eastern Belt --</p> <p style="text-align: center;"><i>Pickett Peak terrane (Early Cretaceous or older)</i></p> <p>Metasedimentary and metavolcanic rocks of the Pickett Peak terrane (Early Cretaceous or older):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">ppsm</td><td>South Fork Mountain Schist</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">mb</td><td>Chinquapin Metabasalt Member (Irwin and others, 1974)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ppv</td><td>Valentine Springs Formation</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">mv</td><td>Metabasalt and minor metachert</td></tr> </table> <p style="text-align: center;"><i>Yolla Bolly terrane (Early Cretaceous to Middle Jurassic?)</i></p> <p>Metasedimentary and metaigneous rocks of the Yolla Bolly terrane (Early Cretaceous to Middle Jurassic?):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">ybt</td><td>Tallaferro Metamorphic Complex of Suppe and Armstrong (1972) (Early Cretaceous to Middle Jurassic?)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ybc</td><td>Chicago Rock melange of Blake and Jayko (1983) (Early Cretaceous to Middle Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">gs</td><td>Greenstone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">c</td><td>Metachert</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ybh</td><td>Metagraywacke of Hammerhorn Ridge (Late Jurassic to Middle Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">c</td><td>Metachert</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">gs</td><td>Greenstone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">sp</td><td>Serpentine</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ybd</td><td>Devils Hole Ridge broken formation of Blake and Jayko (1983) (Early Cretaceous to Middle Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">c</td><td>Radiolarian chert</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ybi</td><td>Little Indian Valley argillite of McLaughlin and Ohlin (1984) (Early Cretaceous to Late Jurassic)</td></tr> </table> <p style="text-align: center;"><i>Yolla Bolly terrane</i></p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">yb</td><td>Rocks of the Yolla Bolly terrane, undivided</td></tr> </table> <p style="text-align: center;">GREAT VALLEY SEQUENCE AND COAST RANGE OPHIOLITE</p> <p style="text-align: center;"><i>Elder Creek(?) terrane</i></p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">ecms</td><td>Mudstone (Early Cretaceous)</td></tr> </table> <p>Coast Range ophiolite (Middle and Late Jurassic):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">ecg</td><td>Layered gabbro</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ecsp</td><td>Serpentine melange</td></tr> </table> <p style="text-align: center;"><i>Del Puerto(?) terrane</i></p> <p>Rocks of the Del Puerto(?) terrane:</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">dpms</td><td>Mudstone (Late Jurassic)</td></tr> </table> <p>Coast Range ophiolite (Middle and Late Jurassic):</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">dpt</td><td>Tuffaceous chert (Late Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">dpb</td><td>Basaltic flows and keratophytic tuff (Jurassic?)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">dpd</td><td>Diabase (Jurassic?)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">dpsp</td><td>Serpentine melange (Jurassic?)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">sp</td><td>Undivided Serpentinized peridotite (Jurassic?)</td></tr> </table> <p style="text-align: center;">KLAMATH MOUNTAINS PROVINCE</p> <p>Undivided Great Valley Sequence:</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">Ks</td><td>Sedimentary rocks (Lower Cretaceous)</td></tr> </table>	cc	Chert (Late Cretaceous to Early Jurassic)	bs	Basaltic rocks (Cretaceous and Jurassic)	m	Undivided blueschist blocks (Jurassic?)	gs	Greenstone	c	Metachert	yb	Metasandstone of Yolla Bolly terrane, undivided	b	Melange block, lithology unknown	ppsm	South Fork Mountain Schist	mb	Chinquapin Metabasalt Member (Irwin and others, 1974)	ppv	Valentine Springs Formation	mv	Metabasalt and minor metachert	ybt	Tallaferro Metamorphic Complex of Suppe and Armstrong (1972) (Early Cretaceous to Middle Jurassic?)	ybc	Chicago Rock melange of Blake and Jayko (1983) (Early Cretaceous to Middle Jurassic)	gs	Greenstone	c	Metachert	ybh	Metagraywacke of Hammerhorn Ridge (Late Jurassic to Middle Jurassic)	c	Metachert	gs	Greenstone	sp	Serpentine	ybd	Devils Hole Ridge broken formation of Blake and Jayko (1983) (Early Cretaceous to Middle Jurassic)	c	Radiolarian chert	ybi	Little Indian Valley argillite of McLaughlin and Ohlin (1984) (Early Cretaceous to Late Jurassic)	yb	Rocks of the Yolla Bolly terrane, undivided	ecms	Mudstone (Early Cretaceous)	ecg	Layered gabbro	ecsp	Serpentine melange	dpms	Mudstone (Late Jurassic)	dpt	Tuffaceous chert (Late Jurassic)	dpb	Basaltic flows and keratophytic tuff (Jurassic?)	dpd	Diabase (Jurassic?)	dpsp	Serpentine melange (Jurassic?)	sp	Undivided Serpentinized peridotite (Jurassic?)	Ks	Sedimentary rocks (Lower Cretaceous)	<p style="text-align: center;">GREAT VALLEY SEQUENCE OVERLAP ASSEMBLAGE</p> <p style="text-align: center;"><i>Hayfork terrane</i></p> <p>Eastern Hayfork subterrane:</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">eh</td><td>Melange and broken formation (early? Middle Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ehls</td><td>Limestone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">ehsp</td><td>Serpentine</td></tr> </table> <p>Western Hayfork subterrane:</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">whu</td><td>Hayfork Bally Meta-andesite of Irwin (1985), undivided (Middle Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">whwg</td><td>Wildwood (Chancelulla Peak of Wright and Fahan, 1988) pluton (Middle Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">whwp</td><td>Clinopyroxenite</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">whji</td><td>Diorite and gabbro plutons (Middle? Jurassic)</td></tr> </table> <p style="text-align: center;"><i>Battlesnake Creek terrane</i></p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">rcm</td><td>Melange (Jurassic and older)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">rcfs</td><td>Limestone</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">rcc</td><td>Radiolarian chert</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">rcis</td><td>Volcanic Rocks (Jurassic or Triassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">rcic</td><td>Intrusive complex (Early Jurassic or Late Triassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">rcp</td><td>Plutonic rocks (Early Jurassic or Late Triassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">rcum</td><td>Ultramafic rocks (age uncertain)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">rcpd</td><td>Blocky peridotite</td></tr> </table> <p style="text-align: center;"><i>Western Klamath terrane</i></p> <p>Smith River subterrane:</p> <table border="0"> <tr><td style="border: 1px solid black; padding: 2px;">srs</td><td>Galice? formation (Late Jurassic)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">srv</td><td>Pyroclastic andesite</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">srgb</td><td>Glen Creek gabbro-ultramafic complex of Irwin and others (1974)</td></tr> <tr><td style="border: 1px solid black; padding: 2px;">srpd</td><td>Serpentinized peridotite</td></tr> </table> <p style="text-align: center;">MAP SYMBOLS</p> <table border="0"> <tr><td></td><td>Contact</td></tr> <tr><td></td><td>Fault</td></tr> <tr><td></td><td>Thrust fault</td></tr> <tr><td></td><td>Trace of the San Andreas fault associated with 1906 earthquake rupture</td></tr> <tr><td></td><td>Strike and dip of bedding:</td></tr> <tr><td></td><td>Inclined</td></tr> <tr><td></td><td>Vertical</td></tr> <tr><td></td><td>Horizontal</td></tr> <tr><td></td><td>Overturned</td></tr> <tr><td></td><td>Approximate</td></tr> <tr><td></td><td>Joint</td></tr> <tr><td></td><td>Strike and dip of cleavage</td></tr> <tr><td></td><td>Shear foliation:</td></tr> <tr><td></td><td>Inclined</td></tr> <tr><td></td><td>Vertical</td></tr> <tr><td></td><td>Folds:</td></tr> <tr><td></td><td>Synclinal or synformal axis</td></tr> <tr><td></td><td>Anticlinal or antiformal axis</td></tr> <tr><td></td><td>Overturned syncline</td></tr> <tr><td></td><td>Landslide</td></tr> <tr><td></td><td>Melange Blocks:</td></tr> <tr><td></td><td>Serpentine</td></tr> <tr><td></td><td>Chert</td></tr> <tr><td></td><td>Blueschist</td></tr> <tr><td></td><td>Greenstone</td></tr> <tr><td></td><td>Fossil locality and number</td></tr> </table>	eh	Melange and broken formation (early? Middle Jurassic)	ehls	Limestone	ehsp	Serpentine	whu	Hayfork Bally Meta-andesite of Irwin (1985), undivided (Middle Jurassic)	whwg	Wildwood (Chancelulla Peak of Wright and Fahan, 1988) pluton (Middle Jurassic)	whwp	Clinopyroxenite	whji	Diorite and gabbro plutons (Middle? Jurassic)	rcm	Melange (Jurassic and older)	rcfs	Limestone	rcc	Radiolarian chert	rcis	Volcanic Rocks (Jurassic or Triassic)	rcic	Intrusive complex (Early Jurassic or Late Triassic)	rcp	Plutonic rocks (Early Jurassic or Late Triassic)	rcum	Ultramafic rocks (age uncertain)	rcpd	Blocky peridotite	srs	Galice? formation (Late Jurassic)	srv	Pyroclastic andesite	srgb	Glen Creek gabbro-ultramafic complex of Irwin and others (1974)	srpd	Serpentinized peridotite		Contact		Fault		Thrust fault		Trace of the San Andreas fault associated with 1906 earthquake rupture		Strike and dip of bedding:		Inclined		Vertical		Horizontal		Overturned		Approximate		Joint		Strike and dip of cleavage		Shear foliation:		Inclined		Vertical		Folds:		Synclinal or synformal axis		Anticlinal or antiformal axis		Overturned syncline		Landslide		Melange Blocks:		Serpentine		Chert		Blueschist		Greenstone		Fossil locality and number
Qal	Alluvial deposits (Holocene and late Pleistocene?)																																																																																																																																																																																																																																			
Qm	Undeformed marine shoreline and aolian deposits (Holocene and late Pleistocene)																																																																																																																																																																																																																																			
Qt	Undifferentiated nonmarine terrace deposits (Holocene and Pleistocene)																																																																																																																																																																																																																																			
Qls	Landslide deposits (Holocene and Pleistocene)																																																																																																																																																																																																																																			
QTog	Older alluvium (Pleistocene and [or] Pliocene)																																																																																																																																																																																																																																			
QTW	Marine and nonmarine overlap deposits (late Pleistocene to middle Miocene)																																																																																																																																																																																																																																			
TI	Volcanic rocks of Fickle Hill (Oligocene)																																																																																																																																																																																																																																			
co1	Melange																																																																																																																																																																																																																																			
co2	Melange																																																																																																																																																																																																																																			
co3	Broken sandstone and argillite																																																																																																																																																																																																																																			
co4	Intact sandstone and argillite																																																																																																																																																																																																																																			
cob	Basaltic Rocks (Late Cretaceous)																																																																																																																																																																																																																																			
col5	Limestone (Late Cretaceous)																																																																																																																																																																																																																																			
m	Undivided blueschist (Jurassic?)																																																																																																																																																																																																																																			
Krp	Igneous and sedimentary rocks of Point Delgada (Late Cretaceous)																																																																																																																																																																																																																																			
m	Undivided blueschist blocks (Jurassic?)																																																																																																																																																																																																																																			
krk1	Melange and (or) folded argillite																																																																																																																																																																																																																																			
krk2	Highly folded broken formation																																																																																																																																																																																																																																			
krk3	Highly folded, largely unbroken rocks																																																																																																																																																																																																																																			
krl	Limestone																																																																																																																																																																																																																																			
krc	Chert																																																																																																																																																																																																																																			
krb	Basalt																																																																																																																																																																																																																																			
fc	Sedimentary rocks of the False Cape terrane (Miocene? to Oligocene?)																																																																																																																																																																																																																																			
y1	Sheared and highly folded mudstone																																																																																																																																																																																																																																			
y2	Highly folded broken mudstone, sandstone, and conglomeratic sandstone																																																																																																																																																																																																																																			
y3	Highly folded, little-broken sandstone, conglomerate, and mudstone																																																																																																																																																																																																																																			
Ycgl	Conglomerate																																																																																																																																																																																																																																			
cm1	Melange																																																																																																																																																																																																																																			
cm2	Melange																																																																																																																																																																																																																																			
cb1	Broken formation																																																																																																																																																																																																																																			
cb2	Broken formation																																																																																																																																																																																																																																			
cwr	White Rock metasandstone of Jayko and others (1989) (Paleogene and [or] Late Cretaceous)																																																																																																																																																																																																																																			
chr	Haman Ridge graywacke of Jayko and others (1989) (Cretaceous?)																																																																																																																																																																																																																																			
cfs	Fort Seward metasandstone (age unknown)																																																																																																																																																																																																																																			
cls	Limestone (Late to Early Cretaceous)																																																																																																																																																																																																																																			
cc	Chert (Late Cretaceous to Early Jurassic)																																																																																																																																																																																																																																			
bs	Basaltic rocks (Cretaceous and Jurassic)																																																																																																																																																																																																																																			
m	Undivided blueschist blocks (Jurassic?)																																																																																																																																																																																																																																			
gs	Greenstone																																																																																																																																																																																																																																			
c	Metachert																																																																																																																																																																																																																																			
yb	Metasandstone of Yolla Bolly terrane, undivided																																																																																																																																																																																																																																			
b	Melange block, lithology unknown																																																																																																																																																																																																																																			
ppsm	South Fork Mountain Schist																																																																																																																																																																																																																																			
mb	Chinquapin Metabasalt Member (Irwin and others, 1974)																																																																																																																																																																																																																																			
ppv	Valentine Springs Formation																																																																																																																																																																																																																																			
mv	Metabasalt and minor metachert																																																																																																																																																																																																																																			
ybt	Tallaferro Metamorphic Complex of Suppe and Armstrong (1972) (Early Cretaceous to Middle Jurassic?)																																																																																																																																																																																																																																			
ybc	Chicago Rock melange of Blake and Jayko (1983) (Early Cretaceous to Middle Jurassic)																																																																																																																																																																																																																																			
gs	Greenstone																																																																																																																																																																																																																																			
c	Metachert																																																																																																																																																																																																																																			
ybh	Metagraywacke of Hammerhorn Ridge (Late Jurassic to Middle Jurassic)																																																																																																																																																																																																																																			
c	Metachert																																																																																																																																																																																																																																			
gs	Greenstone																																																																																																																																																																																																																																			
sp	Serpentine																																																																																																																																																																																																																																			
ybd	Devils Hole Ridge broken formation of Blake and Jayko (1983) (Early Cretaceous to Middle Jurassic)																																																																																																																																																																																																																																			
c	Radiolarian chert																																																																																																																																																																																																																																			
ybi	Little Indian Valley argillite of McLaughlin and Ohlin (1984) (Early Cretaceous to Late Jurassic)																																																																																																																																																																																																																																			
yb	Rocks of the Yolla Bolly terrane, undivided																																																																																																																																																																																																																																			
ecms	Mudstone (Early Cretaceous)																																																																																																																																																																																																																																			
ecg	Layered gabbro																																																																																																																																																																																																																																			
ecsp	Serpentine melange																																																																																																																																																																																																																																			
dpms	Mudstone (Late Jurassic)																																																																																																																																																																																																																																			
dpt	Tuffaceous chert (Late Jurassic)																																																																																																																																																																																																																																			
dpb	Basaltic flows and keratophytic tuff (Jurassic?)																																																																																																																																																																																																																																			
dpd	Diabase (Jurassic?)																																																																																																																																																																																																																																			
dpsp	Serpentine melange (Jurassic?)																																																																																																																																																																																																																																			
sp	Undivided Serpentinized peridotite (Jurassic?)																																																																																																																																																																																																																																			
Ks	Sedimentary rocks (Lower Cretaceous)																																																																																																																																																																																																																																			
eh	Melange and broken formation (early? Middle Jurassic)																																																																																																																																																																																																																																			
ehls	Limestone																																																																																																																																																																																																																																			
ehsp	Serpentine																																																																																																																																																																																																																																			
whu	Hayfork Bally Meta-andesite of Irwin (1985), undivided (Middle Jurassic)																																																																																																																																																																																																																																			
whwg	Wildwood (Chancelulla Peak of Wright and Fahan, 1988) pluton (Middle Jurassic)																																																																																																																																																																																																																																			
whwp	Clinopyroxenite																																																																																																																																																																																																																																			
whji	Diorite and gabbro plutons (Middle? Jurassic)																																																																																																																																																																																																																																			
rcm	Melange (Jurassic and older)																																																																																																																																																																																																																																			
rcfs	Limestone																																																																																																																																																																																																																																			
rcc	Radiolarian chert																																																																																																																																																																																																																																			
rcis	Volcanic Rocks (Jurassic or Triassic)																																																																																																																																																																																																																																			
rcic	Intrusive complex (Early Jurassic or Late Triassic)																																																																																																																																																																																																																																			
rcp	Plutonic rocks (Early Jurassic or Late Triassic)																																																																																																																																																																																																																																			
rcum	Ultramafic rocks (age uncertain)																																																																																																																																																																																																																																			
rcpd	Blocky peridotite																																																																																																																																																																																																																																			
srs	Galice? formation (Late Jurassic)																																																																																																																																																																																																																																			
srv	Pyroclastic andesite																																																																																																																																																																																																																																			
srgb	Glen Creek gabbro-ultramafic complex of Irwin and others (1974)																																																																																																																																																																																																																																			
srpd	Serpentinized peridotite																																																																																																																																																																																																																																			
	Contact																																																																																																																																																																																																																																			
	Fault																																																																																																																																																																																																																																			
	Thrust fault																																																																																																																																																																																																																																			
	Trace of the San Andreas fault associated with 1906 earthquake rupture																																																																																																																																																																																																																																			
	Strike and dip of bedding:																																																																																																																																																																																																																																			
	Inclined																																																																																																																																																																																																																																			
	Vertical																																																																																																																																																																																																																																			
	Horizontal																																																																																																																																																																																																																																			
	Overturned																																																																																																																																																																																																																																			
	Approximate																																																																																																																																																																																																																																			
	Joint																																																																																																																																																																																																																																			
	Strike and dip of cleavage																																																																																																																																																																																																																																			
	Shear foliation:																																																																																																																																																																																																																																			
	Inclined																																																																																																																																																																																																																																			
	Vertical																																																																																																																																																																																																																																			
	Folds:																																																																																																																																																																																																																																			
	Synclinal or synformal axis																																																																																																																																																																																																																																			
	Anticlinal or antiformal axis																																																																																																																																																																																																																																			
	Overturned syncline																																																																																																																																																																																																																																			
	Landslide																																																																																																																																																																																																																																			
	Melange Blocks:																																																																																																																																																																																																																																			
	Serpentine																																																																																																																																																																																																																																			
	Chert																																																																																																																																																																																																																																			
	Blueschist																																																																																																																																																																																																																																			
	Greenstone																																																																																																																																																																																																																																			
	Fossil locality and number																																																																																																																																																																																																																																			



Modified from: McLaughlin et al., 2000.

Lindberg Geologic Consulting	Engineering-Geologic Well Connectivity Assessment Report	Figure 6
Post Office Box 306	1000 Eubanks Road, Whitethorn, California	July 25, 2022
Cutten, CA 95534	APN 220-082-020, Healing Sun MBC, Mr. Leif Stafslien, Client	Project 0471.00
(707) 442-6000	Hydrogeologic Cross Section of Well Location (locations approximate)	1" ≈ 430'



In this cross section (no V.E.), the view is upstream, or upslope toward the northeast. Surface and groundwater flow in this cross section is toward the reader, or out of the page. Groundwater is presumed to flow from recharge areas in the high ground to the northeast, to the southwest toward the domestic Mattole River (Figure 1). Bedrock subgrade is composed of mélangé with subequal amounts of sandstone and argillite (co2) and intact sandstone with argillite (co4). These deposits are one component of the Coastal Belt Franciscan Complex.

Lindberg Geologic Consulting	Engineering-Geologic Well Connectivity Assessment Report	Figure 7
Post Office Box 306	1000 Eubanks Road, Whitethorn, California	July 25, 2022
Cutten, CA 95534	APN 220-082-020, Healing Sun MBC, Mr. Leif Stafslie, Client	Project 0471.00
(707) 442-6000	ISDA-NRCS Soil Map of Well Location (locations approximate)	Not to Scale



Modified from: USG-NRCS Web Soil Survey, July 21, 2022 N ≈

State of California
Well Completion Report
 Form DWR 188 Complete 12/13/2020
 WCR2020-014622

Owner's Well Number _____ Date Work Began 10/05/2020 Date Work Ended 10/14/2020
 Local Permit Agency Humboldt County Department of Health & Human Services - Land Use Program
 Secondary Permit Agency _____ Permit Number 18/19-1012 Permit Date 04/26/2019

Well Owner (must remain confidential pursuant to Water Code 13752)			
Name	XXXXXXXXXXXXXXXXXXXX		
Mailing Address	XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX		
City	State	XX	Zip XXXXX

Planned Use and Activity	
Activity	<u>New Well</u>
Planned Use	<u>Water Supply Irrigation - Agriculture</u>

Well Location					
Address <u>1000 Eubanks RD</u>			APN <u>220-082-020</u>		
City <u>Whitethorn</u>	Zip <u>95589</u>	County <u>Humboldt</u>	Township <u>04 S</u>		
Latitude <u>40</u> <u>5</u> <u>8.0556</u> <u>N</u>	Longitude <u>-123</u> <u>57</u> <u>57.3732</u> <u>W</u>	Range <u>02 E</u>			
Deg. Min. Sec.	Deg. Min. Sec.	Section <u>28</u>			
Dec. Lat. <u>40.085571</u>			Dec. Long. <u>-123.965937</u>		
Vertical Datum _____		Horizontal Datum <u>WGS84</u>		Baseline Meridian <u>Humboldt</u>	
Location Accuracy _____		Location Determination Method _____		Ground Surface Elevation _____	
				Elevation Accuracy _____	
				Elevation Determination Method _____	

Borehole Information	
Orientation <u>Vertical</u>	Specify _____
Drilling Method <u>Direct Rotary</u>	Drilling Fluid <u>Air</u>
Total Depth of Boring <u>200</u>	Feet
Total Depth of Completed Well <u>200</u>	Feet

Water Level and Yield of Completed Well	
Depth to first water <u>48</u>	(Feet below surface)
Depth to Static _____	
Water Level <u>45</u> (Feet)	Date Measured <u>10/14/2020</u>
Estimated Yield* <u>6</u> (GPM)	Test Type <u>Air Lift</u>
Test Length <u>4</u> (Hours)	Total Drawdown <u>152</u> (feet)
*May not be representative of a well's long term yield.	

Geologic Log - Free Form		
Depth from Surface Feet to Feet		Description
0	3	top soil
3	16	soft brown sandstone
16	34	shale
34	88	blue sandstone
88	157	sandstone shale mix
157	200	soft shale

JUN 01 2017

STATE OF CALIFORNIA
WELL COMPLETION REPORT

Refer to Instruction Pamphlet

No. **1087876**

DWR USE ONLY — DO NOT FILL IN

045/02E-20

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

Page ___ of ___

Owner's Well No. **1**

Date Work Began **4-18-17**, Ended **4-18-17**

Local Permit Agency **Humb**

Permit No. **16/17 0837** Permit Date **3-7-17**

GEOLOGIC LOG

ORIENTATION (✓) VERTICAL HORIZONTAL ANGLE _____ (SPECIFY)

DRILLING METHOD **Rotary** FLUID _____

DEPTH FROM SURFACE		DESCRIPTION <i>Describe material, grain size, color, etc.</i>
Ft.	to Ft.	
0	50	Soft BRN Rock
50	90	HRD BRN Shaley Rock
90	150	HRD gry Shale
150	160	HRD Blk Sand Stone
160	200	Blue gry shale

WELL LOCATION

Address **1000 JOHNS**

City **Whitethorne**

County **Humb**

APN Book _____ Page _____ Parcel **220 082 020**

Township _____ Range _____ Section _____

Lat _____ N Long _____ W

LOCATION SKETCH

NORTH

WEST EAST

ACTIVITY (✓)

NEW WELL

MODIFICATION/REPAIR

Deepen

Other (Specify) _____

DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")

USES (✓)

WATER SUPPLY

Domestic Public

Irrigation Industrial

MONITORING

TEST WELL

CATHODIC PROTECTION

HEAT EXCHANGE

DIRECT PUSH

INJECTION

VAPOR EXTRACTION

SPARGING

REMEDIATION

OTHER (SPECIFY) _____

Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. **PLEASE BE ACCURATE & COMPLETE.**

TOTAL DEPTH OF BORING **200** (Feet)

TOTAL DEPTH OF COMPLETED WELL **200** (Feet)

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER **170** (Ft.) BELOW SURFACE

DEPTH OF STATIC WATER LEVEL **170** (Ft.) & DATE MEASURED **4-18-17**

ESTIMATED YIELD * **15** (GPM) & TEST TYPE **AIR LIFT**

TEST LENGTH **1** (Hrs.) TOTAL DRAWDOWN _____ (Ft.)

* May not be representative of a well's long-term yield.

DEPTH FROM SURFACE	BORE-HOLE DIA. (Inches)	CASING (S)						DEPTH FROM SURFACE	ANNULAR MATERIAL					
		TYPE (✓)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)		GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE			
Ft.	to Ft.	BLANK	SCREEN	CON-DUCTOR	FILL PIPE									CE-MENT (✓)
0	160		✓			F480	5"	Sch 160						
160	200								.032				3/8 pea	

ATTACHMENTS (✓)

Geologic Log

Well Construction Diagram

Geophysical Log(s)

Soil/Water Chemical Analyses

Other _____

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME **Bushnell Enterprises**
(PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)

ADDRESS **649 Bearcreek rd** CITY **Gamb** STATE **CA** ZIP **95542**

Signed **George Bushnell** DATE SIGNED **5-24-17** **403708**
C-57 LICENSED WATER WELL CONTRACTOR DATE SIGNED C-57 LICENSE NUMBER

JUN 01 2017

STATE OF CALIFORNIA
WELL COMPLETION REPORT

Refer to Instruction Pamphlet

No. **1087874**

DWR USE ONLY — DO NOT FILL IN

049/02E-29

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

Page ___ of ___

Owner's Well No. **1**

Date Work Began **April 15, 17** Ended **4-15-17**

Local Permit Agency **Humbt**

Permit No. **16/17 0859** Permit Date **March 10, 17**

GEOLOGIC LOG

WELL OWNER

ORIENTATION (✓) VERTICAL HORIZONTAL ANGLE ___ (SPECIFY)

DRILLING METHOD **Rotary** FLUID ___

DEPTH FROM SURFACE DESCRIPTION

Ft.	to	Ft.	DESCRIPTION
0	10		TOP Soil
10	30		Soft Brn Rock
30	80		Blu Shale
80	120		HRD gry Shale
120	140		Blu Shale

WELL LOCATION

Address **575 UBANKS RD**

City **Etersberg CA 9**

County **Humbt**


APN Book ___ Page ___ Parcel **220-171-002**

Township ___ Range ___ Section ___

Lat ___ DEG. MIN. SEC. N Long ___ DEG. MIN. SEC. W

LOCATION SKETCH

ACTIVITY (✓)



- NEW WELL
- MODIFICATION/REPAIR
 - Deepen
 - Other (Specify) _____
- DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")
- USES (✓)
 - WATER SUPPLY
 - Domestic Public
 - Irrigation Industrial
 - MONITORING
 - TEST WELL
 - CATHODIC PROTECTION
 - HEAT EXCHANGE
 - DIRECT PUSH
 - INJECTION
 - VAPOR EXTRACTION
 - SPARGING
 - REMEDIATION
 - OTHER (SPECIFY) _____

Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. **PLEASE BE ACCURATE & COMPLETE.**

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER **120** (Ft.) BELOW SURFACE

DEPTH OF STATIC WATER LEVEL **118** (Ft.) & DATE MEASURED **4-15-17**

ESTIMATED YIELD * **8** (GPM) & TEST TYPE **AIR LIFT**

TEST LENGTH **1** (Hrs.) TOTAL DRAWDOWN ___ (Ft.)

* May not be representative of a well's long-term yield.

TOTAL DEPTH OF BORING **140** (Feet)

TOTAL DEPTH OF COMPLETED WELL **140** (Feet)

DEPTH FROM SURFACE	BORE-HOLE DIA. (Inches)	CASING (S)						DEPTH FROM SURFACE	ANNULAR MATERIAL				
		TYPE (✓)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)		GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	TYPE		
Ft.	to	Ft.	BLANK	SCREEN	CONDUCTOR			FILL PIPE			Ft.	to	Ft.
0	120		✓				F 480	5"	sch 160				
120	140		✓				"	"	.032				3/8 Per

ATTACHMENTS (✓)

- Geologic Log
 - Well Construction Diagram
 - Geophysical Log(s)
 - Soil/Water Chemical Analyses
 - Other _____
- ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME **Bushnell Enterprises**

ADDRESS **649 Bearcreek Rd Garb CA 95542**

Signed **[Signature]** DATE SIGNED **5-24-17** LICENSE NUMBER **03708**

DWR USE ONLY — DO NOT FILL IN

04S102E-21

STATE WELL NO./STATION NO.

LATITUDE LONGITUDE

APN/TRS/OTHER

Page ___ of ___
 Owner's Well No. 2 No. 1087875
 Date Work Began 4-17-17 Ended 4-17-17
 Local Permit Agency Humbt
 Permit No. None Permit Date MARCH 10. 17

DEPTH FROM SURFACE			DESCRIPTION <i>Describe material, grain size, color, etc.</i>
Ft.	to	Ft.	
0	20	20	Soft Brn Rock
20	80	80	HRD Brn Rock
80	120	120	Blu Shale

ORIENTATION (✓) VERTICAL HORIZONTAL ANGLE ___ (SPECIFY)
 DRILLING METHOD Rotary FLUID ___

TOTAL DEPTH OF BORING 120 (Feet)
 TOTAL DEPTH OF COMPLETED WELL 120 (Feet)

WELL OWNER

CITY Whitethorne STATE CA ZIP 95714
 Address 575 Eubanks Rd
 City Whitethorne County Butte
 APN Book ___ Page ___ Parcel 220 081 012
 Township ___ Range ___ Section ___
 Lat. ___ DEG. ___ MIN. ___ SEC. N Long. ___ DEG. ___ MIN. ___ SEC. W

LOCATION SKETCH NORTH

ACTIVITY (✓)
 NEW WELL
 MODIFICATION/REPAIR
 ___ Deepen
 ___ Other (Specify) ___
 DESTROY (Describe Procedures and Materials Under "GEOLOGIC LOG")

USES (✓)
 WATER SUPPLY
 Domestic ___ Public
 Irrigation ___ Industrial

MONITORING ___
 TEST WELL ___
 CATHODIC PROTECTION ___
 HEAT EXCHANGE ___
 DIRECT PUSH ___
 INJECTION ___
 VAPOR EXTRACTION ___
 SPARGING ___
 REMEDIATION ___
 OTHER (SPECIFY) ___

WEST EAST

Illustrate or Describe Distance of Well from Roads, Buildings, Fences, Rivers, etc. and attach a map. Use additional paper if necessary. PLEASE BE ACCURATE & COMPLETE.

WATER LEVEL & YIELD OF COMPLETED WELL

DEPTH TO FIRST WATER 80 (Ft.) BELOW SURFACE
 DEPTH OF STATIC WATER LEVEL 80 (Ft.) & DATE MEASURED 4-17-17
 ESTIMATED YIELD 10 (GPM) & TEST TYPE Air Lift
 TEST LENGTH 1 (Hrs.) TOTAL DRAWDOWN ___ (Ft.)
 * May not be representative of a well's long-term yield.

DEPTH FROM SURFACE Ft. to Ft.	BORE-HOLE DIA. (Inches)	CASING (S)						DEPTH FROM SURFACE Ft. to Ft.	ANNULAR MATERIAL TYPE					
		TYPE (✓)				MATERIAL / GRADE	INTERNAL DIAMETER (Inches)		GAUGE OR WALL THICKNESS	SLOT SIZE IF ANY (Inches)	CE-MENT (✓)	BEN-TONITE (✓)	FILL (✓)	FILTER PACK (TYPE/SIZE)
0 to 80	9"	✓						F480						
80 to 120	1"	✓				11	7"	11	1032					3/8 pea

ATTACHMENTS (✓)

___ Geologic Log
 ___ Well Construction Diagram
 ___ Geophysical Log(s)
 ___ Soil/Water Chemical Analyses
 ___ Other ___

ATTACH ADDITIONAL INFORMATION, IF IT EXISTS.

CERTIFICATION STATEMENT

I, the undersigned, certify that this report is complete and accurate to the best of my knowledge and belief.

NAME Bushnell Enterprises
 (PERSON, FIRM, OR CORPORATION) (TYPED OR PRINTED)
 ADDRESS 649 Bearcreek rd CITY Grass STATE CA ZIP 95542
 Signed Dennis Bushnell DATE SIGNED 5-21-17 403708
 C-57 LICENSED WATER WELL CONTRACTOR C-57 LICENSE NUMBER

Humboldt County, South Part, California

574—Sproulish-Canoecreek-Redwohly complex, 30 to 50 percent slopes, warm

Map Unit Setting

National map unit symbol: 2ml27

Elevation: 100 to 3,280 feet

Mean annual precipitation: 60 to 100 inches

Mean annual air temperature: 48 to 55 degrees F

Frost-free period: 240 to 300 days

Farmland classification: Not prime farmland

Map Unit Composition

Sproulish, warm, and similar soils: 50 percent

Canoecreek, warm, and similar soils: 20 percent

Redwohly, warm, and similar soils: 15 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Sproulish, Warm

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Mountainflank

Down-slope shape: Linear

Across-slope shape: Concave, convex, linear

Parent material: Colluvium derived from mudstone and/or colluvium derived from sandstone and/or residuum weathered from mudstone and/or residuum weathered from sandstone

Typical profile

O_i - 0 to 2 inches: slightly decomposed plant material

A - 2 to 6 inches: gravelly silt loam

B_{t1} - 6 to 13 inches: paragravelly clay loam

B_{t2} - 13 to 21 inches: gravelly loam

B_{t3} - 21 to 47 inches: clay loam

B_{t4} - 47 to 63 inches: paragravelly silty clay loam

B_{t5} - 63 to 79 inches: paragravelly silty clay loam

Properties and qualities

Slope: 30 to 50 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(K_{sat}): Moderately low to high (0.06 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Available water supply, 0 to 60 inches: High (about 10.3 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6e

Hydrologic Soil Group: C

Ecological site: F004BJ101CA - Fog-influenced, low elevation slopes and footslopes

Hydric soil rating: No

Description of Canoecreek, Warm

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Shoulder

Landform position (three-dimensional): Mountainflank

Down-slope shape: Linear

Across-slope shape: Convex

Parent material: Colluvium and residuum derived from sandstone and mudstone

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material

A - 1 to 9 inches: gravelly loam

Bw1 - 9 to 15 inches: very cobbly loam

Bw2 - 15 to 31 inches: extremely cobbly loam

Bw3 - 31 to 49 inches: very cobbly sandy loam

C - 49 to 71 inches: extremely stony loamy sand

Properties and qualities

Slope: 30 to 50 percent

Surface area covered with cobbles, stones or boulders: 1.0 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Available water supply, 0 to 60 inches: Low (about 4.9 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 6e

Hydrologic Soil Group: B

Ecological site: F004BJ102CA - Dry, steep mountain slopes

Hydric soil rating: No

Description of Redwohly, Warm

Setting

Landform: Mountain slopes
Landform position (two-dimensional): Shoulder, backslope
Landform position (three-dimensional): Mountainflank
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Residuum weathered from sandstone and/or
residuum weathered from mudstone

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material
A - 1 to 5 inches: paragravelly loam
Bt1 - 5 to 16 inches: very paragravelly loam
Bt2 - 16 to 33 inches: extremely paragravelly loam
C - 33 to 63 inches: paragravel

Properties and qualities

Slope: 30 to 50 percent
Depth to restrictive feature: 20 to 39 inches to strongly contrasting
textural stratification
Drainage class: Well drained
Capacity of the most limiting layer to transmit water
(Ksat): Moderately low to moderately high (0.14 to 1.42 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0
mmhos/cm)
Available water supply, 0 to 60 inches: Low (about 3.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: B
Ecological site: F004BJ101CA - Fog-influenced, low elevation
slopes and footslopes
Hydric soil rating: No

Minor Components

Crazycoyote

Percent of map unit: 5 percent
Landform: Mountain slopes
Landform position (two-dimensional): Backslope
Landform position (three-dimensional): Mountainflank
Down-slope shape: Concave, convex, linear
Across-slope shape: Linear
Hydric soil rating: No

Caperidge, warm

Percent of map unit: 4 percent

Landform: Ridges

Landform position (two-dimensional): Summit, shoulder

Landform position (three-dimensional): Mountaintop

Down-slope shape: Convex, linear

Across-slope shape: Linear, convex

Hydric soil rating: No

Canoecreek

Percent of map unit: 4 percent

Landform: Mountain slopes

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Mountainflank

Down-slope shape: Linear

Across-slope shape: Convex

Hydric soil rating: No

Rock outcrop

Percent of map unit: 2 percent

Landform: Mountain slopes

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Center third of
mountainflank

Down-slope shape: Convex

Across-slope shape: Convex

Hydric soil rating: No

Data Source Information

Soil Survey Area: Humboldt County, South Part, California

Survey Area Data: Version 10, Sep 6, 2021

Humboldt County, South Part, California

575—Canoecreek-Sproulsh-Redwohly complex, 50 to 75 percent slopes, warm

Map Unit Setting

National map unit symbol: 2ml28

Elevation: 100 to 3,280 feet

Mean annual precipitation: 59 to 100 inches

Mean annual air temperature: 48 to 55 degrees F

Frost-free period: 240 to 300 days

Farmland classification: Not prime farmland

Map Unit Composition

Canoecreek, warm, and similar soils: 45 percent

Sproulsh, warm, and similar soils: 25 percent

Redwohly, warm, and similar soils: 15 percent

Minor components: 15 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Canoecreek, Warm

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Mountainflank

Down-slope shape: Linear

Across-slope shape: Convex

Parent material: Colluvium and residuum derived from sandstone, mudstone, and conglomerate

Typical profile

Oi - 0 to 4 inches: gravelly slightly decomposed plant material

A - 4 to 13 inches: very gravelly loam

Bw1 - 13 to 30 inches: very gravelly loam

Bw2 - 30 to 47 inches: very gravelly loam

Bw3 - 47 to 61 inches: very gravelly loam

Bw4 - 61 to 71 inches: very gravelly loam

Properties and qualities

Slope: 50 to 75 percent

Surface area covered with cobbles, stones or boulders: 1.0 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Available water supply, 0 to 60 inches: Moderate (about 7.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: F004BJ102CA - Dry, steep mountain slopes

Hydric soil rating: No

Description of Sproulsh, Warm

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Backslope

Landform position (three-dimensional): Mountainflank

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Colluvium derived from mudstone and/or colluvium derived from sandstone and/or residuum weathered from mudstone and/or residuum weathered from sandstone

Typical profile

Oi - 0 to 2 inches: slightly decomposed plant material

A - 2 to 8 inches: gravelly loam

Bt1 - 8 to 16 inches: loam

Bt2 - 16 to 35 inches: loam

Bt3 - 35 to 55 inches: loam

Bt4 - 55 to 79 inches: gravelly loam

Properties and qualities

Slope: 50 to 75 percent

Surface area covered with cobbles, stones or boulders: 0.0 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.20 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)

Available water supply, 0 to 60 inches: High (about 10.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: B

Ecological site: F004BJ102CA - Dry, steep mountain slopes

Hydric soil rating: No

Description of Redwohly, Warm

Setting

Landform: Mountain slopes
Landform position (two-dimensional): Shoulder, backslope
Landform position (three-dimensional): Mountainflank
Down-slope shape: Convex
Across-slope shape: Convex
Parent material: Residuum weathered from sandstone and/or
residuum weathered from mudstone

Typical profile

A - 0 to 8 inches: gravelly loam
Bt - 8 to 30 inches: very paragravelly loam
C - 30 to 79 inches: paragravel

Properties and qualities

Slope: 50 to 75 percent
Depth to restrictive feature: 20 to 39 inches to strongly contrasting
textural stratification
Drainage class: Well drained
Capacity of the most limiting layer to transmit water
(Ksat): Moderately low to moderately high (0.14 to 1.42 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0
mmhos/cm)
Available water supply, 0 to 60 inches: Low (about 3.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified
Land capability classification (nonirrigated): 7e
Hydrologic Soil Group: B
Ecological site: F004BJ102CA - Dry, steep mountain slopes
Hydric soil rating: No

Minor Components

Crazycoyote

Percent of map unit: 7 percent
Landform: Mountain slopes
Landform position (two-dimensional): Backslope
Landform position (three-dimensional): Mountainflank
Down-slope shape: Concave, convex, linear
Across-slope shape: Linear
Hydric soil rating: No

Caperidge, warm

Percent of map unit: 5 percent
Landform: Ridges
Landform position (two-dimensional): Summit, shoulder
Landform position (three-dimensional): Mountaintop

Down-slope shape: Convex, linear
Across-slope shape: Linear, convex
Hydric soil rating: No

Rock outcrop

Percent of map unit: 3 percent
Landform: Mountain slopes
Landform position (two-dimensional): Backslope
Landform position (three-dimensional): Center third of
mountainflank
Down-slope shape: Convex
Across-slope shape: Convex
Hydric soil rating: No

Data Source Information

Soil Survey Area: Humboldt County, South Part, California

Survey Area Data: Version 10, Sep 6, 2021