

COUNTY OF HUMBOLDT

Legislation Details (With Text)

	112	36	Version:	1	Name:		
Туре:	Zon	ng Item			Status:	Passed	
File created:	11/9	/2018			In control:	Planning and Building	
On agenda:	11/1	5/2018			Final action:	11/15/2018	
Title:	 Aloha Humboldt, Inc. Conditional Use Permit and Special Permit Application Number 11236 Case Number CUP-16-194 Assessor's Parcel Number (APN) 524-115-005 A Conditional Use Permit (CUP) to allow approximately 27,175 square feet (sf) of existing outdoor medical cannabis cultivation in both open air and greenhouses on property zoned Timberland Production (TPZ), and a Special Permit (SP) for a public lands setback reduction. The proposed project parcel is approximatly 141 acres in area and is bounded by the United States Forest Service Six Rivers National Forest to the east and west, and two equally sized private parcels to the north and south. Water is sourced from a rainwater catchment system and two springs that supply the estimated 134,100 gallons needed for annual irrigation. Water is stored in 31 existing hard tanks and one water bladder totaling 87,750 gallons. The water bladder will be removed and replaced, and the applicant proposes to add additional water storage for a total of 127,750 gallons. Currently, water use varies throughout the year with peak usage during June, July, August, and September with 26,100, 27,000, 27,000, and 26,100 gallons, respectively. The proposed project would include two cultivation cycles annually. Processing activities will occur off-site until financially feasible to construct a processing facility. Two full-time employees (currently the applicant husband/wife team) are required for day-to-day operations, and a maximum of six employees may be required to meet operational needs. Travel to and from the project site will occur daily via the northern project boundary which is accessed via a USFS 6N06 Rd road from the County maintained Friday Ridge Road and provides direct access to California State Route 299 (SR-299). Power is supplied by a Kohler 14Kw composite standby generator. 						
	varie 27,0 cycl proc for c nee acce dire	es through 00, 27,00 es annual eessing fa lay-to-day ds. Trave essed via ct access	nout the yea 0, and 26,1 ly. Process cility. Two f operations I to and fror a USFS 6N to California	ar with 00 ga sing ac full-tim , and n the 06 Rd	peak usage dui llons, respective ctivities will occu ne employees (c a maximum of s project site will o l road from the 0	ing June, July, August, and September with 26, y. The proposed project would include two cult off-site until financially feasible to construct a urrently the applicant husband/wife team) are re x employees may be required to meet operation ccur daily via the northern project boundary whi ounty maintained Friday Ridge Road and provio	ater use 100, ivation quired nal ich is des
Sponsors:	varie 27,0 cycl proc for c nee acce dire	es through 00, 27,00 es annual eessing fa lay-to-day ds. Trave essed via ct access	nout the yea 0, and 26,1 ly. Process cility. Two f operations I to and fror a USFS 6N to California	ar with 00 ga sing ac full-tim , and n the 06 Rd	peak usage dui llons, respective ctivities will occu ne employees (c a maximum of s project site will o l road from the 0	ing June, July, August, and September with 26, y. The proposed project would include two cult off-site until financially feasible to construct a urrently the applicant husband/wife team) are re x employees may be required to meet operation ccur daily via the northern project boundary whi ounty maintained Friday Ridge Road and provio	ater use 100, ivation quired nal ich is des
Sponsors: Indexes:	varie 27,0 cycl proc for c nee acce dire	es through 00, 27,00 es annual eessing fa lay-to-day ds. Trave essed via ct access	nout the yea 0, and 26,1 ly. Process cility. Two f operations I to and fror a USFS 6N to California	ar with 00 ga sing ac full-tim , and n the 06 Rd	peak usage dui llons, respective ctivities will occu ne employees (c a maximum of s project site will o l road from the 0	ing June, July, August, and September with 26, y. The proposed project would include two cult off-site until financially feasible to construct a urrently the applicant husband/wife team) are re x employees may be required to meet operation ccur daily via the northern project boundary whi ounty maintained Friday Ridge Road and provio	ater use 100, ivation quired nal ich is des
•	varie 27,0 cycl proc for c nee acce dire	es through 00, 27,00 es annual eessing fa lay-to-day ds. Trave essed via ct access	nout the yea 0, and 26,1 ly. Process cility. Two f operations I to and fror a USFS 6N to California	ar with 00 ga sing ac full-tim , and n the 06 Rd	peak usage dui llons, respective ctivities will occu ne employees (c a maximum of s project site will o l road from the 0	ing June, July, August, and September with 26, y. The proposed project would include two cult off-site until financially feasible to construct a urrently the applicant husband/wife team) are re x employees may be required to meet operation ccur daily via the northern project boundary whi ounty maintained Friday Ridge Road and provio	ater use 100, ivation quired nal ich is des
Indexes:	varie 27,0 cycl proc for c acce diree stan	es through 00, 27,00 es annual essing fa lay-to-day ds. Trave essed via ct access dby gene	nout the yea 0, and 26,1 ly. Process cility. Two f operations I to and fror a USFS 6N to California	ar with 00 ga 5ull-tim , and n the 06 Rd a State	peak usage dui llons, respective ctivities will occu a employees (c a maximum of s project site will o l road from the C e Route 299 (SF	ing June, July, August, and September with 26, y. The proposed project would include two cult off-site until financially feasible to construct a urrently the applicant husband/wife team) are re x employees may be required to meet operation ccur daily via the northern project boundary whi ounty maintained Friday Ridge Road and provio	ater use 100, ivation quired nal ich is des
Indexes: Code sections:	varie 27,0 cycl proc for c acce diree stan	es through 00, 27,00 es annual essing fa lay-to-day ds. Trave essed via ct access dby gene	out the yea 0, and 26,1 ly. Process cility. Two f operations I to and fror a USFS 6N to California rator.	ar with 00 ga 5ull-tim , and n the 06 Rd a State	peak usage dui llons, respective ctivities will occu a maximum of s project site will o l road from the O e Route 299 (SF	ing June, July, August, and September with 26, y. The proposed project would include two cult off-site until financially feasible to construct a urrently the applicant husband/wife team) are re x employees may be required to meet operation ccur daily via the northern project boundary whi ounty maintained Friday Ridge Road and provio	ater use 100, ivation quired nal ich is des

Aloha Humboldt, Inc. Conditional Use Permit and Special Permit Application Number 11236 Case Number CUP-16-194 Assessor's Parcel Number (APN) 524-115-005

A Conditional Use Permit (CUP) to allow approximately 27,175 square feet (sf) of existing outdoor medical cannabis cultivation in both open air and greenhouses on property zoned Timberland Production (TPZ), and a Special Permit (SP) for a public lands setback reduction. The proposed project parcel is approximatly 141 acres in area and is bounded by the United States Forest Service Six Rivers National Forest to the east and west, and two equally sized private parcels to the north and south. Water is sourced from a rainwater catchment system and two springs that supply the estimated 134,100 gallons needed for annual irrigation. Water is stored in 31 existing hard tanks and one water bladder totaling 87,750 gallons. The water bladder will be removed and replaced, and the applicant proposes to add additional water storage for a total of 127,750 gallons. Currently, water use varies throughout the year with peak usage during June, July, August, and September with 26,100, 27,000, 27,000, and 26,100 gallons, respectively. The proposed project would

File #: 11236, Version: 1

include two cultivation cycles annually. Processing activities will occur off-site until financially feasible to construct a processing facility. Two full-time employees (currently the applicant husband/wife team) are required for day-to-day operations, and a maximum of six employees may be required to meet operational needs. Travel to and from the project site will occur daily via the northern project boundary which is accessed via a USFS 6N06 Rd road from the County maintained Friday Ridge Road and provides direct access to California State Route 299 (SR-299). Power is supplied by a Kohler 14Kw composite standby generator.

Find the project exempt from environmental review pursuant to Sections 15301, 15302, 15303, 15304 and 15333 of the State CEQA Guidelines, make all of the required findings for approval of the Conditional Use Permit and Special Permit based on evidence in the staff report and any public testimony, and adopt the Resolution approving the proposed Aloha Humboldt Farms LLC. project subject to the recommended condition.