

COUNTY OF HUMBOLDT

Legislation Details (With Text)

File #:	21-9	5	Version:	1	Name:	
Туре:	Zoni	ng Item			Status:	Passed
File created:	1/15	/2021			In control:	Planning and Building
On agenda:	1/21	/2021			Final action:	1/21/2021
Title:	Appl Case Asse 1411	ication Nu e Number essor's Pa Sawmill	imber 1202 s CUP 16-5 rcel Numbe Road, Garb	2 08 er (AP erville		winting 12,200 equato fact (SE) outdoor composis
	cultiv wate (11.4 squa	vation ope r storage l gal/SF). ire foot mo	ration. Irrig is 6,000 ga Processino etal buildino	ation v llons i g, incl g. No e	water is sourced in two (2) hard ta uding drying and	existing 12,200 square foot (SF) outdoor cannabis from a permitted groundwater well. Existing availanks. Estimated annual water usage is 140,080 ga trimming would occur on-site in a proposed 1,104 e needed as site will be run by owner/operators.
Sponsors:	cultiv wate (11.4 squa	vation ope r storage l gal/SF). ire foot mo	ration. Irrig is 6,000 ga Processino etal buildino	ation v llons i g, incl g. No e	water is sourced in two (2) hard ta uding drying and employees will b	from a permitted groundwater well. Existing availanks. Estimated annual water usage is 140,080 ga trimming would occur on-site in a proposed 1,104
•	cultiv wate (11.4 squa	vation ope r storage l gal/SF). ire foot mo	ration. Irrig is 6,000 ga Processino etal buildino	ation v llons i g, incl g. No e	water is sourced in two (2) hard ta uding drying and employees will b	from a permitted groundwater well. Existing availanks. Estimated annual water usage is 140,080 ga trimming would occur on-site in a proposed 1,104
Indexes:	cultiv wate (11.4 squa	vation ope r storage l gal/SF). ire foot mo	ration. Irrig is 6,000 ga Processino etal buildino	ation v llons i g, incl g. No e	water is sourced in two (2) hard ta uding drying and employees will b	from a permitted groundwater well. Existing availanks. Estimated annual water usage is 140,080 ga trimming would occur on-site in a proposed 1,104
ndexes: Code sections:	cultiv wate (11.4 squa Pow	vation ope r storage l gal/SF). ire foot mo er is provi	ration. Irrig is 6,000 ga Processing etal building ded by con	ation v llons i g, inclu l. No e nectio	water is sourced in two (2) hard ta uding drying and employees will b	from a permitted groundwater well. Existing availanks. Estimated annual water usage is 140,080 ga trimming would occur on-site in a proposed 1,104
Sponsors: Indexes: Code sections: Attachments: Date	cultiv wate (11.4 squa Pow	vation ope r storage l gal/SF). ire foot mo er is provi	eration. Irrig is 6,000 ga Processing etal building ded by con	ation v llons i g, inclu l. No e nectio	water is sourced in two (2) hard ta uding drying and employees will b on to PG&E.	from a permitted groundwater well. Existing availa nks. Estimated annual water usage is 140,080 ga trimming would occur on-site in a proposed 1,104 e needed as site will be run by owner/operators.

Case Numbers CUP 16-508 Assessor's Parcel Number (APN) 223-291-002 1411 Sawmill Road, Garberville area

A Conditional Use Permit (CUP-16-508) for an existing 12,200 square foot (SF) outdoor cannabis cultivation operation. Irrigation water is sourced from a permitted groundwater well. Existing available water storage is 6,000 gallons in two (2) hard tanks. Estimated annual water usage is 140,080 gallons (11.4 gal/SF). Processing, including drying and trimming would occur on-site in a proposed 1,104 square foot metal building. No employees will be needed as site will be run by owner/operators. Power is provided by connection to PG&E.

Find that the Commission has considered the Addendum to the adopted Mitigated Negative Declaration for the Commercial Medical Land Use Ordinance (CCMLUO) as described by Section §15164 of the State CEQA Guidelines, make all of the required findings for approval of the Conditional Use Permit and adopt the Resolution approving the Tan Oak Farms, LLC Conditional Use Permit as recommended by staff subject to the recommended conditions.