

COUNTY OF HUMBOLDT

Legislation Details (With Text)

File #: 21-980 Version: 1 Name:

Type: Zoning Item Status: Continued

File created: 7/9/2021 In control: Planning and Building

On agenda: 7/15/2021 Final action:

Title: Over the Bridge Farm, LLC

Record Number PLN-13236-CUP

Assessor Parcel Number (APN) 216-382-028

Alderpoint area

A Conditional Use Permit (CUP) for 14,500 square feet (SF) of existing outdoor cannabis cultivation.

Ancillary propagation occurs in a 1,450 SF greenhouse. Irrigation water is sourced from a

groundwater well. Annual water usage is 234,900 gallons. Existing available water storage is 14,375 gallons. Drying and bucking occurs onsite in a 600-square-foot building and all other processing will occur off site at a licensed processing or manufacturing facility. Power is provided by two generators.

Sponsors:

Indexes:

Code sections:

Attachments: 1. 13236 Over the Bridge Farm Staff Report FINAL 7.15.21.pdf, 2. Attachment 3A 13236 Road

Evaluation 12.20.2019.pdf

Date Ver. Action By Action Result

7/15/2021 1 Planning Commission

Over the Bridge Farm, LLC

Record Number PLN-13236-CUP

Assessor Parcel Number (APN) 216-382-028

Alderpoint area

A Conditional Use Permit (CUP) for 14,500 square feet (SF) of existing outdoor cannabis cultivation. Ancillary propagation occurs in a 1,450 SF greenhouse. Irrigation water is sourced from a groundwater well. Annual water usage is 234,900 gallons. Existing available water storage is 14,375 gallons. Drying and bucking occurs onsite in a 600-square-foot building and all other processing will occur off site at a licensed processing or manufacturing facility. Power is provided by two generators.

Find that the Planning Commission has considered the Addendum to the Mitigated Negative Declaration adopted for the Commercial Medical Marijuana Land Use Ordinance pursuant to Section 15164 of the State CEQA Guidelines, make all of the required findings for approval of the Conditional Use Permit and adopt the Resolution approving the Over the Bridge Farm project subject to the recommended conditions.