

COUNTY OF HUMBOLDT

Legislation Details (With Text)

File #:	21-9	83	Version:	1	Name:		
Туре:	Zoni	ng Item			Status:	Continued	
File created:	7/9/2	2021			In control:	Planning and Building	
On agenda:	7/15	/2021			Final action:		
Title:	Mesher - Special Permit for after the fact tree removal Record Number PLN-2020-16825 Assessor's Parcel Number: 200-252-012-000. Fortuna area A Special Permit for unpermitted tree removal on a 1-acre parcel zoned Single Family Residential (F 1). Little Palmer Creek bisects the property, and there is a 200 ft. Streamside Management Area buf zone on each side of the creek which covers the entire parcel. Tree removal occurred in areas with a slope greater than 30% grade. All trees removed are Monterey Pines. The project includes a						
	slop	e greater t	han 30% g	rade.	All trees remove	d are Monterey Pines. The p	
Sponsors:	slop	e greater t	han 30% g	rade.	All trees remove		
•	slop	e greater t	han 30% g	rade.	All trees remove	d are Monterey Pines. The p	
Indexes:	slop	e greater t	han 30% g	rade.	All trees remove	d are Monterey Pines. The p	
Indexes: Code sections:	slop Biolo	e greater t ogical Ass	han 30% g essment w	rade. ith Mit	All trees remove	d are Monterey Pines. The p toring Plan (Henry, 2020).	
Sponsors: Indexes: Code sections: Attachments: Date	slop Biolo	e greater t ogical Ass	han 30% g essment w ner Staff Re	rade. ith Mit	All trees remove igation and Moni	d are Monterey Pines. The p toring Plan (Henry, 2020). df	

Assessor's Parcel Number: 200-252-012-000. Fortuna area

A Special Permit for unpermitted tree removal on a 1-acre parcel zoned Single Family Residential (R-1). Little Palmer Creek bisects the property, and there is a 200 ft. Streamside Management Area buffer zone on each side of the creek which covers the entire parcel. Tree removal occurred in areas with a slope greater than 30% grade. All trees removed are Monterey Pines. The project includes a Biological Assessment with Mitigation and Monitoring Plan (Henry, 2020).

Find that the Planning Commission has considered the project categorically exempt as described by Section 15304(d) of the State CEQA Guidelines; make the required findings for approval of the Special Permit; and approve the Mesher Project subject to the recommended conditions.